

SIDE TWO

Operator Name Mack C. Colt, Inc. Lease Name Lauber Well# 28AD SEC 23 TWP. 26 RGE. 14  East  West

WELL LOG

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all drill stem test giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken  Yes  No  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No

Formation Description  
 Log  Sample

Name	Top	Bottom
Soil & Clay	0	20
Sandstone	20	40
LIME	40	46
SHALE	46	170
LIME	170	282
SHALE	282	289
LIME	289	355
SHALE	355	370
LIME	370	380
SHALE	380	385
LIME	385	437
SHALE	437	515
LIME "K.C."	515	599
SHALE, BLK	599	603
LIME	603	608
SHALE	608	614
LIME	614	683
SHALE	683	788
LIME	788	792
SHALE (LMY)	792	803
LIME	803	805
SHALE	805	820
LIME	820	830
SHALE	830	926
LIME	926	952
SHALE	952	978
LIME 20'	978	997
SHALE, BLK	997	1003
LIME Ft. SCOTT	1003	1009
SHALE, BLK	1009	1018
SHALE, SLTY	1018	1021
SAND	1021	1024

  

NAME	TOP	BOTTOM
SHALE, SDY	1024	1030
SAND - SQUIRREL	1030	1054
SHALE, SLTY	1054	1066
SHALE	1066	1080
LIME	1080	1082
SHALE	1082	1209
SHALE & SAND	1209	1226
SAND - BARTLESVILLE	1226	1293
SHALE	1293	1345
TD	1345	

CASING RECORD <input type="checkbox"/> new <input type="checkbox"/> used							
Report all strings set - conductor, surface, intermediate, production, etc.							
Purpose of string	size hole drilled	size casing set (In O.D.)	weight lbs/ft.	setting depth	type of cement	# sacks used	type and percent additives
Surface Pipe	12 1/2"	8 5/8"	---	41.1'	neat	19	---
Casing	6 3/4"	4 1/2"	10.5	1337'	50 50 posm	210	2% gel

  

PERFORATION RECORD		Acid, Fracture, Shot, Cement Squeeze Record	
shots per foot	specify footage of each interval perforated	(amount and kind of material used)	Depth
Irregular	1229.5' - 1273'	1900 gals 15% HCL Acid 30 sks 10-30 sd & 10 sks 12-20 sd	1229.5-73 " "