### For KCC Use: Effective Date: District # \_ SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1325918

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:	
monun day year	Sec Twp S.	R E W
PPERATOR: License#	(Q/Q/Q/Q) feet from N /	S Line of Section
ame:	feet from E /	W Line of Section
ddress 1:	Is SECTION: Regular Irregular?	
ddress 2:		
ity: State: Zip: +	(Note: Locate well on the Section Plat on reve	,
ontact Person:	County:	
none:	Lease Name:	Well #:
	Field Name:	
ONTRACTOR: License#	Is this a Prorated / Spaced Field?	Yes No
nme:	Target Formation(s):	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:	feet MSI
	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Yes N
Seismic; # of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water:	
U duloi.	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
<u> </u>	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth:	
Well Name:		
Original Completion Date: Original Total Depth:	Formation at Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Yes, true vertical depth:	Well Farm Pond Other:	
•	DWR Permit #:	
Sottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR	
CCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
ΔΕ	FINAVIT	
	FIDAVIT	
he undersigned hereby affirms that the drilling, completion and eventual plu		
he undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.	
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq.  n drilling rig;	
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  It by circulating cement to the top; in all cases surface pipe si	nall be set
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  Iby circulating cement to the top; in all cases surface pipe site of the surface pipe site.	
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  Iby circulating cement to the top; in all cases surface pipe site of the surface pipe site of th	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the interval of the well is dry hole, an agreement between the operator and the disentation of the surface pipe as specified before well is either plugger.	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  Iby circulating cement to the top; in all cases surface pipe site of the sequence o	to plugging;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the sufface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the sufface pipe as specified below the interval of the well is dry hole, an agreement between the operator and the distribution.	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in;  Indicated the form below any usable water to surface within 120 DAYS.	to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the proved intention of the proved one content to drill shall be posted on each and the intention of the proved intention of	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilli	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilli	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggered. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilli	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the state of the posted on each and the state of the posted on the provided all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the disentation of the properties of the properties of the provided before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed.	ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In drilli	to plugging; of spud date. te II cementing
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prioringed or production casing is cemented in;  Indicated the decident of the complete state of the complete	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the sum of the posted on each and the posted on each and the sum of the posted on each and the sum of the posted on each and the posted on each an	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the posted on the posted on the posted on each and the posted on the posted on the posted on each and the posted on the posted on each and the posted on the post	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any  Remember to:  - File Certification of Compliance with the Kansas Surface C	to plugging; of spud date. te II cementing cementing.
the undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the district of the appropriate district of the approp	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to:  - File Certification of Compliance with the Kansas Surface CAct (KSONA-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the posted on the state of the posted on each and the posted of the posted on each and the posted of the posted of the posted on each and the posted of	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to:  - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the posted on the posted on each and the posted on the posted on each and the posted on the posted on the posted on each and the posted on	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in;  Indicated from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any in the Remember to:  File Certification of Compliance with the Kansas Surface Control Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date	to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the specific before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation.  Itrict office on plug length and placement is necessary prior ged or production casing is cemented in;  Indicated from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the Certification of Compliance with the Kansas Surface Completed Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration ord	to plugging; of spud date. te II cementing cementing.  where Notification  cers;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the posted on each and the provided intention of the posted on each and the provided intention of the posted on each and the provided intention of the posted on each and the provided intention of the provided intention of 20 feet into the 4. If the well is either plugger into the provided intention of 20 feet into the 4. If the well is either plugger into the provided intention of 20 feet into the provi	augging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe site underlying formation.  trict office on plug length and placement is necessary prior ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any  Remember to:  File Certification of Compliance with the Kansas Surface CACT (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date  File acreage attribution plat according to field proration ord  Notify appropriate district office 48 hours prior to workover	to plugging; of spud date. te II cementing cementing.  where Notification  cers; or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the spud date or and the dissection of the set of the	regging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe site of e underlying formation.  trict office on plug length and placement is necessary prior ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any  Remember to:  File Certification of Compliance with the Kansas Surface CACT (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date  File acreage attribution plat according to field proration ord  Notify appropriate district office 48 hours prior to workover  Submit plugging report (CP-4) after plugging is completed	of spud date. te II cementing cementing.  where Notification  where Notification  gers; or re-entry; (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an acceptance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	rugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe site of e underlying formation.  trict office on plug length and placement is necessary prior ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any  Remember to:  File Certification of Compliance with the Kansas Surface Control Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date.  File acreage attribution plat according to field proration ord.  Notify appropriate district office 48 hours prior to workover.  Submit plugging report (CP-4) after plugging is completed.  Obtain written approval before disposing or injecting salt w	to plugging; of spud date. te II cementing cementing.  where Notification  ; ers; or re-entry; (within 60 days); ater.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of set into the set of the set of the set of the set of set o	regging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe site of e underlying formation.  trict office on plug length and placement is necessary prior ged or production casing is cemented in;  and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any  Remember to:  File Certification of Compliance with the Kansas Surface CACT (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date  File acreage attribution plat according to field proration ord  Notify appropriate district office 48 hours prior to workover  Submit plugging report (CP-4) after plugging is completed	to plugging; of spud date. te II cementing cementing.  where Notification  ; ers; or re-entry; (within 60 days); ater. ted expiration date)

Signature of Operator or Agent:

_			_	
S	id	e	T	W

1	32591	R

For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🗍 W
Number of Acres attributable to well:	
<u> </u>	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
	age to the nearest lease or unit boundary line. Show the predicted locations of
	ectrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
	You may attach a separate plat if desired. 430 ft.
: : :	
	945 ft. <b>LEGEND</b>
	O Well Location
	Tank Battery Location
	iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii
	: : : Electric Line Location
	Lease Road Location
	EXAMPLE
: : : :	
2	
	<sup>‡</sup> <sup>‡</sup>
: : :	1980' FSL
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1325918

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

		onni in Dupneat			
Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:		· 		
Emergency Pit Burn Pit	Proposed Existing		SecTwpR East West		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes No				
	Length (fee		Width (feet)N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
material, thickness and installation procedure.  liner integrity, including any special monitoring.					
			Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling		Drilling, Worko	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease: N		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
	KCC (	OFFICE USE OI	NLY Steel Pit RFAC RFAS		
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No		

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1325918

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  cct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

#### Proposed Plan of Construction Frank D-1 Sec 2 T31S-R34W Seward County, KS



Sec 2 - T31S - R34W



Proposed Details of NE/4 Sec 2 -T31S -R34W



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

the same are true and correct, so help me God.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1188333

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

## WELL PLUGGING RECORD K.A.R. 82-3-117

OPERATOR: License #:			AF	'l No. 15	5	
Name:         Address 1:         Address 2:         City:       Zip:       + — — —         Contact Person:		I	Spot Description:			
		_		Sec Tw	vp S. R East West	
		I		Feet from	North / South Line of Section	
		_		Feet from	East / West Line of Section	
		Fo	otages	Calculated from Neares	st Outside Section Corner:	
Phone: ( )					NE NW	SE SW
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodi Water Supply Well Other: SWD Permit #:  ENHR Permit #: Gas Storage Permit #:  Is ACO-1 filed? Yes No If not, is well log attached? Yes  Producing Formation(s): List All (If needed attach another sheet)  Depth to Top: Bottom: T.D.  Depth to Top: Bottom: T.D.		County: _ Lease Na Date Wel No The plug by: Plugging		County: Well #: Well #: (Date)  Date Well Completed: (KCC District Agent's Name)  by: (KCC District Agent's Name)  Plugging Commenced: Plugging Completed: Completed: (Mate)		
Depth to	o Top: Botto	m:T.D		-555		
Show depth and thickness of		ations.				
Oil, Gas or Water				rd (Surfa	ace, Conductor & Produc	,
Formation	Content	Casing	Size		Setting Depth	Pulled Out
cement or other plugs were us						Is used in introducing it into the hole. If
Plugging Contractor License #	<b>#</b> :		Name:			
Address 1:			Address 2: _			
City:			Sta	ate:		Zip:+
Phone: ( )						
Name of Party Responsible for	or Plugging Fees:					
State of	County, _		, s	is.		
	(Detail Many)			Em	ployee of Operator or	Operator on above-described well,

**Submitted Electronically** 

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

January 18, 2017

IDANIA MEDINA Merit Energy Company, LLC 13727 NOEL RD STE 1200 DALLAS, TX 75240

Re: Drilling Pit Application Frank D 1 NE/4 Sec.02-31S-34W Seward County, Kansas

#### Dear IDANIA MEDINA:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.