For KCC Use: Effective Date: District # _ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1326169

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	day year	Spot Description:	
monur	uay year	s. Rsecswps. R	E v
PERATOR: License#		feet from N / S	Line of Section
ame:			V Line of Section
ddress 1:		Is SECTION: Regular Irregular?	
ddress 2:		(Note: Locate well on the Section Plat on reverse side	de)
ity: State:	·	County:	
Contact Person:		Lease Name: Well	
Phone:		Field Name:	
CONTRACTOR: License#		Is this a Prorated / Spaced Field?	Yes No
lame:		Target Formation(s):	
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
		Ground Surface Elevation:	feet MS
Oil Enh Rec Infield Gas Storage Pool Ex	Mud Rotary xt. Air Rotary	Water well within one-quarter mile:	Yes N
Disposal Wildcat		Public water supply well within one mile:	Yes N
Seismic ; # of Holes Other	Cable	Depth to bottom of fresh water:	
Other:		Depth to bottom of usable water:	
		Surface Pipe by Alternate: I II	
If OWWO: old well information as follow	ws:	Length of Surface Pipe Planned to be set:	
Operator:		Length of Conductor Pipe (if any):	
Well Name:		Projected Total Depth:	
Original Completion Date: C	Original Total Depth:	Formation at Total Depth:	
		Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:	
f Yes, true vertical depth:		DWR Permit #:	
Pottom Hole Location:			
		(Note: Apply for Permit with DWR)	
		Will Cores be taken?	Yes N
			Yes N
		Will Cores be taken? If Yes, proposed zone:	Yes N
CCC DKT #:	AF	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes N
CCC DKT #: The undersigned hereby affirms that the dril	AF Iling, completion and eventual p	Will Cores be taken? If Yes, proposed zone:	Yes N
t is agreed that the following minimum requ	AF Iling, completion and eventual p iirements will be met:	Will Cores be taken? If Yes, proposed zone: FIDAVIT	Yes N
CCC DKT #: The undersigned hereby affirms that the dril t is agreed that the following minimum reques 1. Notify the appropriate district office positions.	AF Iling, completion and eventual p irements will be met: rior to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.	Yes N
The undersigned hereby affirms that the dril t is agreed that the following minimum request. Notify the appropriate district office position 2. A copy of the approved notice of intersection.	AF Illing, completion and eventual p irrements will be met: rior to spudding of well; nt to drill shall be posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig;	
The undersigned hereby affirms that the dril t is agreed that the following minimum request. Notify the appropriate district office position. A copy of the approved notice of intersections.	AF Illing, completion and eventual p irrements will be met: rior to spudding of well; nt to drill shall be posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be	
The undersigned hereby affirms that the dril is agreed that the following minimum requous. Notify the appropriate district office posts. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials posts.	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plus.	e set
The undersigned hereby affirms that the dril t is agreed that the following minimum requ 1. Notify the appropriate district office p 2. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r	AF Illing, completion and eventual p uirements will be met: vior to spudding of well; nt to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the toetween the operator and the dis notified before well is either plug	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in;	e set ugging;
The undersigned hereby affirms that the dril t is agreed that the following minimum requ 1. Notify the appropriate district office p 2. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the between the operator and the dis inotified before well is either plug production pipe shall be cement	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; they are the taken? If Yes, proposed zone: If Yes,	e set ugging; d date.
The undersigned hereby affirms that the dril t is agreed that the following minimum requous. A copy of the appropriate district office posterior. The minimum amount of surface pipe through all unconsolidated materials posterior. The appropriate district office will be referred to the appropriate district office will be referred	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in;	e set ugging; d date. ementing
The undersigned hereby affirms that the dril t is agreed that the following minimum requ 1. Notify the appropriate district office p 2. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Eastern	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugled or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II ce	e set ugging; d date. ementing
The undersigned hereby affirms that the dril t is agreed that the following minimum requous. A copy of the appropriate district office posterior. The minimum amount of surface pipe through all unconsolidated materials posterior. The appropriate district office will be referred to the appropriate district office will be referred	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugled or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II ce	e set ugging; d date. ementing
The undersigned hereby affirms that the dril t is agreed that the following minimum request. Notify the appropriate district office positive 2. A copy of the approved notice of inter 3. The minimum amount of surface piper through all unconsolidated materials positive 4. If the well is dry hole, an agreement but 5. The appropriate district office will be referred to the first and the ALTERNATE II COMPLETION, por pursuant to Appendix "B" - Eastern must be completed within 30 days of the same and	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugled or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II ce	e set ugging; d date. ementing
The undersigned hereby affirms that the dril t is agreed that the following minimum request. Notify the appropriate district office positive 2. A copy of the approved notice of inter 3. The minimum amount of surface piper through all unconsolidated materials positive 4. If the well is dry hole, an agreement but 5. The appropriate district office will be referred to the first and the ALTERNATE II COMPLETION, por pursuant to Appendix "B" - Eastern must be completed within 30 days of the same and	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be the underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; they are to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II case to plugged. In all cases, NOTIFY district office prior to any ceme	e set ugging; d date. ementing
The undersigned hereby affirms that the dril t is agreed that the following minimum request. Notify the appropriate district office positive 2. A copy of the approved notice of inter 3. The minimum amount of surface piper through all unconsolidated materials positive 4. If the well is dry hole, an agreement but 5. The appropriate district office will be referred to the first and the ALTERNATE II COMPLETION, por pursuant to Appendix "B" - Eastern must be completed within 30 days of the same and	AF Illing, completion and eventual p irrements will be met: irror to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the petween the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order #	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to pluged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II can be plugged. In all cases, NOTIFY district office prior to any ceme	e set ugging; d date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum request is agreed that the following minimum request. Notify the appropriate district office positive 2. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials positive 4. If the well is dry hole, an agreement but 5. The appropriate district office will be referred to a complete the complete of the com	AF Illing, completion and eventual p irrements will be met: rior to spudding of well; nt to drill shall be posted on each eas specified below shall be sepulus a minimum of 20 feet into the between the operator and the districted before well is either plug broduction pipe shall be cement in Kansas surface casing order # the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If the drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spuritas, which applies to the KCC District 3 area, alternate II can be plugged. In all cases, NOTIFY district office prior to any ceme in the Remember to: - File Certification of Compliance with the Kansas Surface Owner Notes in the Remember to:	e set ugging; d date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum requ 1. Notify the appropriate district office p 2. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of the complete of the complet	AF Illing, completion and eventual p irrements will be met: irrior to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the interveen the operator and the dispondified before well is either plug production pipe shall be cement in Kansas surface casing order # the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spuritasy, which applies to the KCC District 3 area, alternate II can be plugged. In all cases, NOTIFY district office prior to any ceme in Remember to: - File Certification of Compliance with the Kansas Surface Owner Mact (KSONA-1) with Intent to Drill;	e set ugging; d date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum requival. Notify the appropriate district office posts. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials posts. If the well is dry hole, an agreement bosts. The appropriate district office will be referred to the following of the completed within 30 days of the complete within 30 days of the completed within 30 days of the complete w	AF Illing, completion and eventual p irrements will be met: *rior* to spudding of well; int to drill *shall* be* posted on each e as specified below *shall* be se plus a minimum of 20 feet into the between the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order # the spud date or the well shall be feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If the drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spuritas, which applies to the KCC District 3 area, alternate II can be plugged. In all cases, NOTIFY district office prior to any ceme in the Remember to: - File Certification of Compliance with the Kansas Surface Owner Notes in the Remember to:	e set ugging; d date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum requ 1. Notify the appropriate district office p 2. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials p 4. If the well is dry hole, an agreement b 5. The appropriate district office will be r 6. If an ALTERNATE II COMPLETION, p Or pursuant to Appendix "B" - Easterr must be completed within 30 days of the complete of the complet	AF Illing, completion and eventual p irrements will be met: *rior* to spudding of well; int to drill *shall* be* posted on each e as specified below *shall* be se plus a minimum of 20 feet into the between the operator and the dis inotified before well is either plug production pipe shall be cement in Kansas surface casing order # the spud date or the well shall be feet	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spuritasy, which applies to the KCC District 3 area, alternate II ce e plugged. In all cases, NOTIFY district office prior to any ceme Remember to: File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	e set ugging; d date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum requival. Notify the appropriate district office posts. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials posts. If the well is dry hole, an agreement bosts. The appropriate district office will be referred to the following of the completed within 30 days of the complete within 30 days of the completed within 30 days of the complete w	AF Illing, completion and eventual p irrements will be met: irior to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the between the operator and the dis production pipe shall be cement in Kansas surface casing order # the spud date or the well shall be feet feet feet per ALT. I	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spuging and plugged. In all cases, NOTIFY district office prior to any ceme Remember to: File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-early and the property of the provision of the complete of the provision orders;	e set ugging; id date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum request. Notify the appropriate district office posts. A copy of the approved notice of inter 3. The minimum amount of surface pipe through all unconsolidated materials posts. If the well is dry hole, an agreement bosts. The appropriate district office will be referenced in the following of the completed within 30 days of the complete of the co	AF Illing, completion and eventual p irrements will be met: irior to spudding of well; int to drill shall be posted on each e as specified below shall be se plus a minimum of 20 feet into the between the operator and the dis production pipe shall be cement in Kansas surface casing order # the spud date or the well shall be feet feet feet per ALT. I	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of sput 133,891-C, which applies to the KCC District 3 area, alternate II case e plugged. In all cases, NOTIFY district office prior to any ceme Remember to: - File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-essubmit plugging report (CP-4) after plugging is completed (within)	e set ugging; id date. ementing enting.
The undersigned hereby affirms that the dril t is agreed that the following minimum requing 1. Notify the appropriate district office posts. A copy of the approved notice of intermost in the minimum amount of surface pipe through all unconsolidated materials posts. The appropriate district office will be referred to the most intermost in the most intermost in the most intermost inter	AF Illing, completion and eventual p irrements will be met: rior to spudding of well; int to drill shall be posted on each e as specified below shall be see plus a minimum of 20 feet into the between the operator and the distancified before well is either plug production pipe shall be cement in Kansas surface casing order # the spud date or the well shall be feet feet feet feet feet per ALT. I	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. If drilling rig; If by circulating cement to the top; in all cases surface pipe shall be ne underlying formation. Strict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spuging and plugged. In all cases, NOTIFY district office prior to any ceme Remember to: File Certification of Compliance with the Kansas Surface Owner Nact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-early and the property of the provision of the complete of the provision orders;	e set ugging; id date. ementing enting. Notification entry; 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

S	id	Δ	τ	W

1326169

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

381 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1326169

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:				
Emergency Pit Burn Pit	Pit is: Proposed	Existing	Sec. Twp. R. East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit				
(If WP Supply API No. or Year Drilled)	Pit capacity:	(1-1-1-)	Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	lo		
, , ,	Length (fee	,	Width (feet) N/A: Steel Pits	
	m ground level to dee			
If the pit is lined give a brief description of the lir material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
		Depth to shallo Source of infor	west fresh water feet.	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
		<u> </u>		
Submitted Electronically				
Sastifica Elocitorillouity				
	KCC (OFFICE USE O	Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb		5	t Date: Lease Inspection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1326169


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R 🗌 East 🗌 West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location. CP-1 that I am filing in connection with this form; 2) if the form is	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form pening filed is a Form C-1 or Form CB-1, the plat(s) required by this	
form; and 3) my operator name, address, phone number, fax, a		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the /ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		



pipeline per

27 28

34 33

торо тар

NAD 27

& irr. wheat

28 grass/weeds

Rd. R

32

ingress stake East into

Lat. = 37.843729880 Long. = 101.284414624 NAD 27 KS-S X = 1196083.5 Y = 440589.9

I staked location with 7' wood (painted orange & blue) & t-post Location falls in grass/weeds

irr, wheat

rass/weeds sprinkler end pipe is 31.0° NE of staked loc.

While standing at staked location looking 150' in all directions loc. has 1' to 3' bumps

R. Evan Noll (Petroleum Landman)

P.O. Box 1351

Hays, KS 67601 Office - 785,628,8774 Cell - 785.623.0698 Fax - 785.628.8478

January 6, 2017

Warren Boegel 1541 Road 90 Lakin, KS 67860

RE:

Lee 'A' 6-28 Well - 381' SL & 335' WL

Section 28-25S-36W Kearny County, Kansas

Dear Property Owner:

Prior to issuing a permit to drill, the Kansas Corporation Commission requires the property owner be notified. The operator for the captioned well is:

American Warrior, Inc.


P.O. Box 399

Garden City, KS 67846

Contact Man: Kevin Wiles - (620) 271-4407 - kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing well, lease road, pipe & electric line locations. If successful, the well will run to the existing tank battery location. This is all non-binding and preliminary, being shown simply to satisfy State requirement. The actual locations will be determined by the dirt contractor, W & L Dirt (620) 793-2817. If you want to be involved in the locations, contact W & L, reference the captioned well name and coordinate with him.

Contract Landman with American Warrior, Inc.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

January 10, 2017

Cecil O'Brate American Warrior, Inc. 3118 CUMMINGS RD PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Lee A 6-28 SW/4 Sec.28-25S-36W Kearny County, Kansas

Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.