

For KCC Use:					
Effective Date:					
District #					
SGA? Yes No					

### Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

### **CATHODIC PROTECTION BOREHOLE INTENT**

Must be approved by the KCC sixty (60) days prior to commencing well.

	Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date:	Spot Description:
•	Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:	County
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSI
Name:	Cathodic Borehole Total Depth:fee
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used:  Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
Anode installation depths are,,,,,,	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.	3
is agreed that the following minimum requirements will be met:	
<ol> <li>Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior</li> </ol>	
	ir to any grouting.
Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
The minimum amount of cathodic surface casing as specified below shall be set by	
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
Submitted Electronically	
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required:feet	
	Permit Expired Well Not Drilled
Approved by:	
This authorization expires:	
(This authorization void if drilling not started within 12 months of approval date.)	
	Date Signature of Operator or Agent
Spud date: Agent:	

Side Two

1326212

For KCC Use ONLY	
API # 15	

### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

perator:				Location of We	ell: County:
cility Name:					feet from N / S Line of Section
orehole Number:					feet from E / W Line of Section
				Sec	Twp S. R
				_	_
				Is Section:	Regular or Irregular
				If Section is I	rregular, locate well from nearest corner boundary.
				Section corner	r used: NE NW SE SW
			PL	ΛΤ	
Show location	of the Cathodic	Borehole Show for			it boundary line. Show the predicted locations of
			•		as Surface Owner Notice Act (House Bill 2032).
70000 70000, 10	ini battorios, pi			parate plat if desi	
			ray attaom a cop	rarato piacin acci	. • • •
	_				]
	:			:	
	:	:		:	LEGEND
					O Well Location
	:	:		:	Tank Battery Location
;	:	:	: :	:	—— Pipeline Location
					Electric Line Location
	:				Lease Road Location
:	:	:		:	Lease Road Location
:		:	:	:	
:	:	25		:	EXAMPLE
i	:	<u> </u>	: :	:	
		:		:	
	•	•	·		
:	:	:	: :	:	
	:	:		:	
					1980' FSL
	:	:		:	
	:	:			
	••••				
	:				
	:		<u> </u>		2070 FWARD CO. 3390' FEL
	•	· 1	, .	-	

110 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:		SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dea	epest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	nei		dures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	KCC	OFFICE USE O				
Date Received: Permit Num	ber:	Perm	Liner Steel Pit RFAC RFAS  it Date: Lease Inspection: Yes No			



1326212

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	ng fee with this form. If the fee is not received with this form, the KSONA-1P-1 will be returned.
Submitted Electronically	
ī	

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Magellan Pipeline Company LP
Well Name	COFFEYVILLE 10" PIPELINE AC WELL #1
Doc ID	1326212

### Anode Installation Depths

Depth	
55	
65	
75	
85	
95	
05	
15	
25	
35	
45	
55	
65	
75	
85	
95	
05	
15	
25	
35	
45	
55	
65	
75	
85	

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Magellan Pipeline Company LP
Well Name	COFFEYVILLE 10" PIPELINE AC WELL #1
Doc ID	1326212


## Anode Installation Depths

Depth	
395	

## **Cathodic Protection Installation Request**

Coffeville to Caney 10"

## AC Mitigation Deep Well #1



Region:	CENTRAL	Area:	COFFEYVILLE		Pipeline:	Coffeyville to	Caney 10"
Alignment Sheet:	attached	Tract:	6561-MG-57C	Mile Post:	0.47 miles	Survey Station:	24+83
State :	Kansas	County:	Montgomery	Longitude:	-95.613084°	Latitude:	37.050848°
Section:	25	1/4 Sec.of 1/4:	SE/SE/SW/SE	Township:	T34S	Range:	16E
Location:	xxxxxxxxxx						
Property Owner Contact & Information:	Coffeyville Reso	urces Nitrogen, Fertilize	rs, LLC 701 E. MARTIN (	COFFEYVILLE KS	67337 C/O-Linda Lu	dwig 281 207-3462	
Power Company Contact and Information:							
Groundbed Type:	AC MITIGATION		Current Required:	NA	Soil Resistance:	13.82094 ohm meter	·s
Anode Type:	ANOTEC HSCI 2	660	Number of Anodes:	25	Type of Backfill:	LORESCO SC3	
Amount of Backfill:	Backfill: 9,300LBS		Type of Cable: 2/0 HMWPE			Amount of Cable:	175'
New Rectifier Required: (yes/no):	N/A		Rectifier Type: N	/A		Anode Depth:	255'
Anode Spacing:	10'	Anode Hole Specs:	420 X 10	Design Life:	20 YEARS		
Require	ed Installation Da	te:	_	Cons	struction Company:	Pipeline Control	s and Services
Driving Directions		ection of Wilcox Street ar vey line. 127ft South of		rel North on Sycan	nore Str. 468ft then	West 600ft to GPS lo	cation 200ft
Details:	GROUNDBED TO	) BE COMPLETED BELO	W GRADE AND ANODE	WIRES WILL BE TI	ERMINATED AT PCF	R BOX	
Requested By:	TVANGOOR	_	Date	01/04/16			

# AC MITIGATION GROUND WELL 2/0 HMWPE WIRE TO PCR PORTLAND CEMENT • 150' SDR 26 CASING LORESCO SC3 BACKFILL • HSCI ANOTEC 2660 **GROUNDING ANODES** - HOLE DIAMETER 10" - HOLE DEPTH 400' - CASING 8" SDR 26 - CASING STRING 0' TO 150' WITH CEMENT AROUND ANNULUS OF • 10" DIAMETER **CASING** WELL BORE - ANODE BACKFILL LORESCO SC3 - BACKFILL DEPTH 150' TO 400' - QTY 25 HSCI ANODE ON 10' CENTERS WITH #2 HMWPE - CASING PUMPED WITH CEMENT FROM 150' TO 3' BELOW SURFACE ipeline Controls