### For KCC Use: Effective Date: District # \_ SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1326972

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	Spot Description:	
month day year	Sec Twp	S. R 🔲 E 🔙 W
PPERATOR: License#	(Q/Q/Q/Q) feet from [	N / S Line of Section
ame:	feet from	E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?	
ddress 2:		
ity: State: Zip: +	(Note: Locate well on the Section Pla	•
ontact Person:	County:	
none:	Lease Name:	
	Field Name:	
ONTRACTOR: License#	Is this a Prorated / Spaced Field?	Yes No
ame:	Target Formation(s):	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): _	
	Ground Surface Elevation:	feet MSI
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary  Disposal Wildcat Cable	Public water supply well within one mile:	Yes N
Seismic; # of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water:	
U Vulgi.	Surface Pipe by Alternate: I III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
	Length of Conductor Pipe (if any):	
Operator:	, ,	
Well Name:	Projected Total Depth:	
Original Completion Date: Original Total Depth:	Formation at Total Depth:	
irectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Yes, true vertical depth:	Well Farm Pond Other:	
•	DWR Permit #:	
Sottom Hole Location:	( <b>Note:</b> Apply for Permit with E	
CC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
ΔΕ	FIDAVIT	
he undersigned hereby affirms that the drilling, completion and eventual plu		
	agging of this well will comply with N.O.A. 55 ct. 3cq.	
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;		
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>		
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i></li> </ol>	by circulating cement to the top; in all cases surface	pipe <b>shall be set</b>
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th	by circulating cement to the top; in all cases surface e underlying formation.	•
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation.  trict office on plug length and placement is necessary	•
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in;	prior to plugging;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; d from below any usable water to surface within 120	prior to plugging;  DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either pluggenerated.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; d from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area,	DAYS of spud date. alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; d from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area,	DAYS of spud date. alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; d from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area,	DAYS of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; d from below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area,	DAYS of spud date. alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"</li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior	DAYS of spud date. alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either pluge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, as plugged. In all cases, NOTIFY district office prior Remember to:	DAYS of spud date. alternate II cementing to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  must be completed within 30 days of the spud date or the well shall be  abmitted Electronically  For KCC Use ONLY	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior Remember to:  - File Certification of Compliance with the Kansas Surface	DAYS of spud date. alternate II cementing to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	by circulating cement to the top; in all cases surface e underlying formation.  trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior Remember to:  - File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill;	DAYS of spud date. alternate II cementing to any cementing.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	by circulating cement to the top; in all cases surface e underlying formation.  trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior Remember to:  - File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to	DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	by circulating cement to the top; in all cases surface e underlying formation.  trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior  Remember to:  - File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp	DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	by circulating cement to the top; in all cases surface e underlying formation.  trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior in File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora	DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ud date; tion orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eacl 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we	DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ud date; tion orders; orkover or re-entry;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the district office pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is con	prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ad date; tion orders; orkover or re-entry; upleted (within 60 days);
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office of spipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 20 feet per ALT. If the set of through all unconsolidated materials plus a minimum surface pipe required	by circulating cement to the top; in all cases surface e underlying formation.  trict office on plug length and placement is necessary ged or production casing is cemented in; and from below any usable water to surface within 120 (133,891-C, which applies to the KCC District 3 area, as plugged. In all cases, NOTIFY district office prior (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Sunact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sponding according to field proration. Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is conditionally written approval before disposing or injecting.	prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ad date; tion orders; orkover or re-entry; spleted (within 60 days); g salt water.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15	by circulating cement to the top; in all cases surface e underlying formation. trict office on plug length and placement is necessary ged or production casing is cemented in; defrom below any usable water to surface within 120 133,891-C, which applies to the KCC District 3 area, a plugged. In all cases, NOTIFY district office prior is File Certification of Compliance with the Kansas Suact (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of sp. File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to we submit plugging report (CP-4) after plugging is con	prior to plugging;  DAYS of spud date. alternate II cementing to any cementing.  rface Owner Notification  Drill; ud date; tion orders; orkover or re-entry; upleted (within 60 days); up salt water. authorized expiration date)

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



#### **LEGEND**

O Well Location
Tank Battery Location
Pipeline Location
----- Electric Line Location
Lease Road Location

EXAMPLE

1980' FSL

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		· · · · · · · · · · · · · · · · · · ·	
Emergency Pit Burn Pit	Proposed	Existing	Sec. Twp. R. East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County	
la the with exerted in a Constitute Consum d Western A	7002 Van N	,		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
	Yes N			
, , ,	Length (fee	,	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point: (feet) No Pit  If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining				
		cluding any special monitoring.		
·		Depth to shallow Source of inform	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
·		Drilling, Workover and Haul-Off Pits ONLY:		
		Type of materia	Type of material utilized in drilling/workover:	
Number of producing wells on lease: Number of w		Number of work	orking pits to be utilized:	
Barrels of fluid produced daily: Abandonme		Abandonment p	procedure:	
Does the slope from the tank battery allow all sp flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of soud date	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.				
Submitted Electronically				
KCC OFFICE USE ONLY				
			Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1326972

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)	
OPERATOR: License #	Well Location:	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:       I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ect (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

### Proposed Plan of Construction Hylbom A-11 Sec 30 T23S-R34W

Sec 30 123S-R34W Finney County, KS



Sec 30 - T23S - R34W



Proposed Details of NW/4 Sec 30 – T23S – R34W Proposed Site Diagram Hylbom A-11 October 9, 2015



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

January 12, 2017

IDANIA MEDINA Merit Energy Company, LLC 13727 NOEL RD STE 1200 DALLAS, TX 75240

Re: Drilling Pit Application Hylbom A 11 NW/4 Sec.30-23S-34W Finney County, Kansas

### Dear IDANIA MEDINA:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.