### For KCC Use: Effective Date: District # \_ SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1327492

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:				Coat Description:		
	month	day	year			
				$(\Omega/\Omega/\Omega/\Omega)$	Sec Twp S	
OPERATOR: License#					feet from N	$\vdash$
Name:				Is OFOTION. Describe	feet from E	/ W Line of Section
Address 1:				Is SECTION: Regular	irregular?	
Address 2:					te well on the Section Plat on re	everse side)
City:		-	+	County:		
Contact Person: Phone:				Lease Name:		Well #:
CONTRACTOR: License#				Is this a Prorated / Spaced	Field?	Yes No
Name:				Target Formation(s):		
Well Drilled For:	Well Class:	Туре	Equipment:	Nearest Lease or unit bour	ndary line (in footage):	
Oil Enh F	Rec Infield		Mud Rotary	Ground Surface Elevation:		feet MSL
Gas Stora	_	=	Air Rotary	Water well within one-quar	ter mile:	Yes No
Dispo	· H		Cable	Public water supply well wi	thin one mile:	Yes No
Seismic ;# c	=			•	ater:	
Other:				Depth to bottom of usable	water:	
				Surface Pipe by Alternate:	III	
It OWWO: old well	information as follow	VS:		Length of Surface Pipe Pla	nned to be set:	
Operator:				Length of Conductor Pipe	(if any):	
Well Name:				_ Projected Total Depth:		
Original Completion Da	ate: C	riginal Total	Depth:	Formation at Total Depth: _		
				Water Source for Drilling C		
Directional, Deviated or Ho			Yes No		d Other:	
If Yes, true vertical depth: _				DWK Pellill #.		
Bottom Hole Location: KCC DKT #:				·	<b>e:</b> Apply for Permit with DWR	
NOO DICI #				vviii Cores de taken?		Yes No
				If Yes, proposed zone:		
			AF	FIDAVIT		
-		-		lugging of this well will comply v	vith K.S.A. 55 et. seq.	
It is agreed that the follow	ing minimum requi	rements wil	I be met:			
a.g		rior to spude				
Notify the appropria						
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> </ol>	oved notice of inten	t to drill <b>sh</b> a	•			
<ol> <li>Notify the appropris</li> <li>A copy of the appro</li> <li>The minimum amo</li> </ol>	oved notice of intention of surface pipe	t to drill <b>sha</b> as specified	d below shall be se	t by circulating cement to the to	p; in all cases surface pipe	shall be set
Notify the appropria     A copy of the appro     The minimum amo through all unconsorted.	oved notice of inten unt of surface pipe olidated materials p	nt to drill <b>sha</b> as specified olus a minim	d below <b>shall be se</b> num of 20 feet into the	t by circulating cement to the to ne underlying formation.		
<ol> <li>Notify the appropri</li> <li>A copy of the appro</li> <li>The minimum amo through all unconso</li> <li>If the well is dry ho</li> </ol>	oved notice of inten unt of surface pipe olidated materials p le, an agreement b	at to drill <b>sha</b> as specified blus a minim etween the	d below <b>shall be se</b> num of 20 feet into the operator and the dis	t by circulating cement to the to	lacement is necessary <i>pric</i>	
<ol> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amo through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>	oved notice of inten ount of surface pipe olidated materials p ole, an agreement b strict office will be r	at to drill sha as specified blus a minim etween the notified befo	d below <b>shall be se</b> num of 20 feet into the operator and the dis re well is either plug	t by circulating cement to the to ne underlying formation. strict office on plug length and p	lacement is necessary <i>pric</i> nented in;	or to plugging;
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amo through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	oved notice of intent ount of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, poendix "B" - Eastern	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to ne underlying formation. strict office on plug length and p aged or production casing is cen ed from below any usable water t133,891-C, which applies to the	lacement is necessary <i>pric</i> nented in; to surface within 120 DAY. KCC District 3 area, alterr	or to plugging; S of spud date. nate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amo through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	oved notice of intent ount of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, poendix "B" - Eastern	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to ne underlying formation. strict office on plug length and p aged or production casing is cen ed from below any usable water	lacement is necessary <i>pric</i> nented in; to surface within 120 DAY. KCC District 3 area, alterr	or to plugging; S of spud date. nate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amo through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	oved notice of intent ount of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, poendix "B" - Eastern	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to ne underlying formation. strict office on plug length and p aged or production casing is cen ed from below any usable water t133,891-C, which applies to the	lacement is necessary <i>pric</i> nented in; to surface within 120 DAY. KCC District 3 area, alterr	or to plugging; S of spud date. nate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In our pursuant to Appropriate dis</li> </ol>	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be read to the completion, poendix "B" - Eastern of the within 30 days of the completion of	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to ne underlying formation. strict office on plug length and p aged or production casing is cen ed from below any usable water t133,891-C, which applies to the	lacement is necessary <i>pric</i> nented in; to surface within 120 DAY. KCC District 3 area, alterr	or to plugging; S of spud date. nate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In our pursuant to Appropriate dis</li> </ol>	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be read to the completion, poendix "B" - Eastern of the within 30 days of the completion of	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to the underlying formation. Strict office on plug length and paged or production casing is cented from below any usable water \$133,891-C, which applies to the plugged. In all cases, NOTIF	lacement is necessary <i>pric</i> nented in; to surface within 120 DAY. KCC District 3 area, alterr	or to plugging; S of spud date. nate II cementing
<ol> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In our pursuant to Appropriate dis</li> </ol>	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be read to the completion, poendix "B" - Eastern of the within 30 days of the completion of	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to ne underlying formation. strict office on plug length and p igged or production casing is cen ed from below any usable water £133,891-C, which applies to the pe plugged. In all cases, NOTII	lacement is necessary <i>pric</i> nented in; to surface within 120 DAY. EKCC District 3 area, altern FY district office prior to an	or to plugging; S of spud date. nate II cementing ny cementing.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. When the completed of the complete of the	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be not completely a completely and the mitter of the model of the mitter	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su the spud da	d below shall be se num of 20 feet into the operator and the dis re well is either plug- ipe shall be cement rface casing order #	t by circulating cement to the to the underlying formation. Strict office on plug length and paged or production casing is cented from below any usable water \$133,891-C, which applies to the plugged. In all cases, NOTIF	lacement is necessary <i>pric</i> nented in; to surface within <i>120 DAY</i> . KCC District 3 area, altern FY <i>district office</i> prior to an	or to plugging; S of spud date. nate II cementing ny cementing.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 9. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dispension of the completed dispension of the completed dispension of the complete dispension of the co	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be real COMPLETION, poendix "B" - Eastern diwithin 30 days of the mically	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression with the dispression of the community of the community of the or the well shall be s	t by circulating cement to the to the underlying formation.  strict office on plug length and pluged or production casing is cented from below any usable water that it is a specific strict of the plugged. In all cases, NOTIFE  Remember to:  File Certification of Complian Act (KSONA-1) with Intent to the underlying the plugged.	lacement is necessary <i>pric</i> nented in; to surface within <i>120 DAY</i> . KCC District 3 area, alterrect of the prior to an area of the content of	or to plugging; S of spud date. nate II cementing ny cementing.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Submitted Electroi  For KCC Use ONLY  API # 15 -  Conductor pipe required -	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be reported in the complete of the comple	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression of the senum of 20 feet into the operator and the dispression of the shall be cement of the or the well shall be sent of the well shall be sent of the well shall be sent or the wel	t by circulating cement to the to the underlying formation.  strict office on plug length and pluged or production casing is cented from below any usable water that it is a strict office. It is a strict office on plug length and plug water that is a strict office of the plugged. In all cases, NOTINE Center to:  - File Certification of Compliance (KSONA-1) with Intent the File Drill Pit Application (formalist cases).	lacement is necessary <i>pric</i> nented in; to surface within <i>120 DAY</i> . KCC District 3 area, alterrect of the prior to an area of the content of	or to plugging; S of spud date. nate II cementing ny cementing.  Owner Notification
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 9. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dispension of the completed dispension of the completed dispension of the complete dispension of the co	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be reported in the complete of the comple	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression of the senum of 20 feet into the operator and the dispression of the shall be cement of the or the well shall be sent of the well shall be sent of the well shall be sent or the wel	t by circulating cement to the to the underlying formation.  strict office on plug length and pluged or production casing is cented from below any usable water that it is a strict office. The plugged of production casing is cented from below any usable water that it is a strictly and the plugged. In all cases, NOTINET Complete that is a strictly a strictly and the plugged.  Remember to:  - File Certification of Compliant Act (KSONA-1) with Intent the plugged. File Drill Pit Application (form File Completion Form ACO-	lacement is necessary <i>pric</i> nented in; to surface within <i>120 DAY</i> . KCC District 3 area, alterries of the prior to an once with the Kansas Surface of Drill; m CDP-1) with Intent to Drill;	or to plugging; S of spud date. nate II cementing ny cementing.  Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Submitted Electroi  For KCC Use ONLY  API # 15 -  Conductor pipe required -	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be result of the completion, poendix "B" - Eastern district within 30 days of the completion of the completio	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression of the senum of 20 feet into the operator and the dispression of the shall be cement of the shall be sent of the well shall be s	t by circulating cement to the to the underlying formation.  strict office on plug length and pluged or production casing is cented from below any usable water that it is a strict office. The plugged of production casing is cented from below any usable water that it is a strictly and the plugged. In all cases, NOTINET Complete that is a strictly a strictly and the plugged.  Remember to:  - File Certification of Compliant Act (KSONA-1) with Intent the plugged. File Drill Pit Application (form File Completion Form ACO-	lacement is necessary price nented in; to surface within 120 DAY. EXCC District 3 area, alterry district office prior to an once with the Kansas Surface of Drill; The CDP-1) with Intent to Drill; Within 120 days of spud day according to field proration of the price of the control of the con	or to plugging; S of spud date. nate II cementing ny cementing.  Owner Notification  te; rders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If an ALTERNATE I For KCC Use ONLY  API # 15 -  Conductor pipe required I Minimum surface pipe recompleted  Approved by:	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be not office will be not office will be not office within 30 days of the oliver office will be not office within 30 days of the oliver office will be not	at to drill sha as specified blus a minim etween the notified befo production p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression of the senum of 20 feet into the operator and the dispression of the shall be cement of the shall be sent of the well shall be s	t by circulating cement to the to the underlying formation.  strict office on plug length and pluged or production casing is cented from below any usable water that it is a strict office.  Remember to:  File Certification of Compliant (KSONA-1) with Intent the File Drill Pit Application (formation of File Completion Form ACO-File acreage attribution plathand to Submit plugging report (CP)	lacement is necessary price nented in; to surface within 120 DAY. EXCC District 3 area, alternity district office prior to an once with the Kansas Surface of Drill; The CDP-1) with Intent to Drill; Within 120 days of spud day according to field proration of fice 48 hours prior to workow. A) after plugging is complete	or to plugging; S of spud date. nate II cementing ny cementing.  Owner Notification  te; rders; er or re-entry; d (within 60 days);
1. Notify the appropria 2. A copy of the appropria 3. The minimum amost through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate Technology  For KCC Use ONLY  API # 15	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be reported in the strict office within 30 days of the strict office will be reported in the strict office will be reported in the strict of the	at to drill sha as specified blus a minim etween the notified beforeduction p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression of the senum of 20 feet into the operator and the dispression of the shall be cement of the shall be sent of the well shall be s	t by circulating cement to the to the underlying formation.  strict office on plug length and paged or production casing is cented from below any usable water than 133,891-C, which applies to the plugged. In all cases, NOTIN  Remember to:  File Certification of Complian Act (KSONA-1) with Intent to File Drill Pit Application (for File Completion Form ACO-File acreage attribution plat Notify appropriate district of Submit plugging report (CP Obtain written approval before	lacement is necessary price nented in; to surface within 120 DAY. EXCC District 3 area, alterney district office prior to an once with the Kansas Surface of Drill; m CDP-1) with Intent to Drill; within 120 days of spud dataccording to field proration of fice 48 hours prior to workow. A) after plugging is complete one disposing or injecting salt.	or to plugging; S of spud date. nate II cementing ny cementing.  Owner Notification  te; rders; er or re-entry; d (within 60 days); water.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Submitted Electroi  For KCC Use ONLY  API # 15	oved notice of intendent of surface pipe olidated materials pole, an agreement be strict office will be reported in the strict office within 30 days of the strict office will be reported in the strict office will be reported in the strict of the	at to drill sha as specified blus a minim etween the notified beforeduction p a Kansas su the spud da	d below shall be senum of 20 feet into the operator and the dispression of the senum of 20 feet into the operator and the dispression of the shall be cement of the shall be sent of the well shall be s	t by circulating cement to the to the underlying formation.  strict office on plug length and pluged or production casing is cented from below any usable water that it is a strict office.  Remember to:  File Certification of Complia Act (KSONA-1) with Intent the File Drill Pit Application (for File Completion Form ACO-File acreage attribution plathous Notify appropriate district of Submit plugging report (CP-Obtain written approval before If well will not be drilled or p	lacement is necessary price nented in; to surface within 120 DAY. EXCC District 3 area, alterney district office prior to an once with the Kansas Surface of Drill; m CDP-1) with Intent to Drill; within 120 days of spud dataccording to field proration of fice 48 hours prior to workow. A) after plugging is complete one disposing or injecting salt.	or to plugging; S of spud date. nate II cementing ny cementing.  Owner Notification  te; rders; er or re-entry; ed (within 60 days); water. rized expiration date)

Signature of Operator or Agent:

_		-	
			ï

4	13	2	7	1	^	2	
-1	۱.≾	~	1	4	ч	1	

For KCC Use ONLY	
API # 15	


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

4580 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(II WI Supply All Five. St. Teal Brilled)		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallow	west fresh water feet.	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	ксс	OFFICE USE OF	NLY Steel Pit RFAC RFAS	
Date Received: Permit Numl	ber:	Permi	Date: Lease Inspection: Yes No	

### Kansas Corporation Commission Oil & Gas Conservation Division

1327492


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be le	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ov	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

January 17, 2017

Phil Frick
D. E. Exploration, Inc.
PO BOX 128
WELLSVILLE, KS 66092-0128

Re: Drilling Pit Application Evans 4 NE/4 Sec.01-15S-21E Johnson County, Kansas

#### Dear Phil Frick:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.