

Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

New Well  Re-Entry  Workover

Oil  WSW  SWD

Gas  DH  EOR

OG  GSW

CM (Coal Bed Methane)

Cathodic  Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to EOR  Conv. to SWD  
 Plug Back  Liner  Conv. to GSW  Conv. to Producer

Commingled Permit #: \_\_\_\_\_

Dual Completion Permit #: \_\_\_\_\_

SWD Permit #: \_\_\_\_\_

EOR Permit #: \_\_\_\_\_

GSW Permit #: \_\_\_\_\_

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE  NW  SE  SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27  NAD83  WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: \_\_\_\_\_

Confidential Release Date: \_\_\_\_\_

Wireline Log Received  Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
---	---	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--





**INVOICE**

DATE	INVOICE #
11/30/2016	6619

<b>BILL TO</b>
DESTINY PETROLEUM LLC 21 WATERWAY, SUITE 300 THE WOODLANDS, TX 77380

<b>REMIT TO</b>
EDGE SERVICES INC PO BOX 609 WOODWARD, OK 73802

COUNTY	Start Date	Work Order	Rig Number	LEASE NAME	Terms
SUMNER, KS	11/30/2016	4664	DAN D	JAYHAWK SL 2-32	Due on rec...

Description
DRILLED 40' OF 30" CONDUCTOR HOLE DRILLED 6' OF 76" HOLE FURNISHED AND SET 6' X 6' TINHORN CELLAR FURNISHED 40' OF 20" CONDUCTOR PIPE FURNISHED WELDER AND MATERIALS FURNISHED 4 YARDS OF 10 SACK GROUT FOR CONDUCTOR HOLE FURNISHED 2 YARDS OF 10 SACK GROUT FOR MOUSE HOLE DRILL MOUSE HOLE FURNISHED 50' OF 16" CONDUCTOR PIPE  TOTAL BID \$10,000  SDL RECEIVED 12-13-16 APPROVED PB DUE 90 DAYS CODE: 9207

<b>Sales Tax (7.0%)</b>	\$116.34
-------------------------	----------

<b>TOTAL</b>	\$10,116.34
--------------	-------------



Phone: 580-254-3216  
 Fax: 580-254-3279  
 P. O. Box 609  
 Woodward, OK 73802

4664

WORK ORDER #

		STARTING DATE:	11-30-16
RIG #:	DAW D	ORDER BY:	
COMPANY NAME:	DESTINY PETRO	PHONE #:	
LEASE NAME:	Jayhawk SL 2-32	COUNTY:	SUMNER, KS.
LEGAL DESCRIPTION:		EDGE RIG:	602

DIRECTIONS: Milan Ks - 2 1/2 S on Milan Rd, TO W 45<sup>±</sup> Str, 1/2 E, N INTO.

Face Rig	N	E	S	W	Pipe	Fuel - Rig:
Rat Hole					Note	Fuel - Vehicle:
Mouse Hole 80'					Cement	Credit Card Expenses:
Conductor 20"					Mud Truck	
Cellar 6x6					Pump Truck	
Tin Horn ✓					Welding	

- Drilled 40' of 30" Conductor Hole.
- Drilled 6' of 76" Hole & Set 6 x 6 Tinhorn Cellar
- Furnished Backhoe \_\_\_\_\_
- Furnished 40' of 20" Conductor Pipe \_\_\_\_\_
- Furnished Shucks \_\_\_\_\_ Rat \_\_\_\_\_ Mouse \_\_\_\_\_
- Furnished Mud, Water, And Transport Truck
- Furnished Welder And Materials
- Furnished Grout
- Furnished Grout Pump
- Drilled Rat Hole
- Drilled Mouse Hole
- Furnish 50' of 16" Conductor Pipe for Mousehole
- Furnish \_\_\_ x \_\_\_ Plate for Well Cover

TOTAL BID \$10,000

STATE SALES TAX \_\_\_\_\_ %

COUNTY SALES TAX \_\_\_\_\_ %

INSURANCE SURCHARGE \_\_\_\_\_

FUEL SURCHARGE \_\_\_\_\_

TOTAL INVOICE \_\_\_\_\_





7045 N. Highway 81  
Duncan, OK 73533

# Invoice

Date:	Invoice #:
12/19/2016	0000029492

Phone # (580) 255-3111

Bill To
Destiny Petroleum 1 Destiny Cove SPRING, TX 77381

Description of Work
SUMNER,COUNTY KS AFE N/A API 15-191-22784-01-00
Job Type: Surface (New Well Only)

Field Receipt	Terms	Service Date	Due Date	AFE No	Lease/Well Name
SOK5808	Net 30	12/16/2016	1/18/2017	0002 AFE N/A	JAYHAWK 3203 SL 2-32

Item	Description	U/M	Qty	Price Each	Amount	Disc %	Disc Amt	Net Amount
ML001	Pickup Mileage	UNTMIL	120	4.26	511.20	74.00%	-378.29	132.91
ML002	Pump Truck/Heavy Vehicle Mileage	UNTMIL	120	7.32	878.40	74.00%	-650.02	228.38
ML003	Bulk Cement Delivery/Return	MILE	448	2.95	1,321.60	74.00%	-977.98	343.62
MX001	Bulk Material Mixing Service Charge	SCF	164	3.27	536.28	74.00%	-396.85	139.43
CC001	Pump Charge 0-1000'	4-HRS	1	2,038.61	2,038.61	74.00%	-1,508.57	530.04
JM001	Data Acquisition System	JOB	1	1,437.48	1,437.48	74.00%	-1,063.74	373.74
AE017	Swage, 4 1/2" - 13 3/8"	DAY	1	457.38	457.38	74.00%	-338.46	118.92
AE007	1" to 2" valves	JOB	1	424.71	424.71	74.00%	-314.29	110.42
AE003	Circulation Equipment( 40' of equipment)	JOB	1	1,633.50	1,633.50	74.00%	-1,208.79	424.71
CP001	C (Premium Plus Cement) (94 lbs/ft3)	94SACK	155	30.80	4,774.01	74.00%	-3,532.77	1,241.24
CP010	Cello Flake	LBS	39	4.20	163.80	74.00%	-121.21	42.59
CP018	Calcium Chloride	LBS	292	1.22	356.24	74.00%	-263.62	92.62
CP031	Sugar	LBS	50	3.39	169.50	0.00%	0.00	169.50

AFE: 0002  
RECEIVED: 1-10-2017  
APPROVED: PB  
DUE: 90 DAYS  
CODE: 9224

Subtotal Amount	14,702.71
Sales Tax	108.22
Discount Amount	-10,754.59
Payment/Credit Amount	0.00
<b>Total Net Amount</b>	<b>4,056.34</b>

Contact: Reid McCarty

4K

**O-TEX PUMPING LLC**  
 Service Location Fairview, Oklahoma  
 Service Address 601 Industrial Blvd 73737

Phone number 580-227-2727  
**FIELD RECEIPT**  
 580-227-2727

Project Number: SOK 5808

Service Date: 12/16/2016  
 Customer Destiny Petroleum  
 Address: Jayhawk 3203 SL 2-32  
 City Sumner  
 State: Kansas  
 API # 15-191-22784-01-00  
 AFE # 0  
 PERMIT # 0

Well Name: Jayhawk 3203 SL  
 Well Number: 2-32  
 County: Sumner  
 State: Kansas  
 API # 15-191-22784-01-00  
 AFE # 0  
 PERMIT # 0

Job Type Surface  
 Serv. Sup. Charles Spracklen  
 Page 1 of 1

REF #	DESCRIPTION	U OF MEAS.	UNIT PRICE	QUAN	GROSS	%DISC	disc	NET
ML001	Pickup Mileage	per mile/ per Unit	4.26	120.0	\$511.20	74%	\$378.29	\$132.91
ML002	Pump Truck/Heavy Vehicle Mileage	per mile/ per Unit	7.32	120.0	\$878.40	74%	\$650.02	\$228.38
ML003	Bulk Cement Delivery/Return	per Ton-Mile	2.95	448.0	\$1,321.60	74%	\$977.98	\$343.62
MX001	Bulk Material Mixing Service Charge	per cuft	3.27	164.0	\$536.28	74%	\$396.85	\$139.43
CC001	Pump Charge 0-1000'	(per 4 hrs)	2,038.61	1.0	\$2,038.61	74%	\$1,508.57	\$530.04
JM001	Data Acquisition System	Per Job	1,437.48	1.0	\$1,437.48	74%	\$1,063.74	\$373.74
AE017	Swage, 4 1/2" - 13 3/8"	Per day	457.38	1.0	\$457.38	74%	\$338.46	\$118.92
AE007	1" to 2" valves	per job	424.71	1.0	\$424.71	74%	\$314.29	\$110.42
AE003	Circulation Equipment( 40' of equipment)	per job	1,633.50	1.0	\$1,633.50	74%	\$1,208.79	\$424.71
CP001	C (Premium Plus Cement) (94 lbs/ft3)	per sk	30.80	155.0	\$4,774.00	74%	\$3,532.76	\$1,241.24
CP010	Cello Flake	per lb	4.20	39.0	\$163.80	74%	\$121.21	\$42.59
CP018	Calcium Chloride	per lb	1.22	292.0	\$356.24	74%	\$263.62	\$92.62
CP031	Sugar	per lb	3.39	50.0	\$169.50	0%	\$0.00	\$169.50
CC015	Pump Charge Additional Hours	per hour/per unit	588.06	-	\$0.00	74%	\$0.00	\$0.00
AE012	Bulk Unit Additional Hours	Per unit/per hour	130.68	-	\$0.00	74%	\$0.00	\$0.00
ML003	Bulk Cement Delivery/Return	per Ton-Mile	2.95	-	\$0.00	74%	\$0.00	\$0.00
MX001	Bulk Material Mixing Service Charge	per cuft	3.27	-	\$0.00	74%	\$0.00	\$0.00
CP001	C (Premium Plus Cement) (94 lbs/ft3)	per sk	30.80	-	\$0.00	74%	\$0.00	\$0.00
CP018	Calcium Chloride	per lb	1.22	-	\$0.00	74%	\$0.00	\$0.00
AE022	1" Pipe for Top-Out*	per ft	7.90	-	\$0.00	20%	\$0.00	\$0.00
AE000	1" Pipe Handling Tool	per job	150.00	-	\$0.00	0%	\$0.00	\$0.00
					<b>AFE: 000</b>	<b>\$14,702.70</b>	<b>\$10,754.57</b>	<b>\$3,948.13</b>

Customer Authorized Agent: \_\_\_\_\_

**AFE: 000**      **CODE: 5200**

**DATE: 12-16-16**

**NAME: FELIX PEREZ**

**SIG: Felix Perez**



# SERVICE ORDER CONTRACT

Customer Name Destiny Petroleum Ticket Number SOK 5808

Lease & Well Number Jayhawk 3203 SL 2-32 Date 12/16/2016

As consideration, The Above Named customer Agrees:

O-TEX Pumping L.L.C. shall not be responsible for and customer shall secure O-TEX pumping against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of O-TEX pumping, this provision applying to but not limited to subsurface damage and surface damage arising from subsurface damage.

O-TEX makes no guarantee to the effectiveness of the products, supplies, or materials, nor of the results of any treatment or services. Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, O-TEX personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others except where due to O-TEX gross negligence or willful misconduct in the preparation or furnishing it.

Invoices payable NET 30 days following the date on the invoice.

Upon customers default in payment of the customers account by the last day of the month following the month in which the invoice is dated.


Customer agrees to pay interest thereon after at the highest lawful contract rate applicable but never to exceed 18% per annum in the event it becomes necessary to employ an attorney to enforce collection of said account.

Customer agrees to pay all collection costs and attorney fees in the amount of 25% of the unpaid account.

Service order: I authorize work to begin per service instructions in accordance with terms and conditions printed on this form and represent that I have authority to accept and sign this order.

**I HAVE READ AND UNDERSTAND THIS CONTRACT AND REPRESENT THAT I  
AM AUTHORIZED TO SIGN THE SAME AS CUSTOMERS AGENT.**

Customer Authorized Agent: \_\_\_\_\_







7045 N. Highway 81  
Duncan, OK 73533

# Invoice

Date:	Invoice #:
12/27/2016	0000029628

Phone # (580) 255-3111

Bill To
Destiny Petroleum 1 Destiny Cove SPRING, TX 77381

Description of Work
SUMNER,COUNTY KS AFE N/A API 15-191-22784-01-00
Job Type: Intermediate

Field Receipt	Terms	Service Date	Due Date	AFE No	Lease/Well Name
SOK5818	Net 30	12/22/2016	1/26/2017	AFE N/A	JAYHAWK 3203 SL 2-32

Item	Description	U/M	Qty	Price Each	Amount	Disc %	Disc Amt	Net Amount
ML001	Pickup Mileage	UNTMIL	120	4.26	511.20	70.00%	-357.84	153.36
ML002	Pump Truck/Heavy Vehicle Mileage	UNTMIL	120	7.32	878.40	70.00%	-614.88	263.52
ML003	Bulk Cement Delivery/Return	MILE	570	2.95	1,681.50	70.00%	-1,177.05	504.45
MX001	Bulk Material Mixing Service Charge	SCF	232	3.27	758.64	70.00%	-531.05	227.59
CC005	Pump Charge 4001-5000'	4-HRS	1	4,116.42	4,116.42	70.00%	-2,881.49	1,234.93
JM001	Data Acquisition System	JOB	1	1,437.48	1,437.48	70.00%	-1,006.24	431.24
AE003	Circulation Equipment( 40' of equipment)	JOB	1	1,633.50	1,633.50	70.00%	-1,143.45	490.05
AE002	Cement Head with manifold	JOB	1	1,176.12	1,176.12	70.00%	-823.28	352.84
CL011	7" Top Rubber Plug	EACH	1	203.28	203.28	35.00%	-71.15	132.13
CSB002	50/50 Poz With Premium	SACK	220	22.28	4,901.60	70.00%	-3,431.12	1,470.48
CPC15	CF-15 (low temperature non retarding)	LBS	55	25.69	1,412.95	70.00%	-989.06	423.89
CP010	Cello Flake	LBS	55	4.20	231.00	70.00%	-161.70	69.30
CPC48	Fiber X	LBS	55	30.25	1,663.75	70.00%	-1,164.63	499.12
CP018	Calcium Chloride	LBS	50	1.22	61.00	50.00%	-30.50	30.50

AFE: 6002  
 RECIEVED: 1-10-17  
 APPROVED: RB  
 DUE: 90 DAYS 4-10-17  
 CODE: 9224

Subtotal Amount	20,666.84
Sales Tax	183.78
Discount Amount	-14,383.44
Payment/Credit Amount	0.00
<b>Total Net Amount</b>	<b>6,467.18</b>

Contact: Reid McCarty

12-27-15  
35

**AFE:** 0002  
**CODE:** 250.409  
**DATE:** 12-22-16  
**NAME:** Felix Ortiz Jr  
**SIG:** Felix Ortiz Jr

**O-TEX PUMPING LLC**  
 Service Location Fairview, Oklahoma  
 Service Address 601 Industrial Blvd 73737

Service Date: 12/22/2016  
 Customer Destiny Petroleum  
 Address:  
 City  
 St  
 Customer Rep 0  
 Phone 0

Well Name: Jayhawk 3203 SL  
 Well Number: 2-32  
 County: Sumner  
 State: Kansas  
 API #: 15-191-22784-01-00  
 AFE #: 0  
 PERMIT #

Project Number: SOK 5818  
 Job Type Intermediate  
 Serv. Sup. Kyle Laskowitz  
 Page 1 of 1

REF #	DESCRIPTION	U OF MEAS.	UNIT PRICE	QUAN	GROSS	%DISC	disc	NET
ML001	Pickup Mileage	per mile/ per Unit	\$ 4.26	120.0	\$511.20	70%	\$357.84	\$153.36
ML002	Pump Truck/Heavy Vehicle Mileage	per mile/ per Unit	\$ 7.32	120.0	\$878.40	70%	\$614.88	\$263.52
ML003	Bulk Cement Delivery/Return	per Ton-Mile	\$ 2.95	570.0	\$1,681.50	70%	\$1,177.05	\$504.45
MX001	Bulk Material Mixing Service Charge	per cuft	\$ 3.27	232.0	\$758.64	70%	\$531.05	\$227.59
CC005	Pump Charge 4001-5000'	(per 4 hrs)	\$ 4,116.42	1.0	\$4,116.42	70%	\$2,881.49	\$1,234.93
JM001	Data Acquisition System	Per Job	\$ 1,437.48	1.0	\$1,437.48	70%	\$1,006.24	\$431.24
AE003	Circulation Equipment( 40' of equipment)	per job	\$ 1,633.50	1.0	\$1,633.50	70%	\$1,143.45	\$490.05
AE002	Cement Head with manifold	per job	\$ 1,176.12	1.0	\$1,176.12	70%	\$823.28	\$352.84
CL011	7" Top Rubber Plug	Each	\$ 203.28	1.0	\$203.28	35%	\$71.15	\$132.13
CSB002	50/50 Poz with Premium Class H (includes 2%	per sk	\$ 22.28	220.0	\$4,901.60	70%	\$3,431.12	\$1,470.48
CPC15	CF-15 (low temperature non retarding)	per lb	\$ 25.69	55.0	\$1,412.95	70%	\$989.07	\$423.89
CP010	Cello Flake	per lb	\$ 4.20	55.0	\$231.00	70%	\$161.70	\$69.30
CPC48	Fiber X (LCM)	per lb	\$ 30.25	55.0	\$1,663.75	70%	\$1,164.63	\$499.13
CP018	Calcium Chloride	per lb	\$ 1.22	50.0	\$61.00	50%	\$30.50	\$30.50
CC015	Pump Charge Additional Hours	per hour/per unit	\$ 588.06	-	\$0.00	48%	\$0.00	\$0.00
AE012	Bulk Unit Additional Hours	Per unit/per hour	\$ 130.68	-	\$0.00	48%	\$0.00	\$0.00
DC001	Derrick Charge (Cement Head Stabbing Above	per job	\$ 784.08	-	\$0.00	48%	\$0.00	\$0.00
					\$20,666.84		\$14,383.44	\$6,283.40

I HAVE READ AND UNDERSTAND THIS CONTRACT AND REPRESENT THAT I AM AUTHORIZED TO SIGN THE SAME AS CUSTOMERS AGENT.  
 Customer Authorized Agent: Felix Ortiz Jr



# SERVICE ORDER CONTRACT

Customer Name Destiny Petroleum Ticket Number SOK 5818

Lease & Well Number Jayhawk 3203 SL 2-32 Date 12/22/2016

As consideration, The Above Named customer Agrees:

O-TEX Pumping L.L.C. shall not be responsible for and customer shall secure O-TEX pumping against any liability for damage to property of customer and of the well owner (if different from customer), unless caused by the willful misconduct or gross negligence of O-TEX pumping, this provision applying to but not limited to subsurface damage and surface damage arising from subsurface damage.

O-TEX makes no guarantee to the effectiveness of the products, supplies, or materials, nor of the results of any treatment or services. Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, O-TEX personnel will use their best efforts in gathering such information and their best judgment in interpreting it, but because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others except where due to O-TEX gross negligence or willful misconduct in the preparation or furnishing it.

Invoices payable NET 30 days following the date on the invoice.

Upon customers default in payment of the customers account by the last day of the month following the month in which the invoice is dated.

Customer agrees to pay interest thereon after at the highest lawful contract rate applicable but never to exceed 18% per annum in the event it becomes necessary to employ an attorney to enforce collection of said account.

Customer agrees to pay all collection costs and attorney fees in the amount of 25% of the unpaid account.

Service order: I authorize work to begin per service instructions in accordance with terms and conditions printed on this form and represent that I have authority to accept and sign this order.

**I HAVE READ AND UNDERSTAND THIS CONTRACT AND REPRESENT THAT I AM AUTHORIZED TO SIGN THE SAME AS CUSTOMERS AGENT.**

Customer Authorized Agent: \_\_\_\_\_







# Survey Sheet

15191227840000

Company	Destiny Petroleum	Job Number	16056
Well	Jayhawk 3203 SDL 2-32HU	Magnetic Declination	3.14
Location	Sumner County	Directional Driller	R. Cunningham / B. Eller
Rig	Dan D 19	MWD Engineer	Eric Denton
Leg	Upper Curve & Lateral	MWD Engineer	Craig Jackson

Calculation Method	Minimum Curvature
--------------------	-------------------

Proposed Azimuth	302.43
Depth Reference	KB 1229
Tie Into	MWD

Survey Number	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (ft/100')	Build Rate (d/100')	Walk Rate (d/100')
							N/S (ft)	E/W (ft)	Distance (ft)	Direction Azimuth			
Tie In													
1	355	4.4	64.2	355	354.65	-7.17	5.93 N	12.27 E	13.62	64.20	1.24	1.24	18.08
2	415	4.0	53.0	60	414.49	-9.12	8.19 N	16.01 E	17.98	62.90	1.52	-0.67	-18.67
3	477	3.5	46.5	62	476.36	-10.34	10.80 N	19.11 E	21.95	60.54	1.06	-0.81	-10.48
4	537	3.1	45.6	60	536.26	-11.16	13.19 N	21.60 E	25.31	58.58	0.67	-0.67	-1.50
5	598	2.4	41.2	61	597.19	-11.73	15.31 N	23.62 E	28.14	57.05	1.20	-1.15	-7.21
6	659	1.0	41.5	61	658.16	-12.00	16.67 N	24.81 E	29.89	56.11	2.30	-2.30	0.49
7	720	0.2	334.6	61	719.16	-12.00	17.16 N	25.12 E	30.42	55.66	1.54	-1.31	480.49
8	781	1.1	249.9	61	780.15	-11.55	17.06 N	24.52 E	29.87	55.18	1.80	1.48	-138.85
9	842	1.8	231.5	61	841.13	-10.88	16.26 N	23.22 E	28.35	55.01	1.36	1.15	-30.16
10	904	2.3	230.1	62	903.09	-10.19	14.85 N	21.51 E	26.14	55.37	0.81	0.81	-2.26
11	967	2.3	229.6	63	966.04	-9.43	13.22 N	19.57 E	23.62	55.96	0.03	0.00	-0.79
12	1030	2.3	226.7	63	1028.99	-8.75	11.54 N	17.69 E	21.12	56.89	0.18	0.00	-4.60
13	1091	2.4	226.0	61	1089.94	-8.14	9.81 N	15.88 E	18.67	58.30	0.17	0.16	-1.15
14	1152	2.4	224.7	61	1150.89	-7.57	8.02 N	14.06 E	16.19	60.32	0.09	0.00	-2.13
15	1211	2.4	221.6	59	1209.83	-7.11	6.21 N	12.38 E	13.85	63.34	0.22	0.00	-5.25
16	1273	2.4	221.7	62	1271.78	-6.70	4.27 N	10.65 E	11.48	68.14	0.01	0.00	0.16
17	1334	2.3	218.3	61	1332.73	-6.37	2.36 N	9.04 E	9.34	75.38	0.28	-0.16	-5.57
18	1395	1.2	215.1	61	1393.70	-6.21	0.88 N	7.92 E	7.96	83.68	1.81	-1.80	-5.25
19	1457	1.0	225.3	62	1455.69	-6.06	0.04 S	7.16 E	7.16	90.28	0.45	-0.32	16.45
20	1519	0.9	232.5	62	1517.68	-5.77	0.71 S	6.39 E	6.43	96.37	0.25	-0.16	11.61
21	1579	0.8	230.3	60	1577.67	-5.48	1.27 S	5.69 E	5.83	102.55	0.18	-0.17	-3.67
22	1642	0.8	229.4	63	1640.67	-5.22	1.83 S	5.02 E	5.34	110.08	0.02	0.00	-1.43
23	1705	0.8	225.3	63	1703.66	-4.99	2.43 S	4.37 E	5.00	119.06	0.09	0.00	-6.51
24	1767	1.0	218.0	62	1765.65	-4.84	3.16 S	3.73 E	4.89	130.27	0.37	0.32	-11.77
25	1830	1.1	224.0	63	1828.64	-4.67	4.03 S	2.97 E	5.01	143.58	0.24	0.16	9.52
26	1892	1.0	221.2	62	1890.63	-4.47	4.86 S	2.20 E	5.34	155.63	0.18	-0.16	-4.52
27	1955	1.1	218.6	63	1953.62	-4.32	5.75 S	1.46 E	5.93	165.72	0.18	0.16	-4.13
28	2018	1.1	215.5	63	2016.61	-4.22	6.72 S	0.74 E	6.76	173.75	0.09	0.00	-4.92
29	2080	1.1	215.7	62	2078.60	-4.16	7.68 S	0.04 E	7.68	179.68	0.01	0.00	0.32
30	2143	1.1	220.3	63	2141.59	-4.04	8.64 S	0.70 W	8.66	184.65	0.14	0.00	7.30
31	2206	1.0	219.0	63	2204.58	-3.89	9.52 S	1.44 W	9.63	188.59	0.16	-0.16	-2.06
32	2268	1.0	223.7	62	2266.57	-3.73	10.34 S	2.15 W	10.56	191.77	0.13	0.00	7.58
33	2331	1.0	218.8	63	2329.56	-3.56	11.16 S	2.88 W	11.53	194.46	0.14	0.00	-7.78
34	2395	0.9	216.5	64	2393.55	-3.46	12.00 S	3.53 W	12.51	196.38	0.17	-0.16	-3.59
35	2458	0.9	210.7	63	2456.54	-3.44	12.82 S	4.07 W	13.45	197.62	0.14	0.00	-9.21
36	2520	0.9	208.7	62	2518.53	-3.49	13.67 S	4.56 W	14.41	198.43	0.05	0.00	-3.23
37	2583	0.9	210.7	63	2581.53	-3.53	14.53 S	5.05 W	15.38	199.15	0.05	0.00	3.17
38	2646	0.9	211.9	63	2644.52	-3.55	15.37 S	5.56 W	16.35	199.88	0.03	0.00	1.90
39	2709	1.0	212.1	63	2707.51	-3.56	16.26 S	6.11 W	17.37	200.61	0.16	0.16	0.32
40	2772	0.9	217.1	63	2770.50	-3.52	17.12 S	6.70 W	18.39	201.38	0.21	-0.16	7.94
41	2835	1.1	220.3	63	2833.49	-3.40	17.98 S	7.39 W	19.44	202.36	0.33	0.32	5.08
42	2897	1.1	223.3	62	2895.48	-3.21	18.86 S	8.19 W	20.56	203.46	0.09	0.00	4.84
43	2959	1.1	228.8	62	2957.47	-2.93	19.69 S	9.04 W	21.67	204.67	0.17	0.00	8.87
44	3021	1.1	230.0	62	3019.46	-2.58	20.46 S	9.95 W	22.75	205.92	0.04	0.00	1.94
45	3083	1.1	236.4	62	3081.44	-2.16	21.17 S	10.90 W	23.81	207.23	0.20	0.00	10.32
46	3146	1.1	227.1	63	3144.43	-1.76	21.92 S	11.84 W	24.92	208.38	0.28	0.00	-14.76
47	3209	1.0	226.9	63	3207.42	-1.47	22.71 S	12.69 W	26.01	209.20	0.16	-0.16	-0.32
48	3272	0.9	226.5	63	3270.41	-1.21	23.42 S	13.45 W	27.01	209.86	0.16	-0.16	-0.63
49	3335	2.5	280.8	63	3333.39	0.19	23.51 S	15.16 W	27.97	212.81	3.34	2.54	86.19
50	3367	4.3	293.9	32	3365.33	2.02	22.89 S	16.94 W	28.48	216.50	6.09	5.63	40.94
51	3399	6.9	299.8	32	3397.17	5.13	21.45 S	19.71 W	29.13	222.57	8.31	8.13	18.44
52	3430	10.3	302.8	31	3427.82	9.76	19.02 S	23.65 W	30.35	231.19	11.06	10.97	9.68
53	3461	14.3	302.4	31	3458.10	16.37	15.47 S	29.22 W	33.06	242.10	12.91	12.90	-1.29
54	3492	17.2	300.8	31	3487.94	24.78	11.07 S	36.39 W	38.03	253.08	9.46	9.35	-5.16
55	3524	19.5	299.6	32	3518.31	34.84	6.01 S	45.10 W	45.50	262.41	7.28	7.19	-3.75
56	3555	23.4	300.7	31	3547.16	46.17	0.31 S	54.89 W	54.89	269.68	12.65	12.58	3.55
57	3587	28.0	302.0	32	3575.98	60.04	6.92 N	66.73 W	67.09	275.92	14.48	14.38	4.06
58	3618	29.9	303.9	31	3603.11	75.04	15.09 N	79.32 W	80.74	280.77	6.81	6.13	6.13
59	3649	32.2	307.8	31	3629.67	90.99	24.46 N	92.26 W	95.45	284.85	9.85	7.42	12.58
60	3680	33.7	309.1	31	3665.68	107.76	34.95 N	105.46 W	111.10	288.34	5.35	4.84	4.19
61	3712	36.9	307.9	32	3681.79	126.14	46.45 N	119.94 W	128.62	291.17	10.23	10.00	-3.75
62	3743	40.2	307.0	31	3706.03	145.39	58.19 N	135.27 W	147.26	293.28	10.80	10.65	-2.90
63	3774	44.2	305.9	31	3728.99	166.15	70.56 N	152.02 W	167.60	294.90	13.12	12.90	-3.55
64	3806	47.6	305.2	32	3751.26	189.10	83.91 N	170.72 W	190.23	296.17	10.74	10.63	-2.19
65	3837	50.1	304.6	31	3771.66	212.42	97.26 N	189.87 W	213.33	297.13	8.20	8.06	-1.94

66	3868	52.6	303.8	31	3791.02	236.61	110.87	N	209.89	W	237.37	297.84	8.31	8.06	-2.58
67	3900	54.5	303.5	32	3810.03	262.34	125.13	N	231.32	W	262.99	298.41	5.99	5.94	-0.94
68	3931	55.5	303.4	31	3827.81	287.73	139.13	N	252.50	W	288.30	298.85	3.24	3.23	-0.32
69	3962	56.4	302.9	31	3845.17	313.42	153.17	N	274.01	W	313.91	299.21	3.20	2.90	-1.61
70	3993	57.2	302.6	31	3862.14	339.36	167.20	N	295.82	W	339.81	299.48	2.70	2.58	-0.97
71	4025	58.1	302.8	32	3879.26	366.39	181.81	N	318.57	W	366.80	299.71	2.86	2.81	0.62
72	4056	59.1	302.7	31	3895.42	392.85	196.12	N	340.83	W	393.23	299.92	3.24	3.23	-0.32
73	4088	60.1	302.6	32	3911.61	420.45	211.01	N	364.06	W	420.80	300.10	3.14	3.13	-0.31
74	4119	61.6	302.2	31	3926.71	447.52	225.52	N	386.92	W	447.85	300.24	4.97	4.84	-1.29
75	4151	63.8	302.4	32	3941.38	475.95	240.71	N	410.96	W	476.27	300.36	6.90	6.87	0.62
76	4182	66.2	302.1	31	3954.48	504.05	255.70	N	434.72	W	504.34	300.46	7.79	7.74	-0.97
77	4213	68.8	302.0	31	3966.35	532.69	270.90	N	458.99	W	532.97	300.55	8.39	8.39	-0.32
78	4276	71.8	300.5	63	3987.58	591.98	301.66	N	509.69	W	592.27	300.62	5.26	4.76	-2.38
79	4353	76.2	304.9	77	4008.81	665.95	341.65	N	571.93	W	666.21	300.85	7.93	5.71	5.71
80	4392	80.2	303.8	39	4016.78	704.10	363.19	N	603.44	W	704.31	301.04	10.62	10.26	-2.82
81	4421	83.2	302.3	29	4020.97	732.79	378.83	N	627.49	W	732.98	301.12	11.54	10.34	-5.17
82	4451	86.7	301.1	30	4023.61	762.67	394.53	N	652.91	W	762.86	301.14	12.33	11.67	-4.00
83	4482	90.3	300.5	31	4024.42	793.64	410.40	N	679.53	W	793.84	301.13	11.77	11.61	-1.94
84	4512	90.5	300.7	30	4024.21	823.62	425.67	N	705.35	W	823.84	301.11	0.94	0.67	0.67
85	4573	90.7	300.7	61	4023.57	884.59	456.81	N	757.80	W	884.83	301.08	0.33	0.33	0.00
86	4635	90.6	300.9	62	4022.87	946.56	488.55	N	811.05	W	946.83	301.06	0.36	-0.16	1.32
87	4697	90.5	301.7	62	4022.28	1008.55	520.76	N	864.02	W	1008.83	301.08	1.30	-0.16	1.29
88	4759	90.1	300.5	62	4021.95	1070.53	552.79	N	917.11	W	1070.82	301.08	2.04	-0.65	-1.94
89	4819	90.8	300.8	60	4021.48	1130.50	583.37	N	968.73	W	1130.82	301.06	1.27	1.17	0.50
90	4882	91.7	303.0	63	4020.11	1193.47	616.65	N	1022.20	W	1193.79	301.10	3.77	1.43	3.49
91	4945	91.6	303.0	63	4018.29	1256.44	650.95	N	1075.01	W	1256.74	301.20	0.16	-0.16	0.00
92	5007	91.7	302.0	62	4016.51	1318.42	684.25	N	1127.28	W	1318.69	301.26	1.62	0.16	-1.61
93	5070	91.2	302.7	63	4014.91	1381.40	717.95	N	1180.48	W	1381.66	301.31	1.37	-0.79	1.11
94	5133	91.1	303.2	63	4013.65	1444.38	752.21	N	1233.34	W	1444.62	301.38	0.81	-0.16	0.79
95	5195	90.2	303.6	62	4012.94	1506.37	786.34	N	1285.09	W	1506.58	301.46	1.59	-1.45	0.65
96	5258	90.2	303.6	63	4012.72	1569.35	821.20	N	1337.57	W	1569.54	301.55	0.00	0.00	0.00
97	5320	91.1	303.1	62	4012.02	1631.34	855.28	N	1389.35	W	1631.51	301.62	1.66	1.45	-0.81
98	5383	90.6	303.5	63	4011.09	1694.33	889.87	N	1442.00	W	1694.47	301.68	1.02	-0.79	0.63
99	5446	91.5	304.1	63	4009.93	1757.30	924.91	N	1494.35	W	1757.42	301.75	1.72	1.43	0.95
100	5508	90.0	303.1	62	4009.12	1819.28	959.21	N	1545.98	W	1819.38	301.82	2.91	-2.42	-1.61
101	5571	89.8	302.0	63	4009.23	1882.27	993.11	N	1599.08	W	1882.37	301.84	1.77	-0.32	-1.75
102	5634	90.0	301.7	63	4009.34	1945.27	1026.35	N	1652.60	W	1945.37	301.84	0.57	0.32	-0.48
103	5697	90.0	303.1	63	4009.34	2008.27	1060.11	N	1705.79	W	2008.37	301.86	2.22	0.00	2.22
104	5759	89.7	303.0	62	4009.50	2070.27	1093.92	N	1757.76	W	2070.36	301.90	0.51	-0.48	-0.16
105	5822	90.7	303.0	63	4009.28	2133.26	1128.23	N	1810.59	W	2133.34	301.93	1.59	1.59	0.00
106	5885	90.0	301.9	63	4008.90	2196.26	1162.04	N	1863.75	W	2196.34	301.94	2.07	-1.11	-1.75
107	5948	90.6	303.2	63	4008.57	2259.26	1195.93	N	1916.86	W	2259.33	301.96	2.27	0.95	2.06
108	6011	91.8	304.0	63	4007.25	2322.23	1230.78	N	1969.32	W	2322.29	302.00	2.29	1.90	1.27
109	6073	91.5	304.3	62	4005.46	2384.17	1265.57	N	2020.60	W	2384.22	302.06	0.68	-0.48	0.48
110	6136	91.3	304.2	63	4003.92	2447.12	1301.02	N	2072.66	W	2447.16	302.12	0.35	-0.32	-0.16
111	6198	90.4	304.1	62	4003.00	2509.09	1335.82	N	2123.97	W	2509.11	302.17	1.46	-1.45	-0.16
112	6261	90.4	304.3	63	4002.56	2572.06	1371.23	N	2176.07	W	2572.07	302.22	0.32	0.00	0.32
113	6314	88.7	304.1	53	4002.98	2625.03	1401.02	N	2219.90	W	2625.04	302.26	3.23	-3.21	-0.38
PTB	6360	88.7	304.1	46	4004.02	2671.00	1426.80	N	2257.99	W	2671.00	302.29	0.00	0.00	0.00
115															
116															
117															
118															
119															
120															
121															

BL

Csg shoe a

BL

BL

BL

BL

BL

BL

BL

BL



# Survey Sheet

15191227840000

Company	Destiny Petroleum	Job Number	16056
Well	Jayhawk 3203 SDL 2-32HU	Magnetic Declination	3.14
Location	Sumner County	Directional Driller	R. Cunningham / B. Eller
Rig	Dan D 19	MWD Engineer	Eric Denton
Leg	Upper Curve & Lateral	MWD Engineer	Craig Jackson

Calculation Method	Minimum Curvature
--------------------	-------------------

Proposed Azimuth	302.43
Depth Reference	KB 1229
Tie Into	MWD

Survey Number	Survey Depth (ft)	Inclination (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates		Closure		Dogleg Severity (ft/100')	Build Rate (d/100')	Walk Rate (d/100')
							N/S (ft)	E/W (ft)	Distance (ft)	Direction Azimuth			
Tie In													
1	355	4.4	64.2	355	354.65	-7.17	5.93 N	12.27 E	13.62	64.20	1.24	1.24	18.08
2	415	4.0	53.0	60	414.49	-9.12	8.19 N	16.01 E	17.98	62.90	1.52	-0.67	-18.67
3	477	3.5	46.5	62	476.36	-10.34	10.80 N	19.11 E	21.95	60.54	1.06	-0.81	-10.48
4	537	3.1	45.6	60	536.26	-11.16	13.19 N	21.60 E	25.31	58.58	0.67	-0.67	-1.50
5	598	2.4	41.2	61	597.19	-11.73	15.31 N	23.62 E	28.14	57.05	1.20	-1.15	-7.21
6	659	1.0	41.5	61	658.16	-12.00	16.67 N	24.81 E	29.89	56.11	2.30	-2.30	0.49
7	720	0.2	334.6	61	719.16	-12.00	17.16 N	25.12 E	30.42	55.66	1.54	-1.31	480.49
8	781	1.1	249.9	61	780.15	-11.55	17.06 N	24.52 E	29.87	55.18	1.80	1.48	-138.85
9	842	1.8	231.5	61	841.13	-10.88	16.26 N	23.22 E	28.35	55.01	1.36	1.15	-30.16
10	904	2.3	230.1	62	903.09	-10.19	14.85 N	21.51 E	26.14	55.37	0.81	0.81	-2.26
11	967	2.3	229.6	63	966.04	-9.43	13.22 N	19.57 E	23.62	55.96	0.03	0.00	-0.79
12	1030	2.3	226.7	63	1028.99	-8.75	11.54 N	17.69 E	21.12	56.89	0.18	0.00	-4.60
13	1091	2.4	226.0	61	1089.94	-8.14	9.81 N	15.88 E	18.67	58.30	0.17	0.16	-1.15
14	1152	2.4	224.7	61	1150.89	-7.57	8.02 N	14.06 E	16.19	60.32	0.09	0.00	-2.13
15	1211	2.4	221.6	59	1209.83	-7.11	6.21 N	12.38 E	13.85	63.34	0.22	0.00	-5.25
16	1273	2.4	221.7	62	1271.78	-6.70	4.27 N	10.65 E	11.48	68.14	0.01	0.00	0.16
17	1334	2.3	218.3	61	1332.73	-6.37	2.36 N	9.04 E	9.34	75.38	0.28	-0.16	-5.57
18	1395	1.2	215.1	61	1393.70	-6.21	0.88 N	7.92 E	7.96	83.68	1.81	-1.80	-5.25
19	1457	1.0	225.3	62	1455.69	-6.06	0.04 S	7.16 E	7.16	90.28	0.45	-0.32	16.45
20	1519	0.9	232.5	62	1517.68	-5.77	0.71 S	6.39 E	6.43	96.37	0.25	-0.16	11.61
21	1579	0.8	230.3	60	1577.67	-5.48	1.27 S	5.69 E	5.83	102.55	0.18	-0.17	-3.67
22	1642	0.8	229.4	63	1640.67	-5.22	1.83 S	5.02 E	5.34	110.08	0.02	0.00	-1.43
23	1705	0.8	225.3	63	1703.66	-4.99	2.43 S	4.37 E	5.00	119.06	0.09	0.00	-6.51
24	1767	1.0	218.0	62	1765.65	-4.84	3.16 S	3.73 E	4.89	130.27	0.37	0.32	-11.77
25	1830	1.1	224.0	63	1828.64	-4.67	4.03 S	2.97 E	5.01	143.58	0.24	0.16	9.52
26	1892	1.0	221.2	62	1890.63	-4.47	4.86 S	2.20 E	5.34	155.63	0.18	-0.16	-4.52
27	1955	1.1	218.6	63	1953.62	-4.32	5.75 S	1.46 E	5.93	165.72	0.18	0.16	-4.13
28	2018	1.1	215.5	63	2016.61	-4.22	6.72 S	0.74 E	6.76	173.75	0.09	0.00	-4.92
29	2080	1.1	215.7	62	2078.60	-4.16	7.68 S	0.04 E	7.68	179.68	0.01	0.00	0.32
30	2143	1.1	220.3	63	2141.59	-4.04	8.64 S	0.70 W	8.66	184.65	0.14	0.00	7.30
31	2206	1.0	219.0	63	2204.58	-3.89	9.52 S	1.44 W	9.63	188.59	0.16	-0.16	-2.06
32	2268	1.0	223.7	62	2266.57	-3.73	10.34 S	2.15 W	10.56	191.77	0.13	0.00	7.58
33	2331	1.0	218.8	63	2329.56	-3.56	11.16 S	2.88 W	11.53	194.46	0.14	0.00	-7.78
34	2395	0.9	216.5	64	2393.55	-3.46	12.00 S	3.53 W	12.51	196.38	0.17	-0.16	-3.59
35	2458	0.9	210.7	63	2456.54	-3.44	12.82 S	4.07 W	13.45	197.62	0.14	0.00	-9.21
36	2520	0.9	208.7	62	2518.53	-3.49	13.67 S	4.56 W	14.41	198.43	0.05	0.00	-3.23
37	2583	0.9	210.7	63	2581.53	-3.53	14.53 S	5.05 W	15.38	199.15	0.05	0.00	3.17
38	2646	0.9	211.9	63	2644.52	-3.55	15.37 S	5.56 W	16.35	199.88	0.03	0.00	1.90
39	2709	1.0	212.1	63	2707.51	-3.56	16.26 S	6.11 W	17.37	200.61	0.16	0.16	0.32
40	2772	0.9	217.1	63	2770.50	-3.52	17.12 S	6.70 W	18.39	201.38	0.21	-0.16	7.94
41	2835	1.1	220.3	63	2833.49	-3.40	17.98 S	7.39 W	19.44	202.36	0.33	0.32	5.08
42	2897	1.1	223.3	62	2895.48	-3.21	18.86 S	8.19 W	20.56	203.46	0.09	0.00	4.84
43	2959	1.1	228.8	62	2957.47	-2.93	19.69 S	9.04 W	21.67	204.67	0.17	0.00	8.87
44	3021	1.1	230.0	62	3019.46	-2.58	20.46 S	9.95 W	22.75	205.92	0.04	0.00	1.94
45	3083	1.1	236.4	62	3081.44	-2.16	21.17 S	10.90 W	23.81	207.23	0.20	0.00	10.32
46	3146	1.1	227.1	63	3144.43	-1.76	21.92 S	11.84 W	24.92	208.38	0.28	0.00	-14.76
47	3209	1.0	226.9	63	3207.42	-1.47	22.71 S	12.69 W	26.01	209.20	0.16	-0.16	-0.32
48	3272	0.9	226.5	63	3270.41	-1.21	23.42 S	13.45 W	27.01	209.86	0.16	-0.16	-0.63
49	3335	2.5	280.8	63	3333.39	0.19	23.51 S	15.16 W	27.97	212.81	3.34	2.54	86.19
50	3367	4.3	293.9	32	3365.33	2.02	22.89 S	16.94 W	28.48	216.50	6.09	5.63	40.94
51	3399	6.9	299.8	32	3397.17	5.13	21.45 S	19.71 W	29.13	222.57	8.31	8.13	18.44
52	3430	10.3	302.8	31	3427.82	9.76	19.02 S	23.65 W	30.35	231.19	11.06	10.97	9.68
53	3461	14.3	302.4	31	3458.10	16.37	15.47 S	29.22 W	33.06	242.10	12.91	12.90	-1.29
54	3492	17.2	300.8	31	3487.94	24.78	11.07 S	36.39 W	38.03	253.08	9.46	9.35	-5.16
55	3524	19.5	299.6	32	3518.31	34.84	6.01 S	45.10 W	45.50	262.41	7.28	7.19	-3.75
56	3555	23.4	300.7	31	3547.16	46.17	0.31 S	54.89 W	54.89	269.68	12.65	12.58	3.55
57	3587	28.0	302.0	32	3575.98	60.04	6.92 N	66.73 W	67.09	275.92	14.48	14.38	4.06
58	3618	29.9	303.9	31	3603.11	75.04	15.09 N	79.32 W	80.74	280.77	6.81	6.13	6.13
59	3649	32.2	307.8	31	3629.67	90.99	24.46 N	92.26 W	95.45	284.85	9.85	7.42	12.58
60	3680	33.7	309.1	31	3665.68	107.76	34.95 N	105.46 W	111.10	288.34	5.35	4.84	4.19
61	3712	36.9	307.9	32	3681.79	126.14	46.45 N	119.94 W	128.62	291.17	10.23	10.00	-3.75
62	3743	40.2	307.0	31	3706.03	145.39	58.19 N	135.27 W	147.26	293.28	10.80	10.65	-2.90
63	3774	44.2	305.9	31	3728.99	166.15	70.56 N	152.02 W	167.60	294.90	13.12	12.90	-3.55
64	3806	47.6	305.2	32	3751.26	189.10	83.91 N	170.72 W	190.23	296.17	10.74	10.63	-2.19
65	3837	50.1	304.6	31	3771.66	212.42	97.26 N	189.87 W	213.33	297.13	8.20	8.06	-1.94

BL  
BL  
BL



66	3868	52.6	303.8	31	3791.02	236.61	110.87	N	209.89	W	237.37	297.84	8.31	8.06	-2.58
67	3900	54.5	303.5	32	3810.03	262.34	125.13	N	231.32	W	262.99	298.41	5.99	5.94	-0.94
68	3931	55.5	303.4	31	3827.81	287.73	139.13	N	252.50	W	288.30	298.85	3.24	3.23	-0.32
69	3962	56.4	302.9	31	3845.17	313.42	153.17	N	274.01	W	313.91	299.21	3.20	2.90	-1.61
70	3993	57.2	302.6	31	3862.14	339.36	167.20	N	295.82	W	339.81	299.48	2.70	2.58	-0.97
71	4025	58.1	302.8	32	3879.26	366.39	181.81	N	318.57	W	366.80	299.71	2.86	2.81	0.62
72	4056	59.1	302.7	31	3895.42	392.85	196.12	N	340.83	W	393.23	299.92	3.24	3.23	-0.32
73	4088	60.1	302.6	32	3911.61	420.45	211.01	N	364.06	W	420.80	300.10	3.14	3.13	-0.31
74	4119	61.6	302.2	31	3926.71	447.52	225.52	N	386.92	W	447.85	300.24	4.97	4.84	-1.29
75	4151	63.8	302.4	32	3941.38	475.95	240.71	N	410.96	W	476.27	300.36	6.90	6.87	0.62
76	4182	66.2	302.1	31	3954.48	504.05	255.70	N	434.72	W	504.34	300.46	7.79	7.74	-0.97
77	4213	68.8	302.0	31	3966.35	532.69	270.90	N	458.99	W	532.97	300.55	8.39	8.39	-0.32
78	4276	71.8	300.5	63	3987.58	591.98	301.66	N	509.69	W	592.27	300.62	5.26	4.76	-2.38
79	4353	76.2	304.9	77	4008.81	665.95	341.65	N	571.93	W	666.21	300.85	7.93	5.71	5.71
80	4392	80.2	303.8	39	4016.78	704.10	363.19	N	603.44	W	704.31	301.04	10.62	10.26	-2.82
81	4421	83.2	302.3	29	4020.97	732.79	378.83	N	627.49	W	732.98	301.12	11.54	10.34	-5.17
82	4451	86.7	301.1	30	4023.61	762.67	394.53	N	652.91	W	762.86	301.14	12.33	11.67	-4.00
83	4482	90.3	300.5	31	4024.42	793.64	410.40	N	679.53	W	793.84	301.13	11.77	11.61	-1.94
84	4512	90.5	300.7	30	4024.21	823.62	425.67	N	705.35	W	823.84	301.11	0.94	0.67	0.67
85	4573	90.7	300.7	61	4023.57	884.59	456.81	N	757.80	W	884.83	301.08	0.33	0.33	0.00
86	4635	90.6	300.9	62	4022.87	946.56	488.55	N	811.05	W	946.83	301.06	0.36	-0.16	1.32
87	4697	90.5	301.7	62	4022.28	1008.55	520.76	N	864.02	W	1008.83	301.08	1.30	-0.16	1.29
88	4759	90.1	300.5	62	4021.95	1070.53	552.79	N	917.11	W	1070.82	301.08	2.04	-0.65	-1.94
89	4819	90.8	300.8	60	4021.48	1130.50	583.37	N	968.73	W	1130.82	301.06	1.27	1.17	0.50
90	4882	91.7	303.0	63	4020.11	1193.47	616.65	N	1022.20	W	1193.79	301.10	3.77	1.43	3.49
91	4945	91.6	303.0	63	4018.29	1256.44	650.95	N	1075.01	W	1256.74	301.20	0.16	-0.16	0.00
92	5007	91.7	302.0	62	4016.51	1318.42	684.25	N	1127.28	W	1318.69	301.26	1.62	0.16	-1.61
93	5070	91.2	302.7	63	4014.91	1381.40	717.95	N	1180.48	W	1381.66	301.31	1.37	-0.79	1.11
94	5133	91.1	303.2	63	4013.65	1444.38	752.21	N	1233.34	W	1444.62	301.38	0.81	-0.16	0.79
95	5195	90.2	303.6	62	4012.94	1506.37	786.34	N	1285.09	W	1506.58	301.46	1.59	-1.45	0.65
96	5258	90.2	303.6	63	4012.72	1569.35	821.20	N	1337.57	W	1569.54	301.55	0.00	0.00	0.00
97	5320	91.1	303.1	62	4012.02	1631.34	855.28	N	1389.35	W	1631.51	301.62	1.66	1.45	-0.81
98	5383	90.6	303.5	63	4011.09	1694.33	889.87	N	1442.00	W	1694.47	301.68	1.02	-0.79	0.63
99	5446	91.5	304.1	63	4009.93	1757.30	924.91	N	1494.35	W	1757.42	301.75	1.72	1.43	0.95
100	5508	90.0	303.1	62	4009.12	1819.28	959.21	N	1545.98	W	1819.38	301.82	2.91	-2.42	-1.61
101	5571	89.8	302.0	63	4009.23	1882.27	993.11	N	1599.08	W	1882.37	301.84	1.77	-0.32	-1.75
102	5634	90.0	301.7	63	4009.34	1945.27	1026.35	N	1652.60	W	1945.37	301.84	0.57	0.32	-0.48
103	5697	90.0	303.1	63	4009.34	2008.27	1060.11	N	1705.79	W	2008.37	301.86	2.22	0.00	2.22
104	5759	89.7	303.0	62	4009.50	2070.27	1093.92	N	1757.76	W	2070.36	301.90	0.51	-0.48	-0.16
105	5822	90.7	303.0	63	4009.28	2133.26	1128.23	N	1810.59	W	2133.34	301.93	1.59	1.59	0.00
106	5885	90.0	301.9	63	4008.90	2196.26	1162.04	N	1863.75	W	2196.34	301.94	2.07	-1.11	-1.75
107	5948	90.6	303.2	63	4008.57	2259.26	1195.93	N	1916.86	W	2259.33	301.96	2.27	0.95	2.06
108	6011	91.8	304.0	63	4007.25	2322.23	1230.78	N	1969.32	W	2322.29	302.00	2.29	1.90	1.27
109	6073	91.5	304.3	62	4005.46	2384.17	1265.57	N	2020.60	W	2384.22	302.06	0.68	-0.48	0.48
110	6136	91.3	304.2	63	4003.92	2447.12	1301.02	N	2072.66	W	2447.16	302.12	0.35	-0.32	-0.16
111	6198	90.4	304.1	62	4003.00	2509.09	1335.82	N	2123.97	W	2509.11	302.17	1.46	-1.45	-0.16
112	6261	90.4	304.3	63	4002.56	2572.06	1371.23	N	2176.07	W	2572.07	302.22	0.32	0.00	0.32
113	6314	88.7	304.1	53	4002.98	2625.03	1401.02	N	2219.90	W	2625.04	302.26	3.23	-3.21	-0.38
PTB	6360	88.7	304.1	46	4004.02	2671.00	1426.80	N	2257.99	W	2671.00	302.29	0.00	0.00	0.00
115															
116															
117															
118															
119															
120															
121															

BL

Csg shoe a

BL

BL

BL

BL

BL

BL

BL

BL

BL

BL

BL

BL

<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 5818</b>	TICKET DATE <b>12/22/16</b>
COUNTY <b>Sumner</b>	State <b>Kansas</b>	COMPANY <b>Destiny Petroleum</b>	CUSTOMER REP <b>0</b>	
LEASE NAME <b>Jayhawk 3203 SL</b>	Well No. <b>2-32</b>	JOB TYPE <b>Intermediate</b>	EMPLOYEE NAME <b>Kyle Laskowitz</b>	

BMP NAME					
0.00					
0.00					
0.00					
0.00					

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **0**

Bottom Hole Temp. **125°** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **4326**

Date	Called Out <b>12/21/2016</b>	On Location <b>12/22/2016</b>	Job Started <b>12/22/2016</b>	Job Completed <b>12/22/2016</b>
Time	<b>10:00 pm</b>	<b>1:10 am</b>	<b>2:40 am</b>	<b>4:30 am</b>

**Tools and Accessories**

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Va	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

**Well Data**

New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing	26#	7"		Surface	4,326	5,000
Liner						
Liner						
Tubing		0				
Drill Pipe						
Open Hole			8 3/4"	Surface	4,326	Shots/Ft.
Perforations						
Perforations						
Perforations						

**Materials**

Material	WBM	Density	9	Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33	Lb/Gal
Spacer type	Mudwash BBL.		25	8.40
Spacer type	BBL.			
Acid Type	Gal.	%		
Acid Type	Gal.	%		
Surfactant	Gal.	In		
NE Agent	Gal.	In		
Fluid Loss	Gal/Lb	In		
Gelling Agent	Gal/Lb	In		
Fric. Red.	Gal/Lb	In		
MISC.	Gal/Lb	In		

Perpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
12/22	3.5	12/22	1.5	Intermediate
Total	3.5	Total	1.5	

**Pressures**

**MAX 5,000 PSI**      **AVG 220**

Average Rates in BPM

**MAX 8 BPM**      **AVG 5**

Cement Left in Pipe

**Feet 50**      **Reason SHOE JOINT**

**Cement Data**

Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	220	50/50 POZ PREMIUM	2% Gel - 0.3% C-15 - 1/4 pps Celloflake - 1/4 pps Fiber X	5.75	1.27	14.15
2	0	0		0	0.00	0.00
3	0	0		0	0.00	0.00

**Summary**

Preflush Breakdown	Type: _____	MAXIMUM <b>5,000 PSI</b>	Lost Returns-N <b>NO/FULL</b>	Actual TOC _____	Bump Plug PSI: <b>1,000</b>	ISIP <b>5 Min.</b>	ISIP <b>10 Min.</b>	ISIP <b>15 Min.</b>	Preflush: BBI <b>20.00</b>	Type: <b>Fresh Water</b>	Load & Bkdn: Gal - BBI <b>N/A</b>	Pad:Bbl -Gal <b>N/A</b>	Excess /Return BBI <b>N/A</b>	Calc.Disp Bbl <b>164</b>	Calc. TOC: <b>2,339'</b>	Actual Disp. <b>164.00</b>	Final Circ. PSI: <b>550</b>	Disp:Bbl _____	Cement Slurry BBI <b>49.8</b>	Total Volume BBI <b>233.76</b>
--------------------	-------------	--------------------------	-------------------------------	------------------	-----------------------------	--------------------	---------------------	---------------------	----------------------------	--------------------------	-----------------------------------	-------------------------	-------------------------------	--------------------------	--------------------------	----------------------------	-----------------------------	----------------	-------------------------------	--------------------------------

CUSTOMER REPRESENTATIVE \_\_\_\_\_  \_\_\_\_\_  
SIGNATURE



<b>JOB SUMMARY</b>			PROJECT NUMBER <b>SOK 5808</b>	TICKET DATE <b>12/16/16</b>
COUNTY <b>Sumner</b>	State <b>Kansas</b>	COMPANY <b>Destiny Petroleum</b>	CUSTOMER REP <b>0</b>	
LEASE NAME <b>Jayhawk 3203 SL</b>	Well No. <b>2-32</b>	JOB TYPE <b>Surface</b>	EMPLOYEE NAME <b>Charles Spracklen</b>	

EMP NAME	Charlie Spracklen	0					
	Daniel Wells						
	Larry Pickard						
	0.00						

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
 Packer Type \_\_\_\_\_ Set At **0**  
 Bottom Hole Temp. **80** Pressure \_\_\_\_\_  
 Retainer Depth \_\_\_\_\_ Total Depth **294**

Date	Called Out	On Location	Job Started	Job Completed
	<b>12/16/2016</b>	<b>12/16/2016</b>	<b>12/16/2016</b>	<b>12/16/2016</b>
Time	<b>1730</b>	<b>2000</b>	<b>2015</b>	<b>2230</b>

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data		New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing			36#	9 5/8"		Surface	294	1,500
Liner								
Liner								
Tubing				0				
Drill Pipe								
Open Hole				12 1/4"		Surface	300	Shots/Ft.
Perforations								
Perforations								
Perforations								

Materials			
Mud Type	WBM	Density	<b>9</b> Lb/Gal
Disp. Fluid	Fresh Water	Density	<b>8.33</b> Lb/Gal
Spacer type	resh Water BBL.		<b>10</b> <b>8.33</b>
Spacer type	BBL.		
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	
Perfpac Balls	Qty.		
Other			
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
12/16		12/16		Surface
Total	<b>0.0</b>	Total	<b>0.0</b>	

Pressures			
MAX	<b>1,500 PSI</b>	AVG.	<b>75</b>
Average Rates in BPM			
MAX	<b>5</b>	AVG	<b>4</b>
Cement Left in Pipe			
Feet	<b>30</b>	Reason	<b>SHOE JOINT</b>

Cement Data				W/Rq.	Yield	Lbs/Gal
Stage	Sacks	Cement	Additives			
1	155	Tex Lite Premium Plus 65	2% Calcium Chloride - 1/2pps Cello-Flake	6.37	1.35	14.80
2	0	0		0	0.00	0.00
3	0	0		0	0.00	0.00

Summary			
Preflush Breakdown	Type: _____	Preflush: BBI	<b>20.00</b>
	MAXIMUM	Load & Bkdn: Gal - BBI	<b>N/A</b>
	Lost Returns-N	Excess /Return BBI	<b>11</b>
	Actual TOC	Calc. TOC:	<b>SURFACE</b>
Average	Bump Plug PSI:	Final Circ. PSI:	<b>95</b>
ISIP	<b>5 Min.</b>	Cement Slurry: BBI	<b>37.0</b>
	<b>10 Min.</b>	Total Volume BBI	<b>78.00</b>
	<b>15 Min.</b>		

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_