

Sec. 4, Twp. 14, Rng. 22

Johnson Co., Kansas

865 FSL 4570 FEL

API # 15-091-24438

HUGHES DRILLING REPORT

Well No. HB 4
 Farm Fasolino
 SURFACE CASING Size 6 1/4"
 Feet 20
 Circulated 10 ex cement

PERMANENT CSG.
 Size 2 7/8" 8rd EVE (new)
 Feet 875.20
Baffle at 845.50
 T. D. at Completion 890
 Contractor HUGHES DRILLING CO.

OPERATOR HB Energy, LLC

STRATA THICKNESS	FORMATION DRILLED	T.D.
3	Soil	3
10	clay	13
14	lime	27
6	shale	33
10	lime	43
4	shale	47
1	lime	48
5	shale	53
14	lime	67
16	shale	83
7	lime	90
2	shale	92
59	lime	151
4	shale	155
3	lime	158
43	shale	201
13	lime	214
12	shale	226
4	lime	230
9	shale	239
17	lime	256
14	shale	280
30'	lime	310
7	shale	317
20'	lime	340
3	shale	343
4	lime	347
4	shale	351
8	lime	359
160	shale	519
3	lime	522
9	shale	531
4	lime	535
14	shale	549
7	lime	556
18	shale	574
3	lime	577
16	shale	593
2	lime	595
9	shale	604
7	lime	611

DATE	DRILLED		REMARKS - TYPE WORK - BILLING REF.	PIPE TALLY
	FROM	TO		
11/19/16	0	3	soil	(1) 21.5-21.5
20' surface	3	13	clay	(2) 22.5-44.0
11/20/16	13	27	lime	(3) 22.5-66.5
485 5/8"	27	33	shale (slate 32-33)	(4) 22.5-89.0
PDC	33	43	lime	(5) 22.5-111.5
	43	47	shale	(6) 22.5-134.0
	47	48	lime	(7) 22.5-156.5
	48	53	shale	(8) 22.5-179.0
	53	57	lime	(9) 22.5-201.5
	57	83	shale	(10) 22.5-224.0
	83	90	lime	(11) 22.5-246.5
	90	92	shale	(12) 22.5-269.0
	92	151	lime	(13) 22.5-291.5
	151	155	shale	(14) 22.5-314.0
	155	158	lime	(15) 22.5-336.5
	158	201	shale	(16) 22.5-359.0
	201	214	lime	(17) 22.5-381.5
	214	226	shale	(18) 22.5-404.0
	226	230	lime	(19) 22.5-426.5
	230	239	shale	(20) 22.5-449.0
	239	256	lime	(21) 22.5-471.5
	256	280	shale	(22) 22.5-494.0
30'	280	310	lime	(23) 22.5-516.5
	310	317	shale	(24) 22.5-539.0
20'	317	340	lime	(25) 22.5-561.5
	340	343	shale	(26) 22.5-584.0
	343	347	lime	(27) 22.5-606.5

HUGHES DRILLING REPORT

Well No. H34 Size..... Size.....
 Farm Gasolino Feet..... Feet.....
 Circulated _____ sx cement

805 FSL 4570 FEL
 API # 15-091-24438

OPERATOR H3 Energy, LLC T. D. at Completion 890
 Contractor HUGHES DRILLING CO.

STRATA THICKNESS	FORMATION DRILLED	T.D.
7	shale	618
2	lime	638
18	shale	678
5	lime	643
83	shale	726
1	lime	727
84	shale	811
8	oil sand	819
6	shale	825
1	lime	826
64	shale	890
		TD

DATE	DRILLED		REMARKS -- TYPE WORK -- BILLING REF.	PIPE TALLY
	FROM	TO		
	347	351	shale	(28) 22.5-629.0
"Heath"	351	359	lime	(29) 22.5-651.5
	359	519	shale (Bnk 362-361)	(30) 22.5-674.0
	519	522	lime	(31) 22.5-696.5
	522	531	shale	(32) 22.5-719.0
	531	535	lime	(33) 22.5-741.5
	535	549	shale	(34) 22.5-764.0
	549	556	lime	(35) 22.5-786.5
	556	574	shale	(36) 22.5-809.0
	574	577	lime	(37) 22.5-831.5
	577	593	shale	(38) 22.5-854.0
	593	595	lime	(39) 22.5-876.5
605"	595	604	shale Bed	
11/21	604	611	lime	
	611	618	shale	
	618	620	lime	
	620	638	shale	
	638	643	lime	
	643	726	shale (lime 685-686) (slate 723-724)	
	726	727	lime	
	727	811	shale (slate 792-793)	
"Bartlesville"	811	819	oil sand (remarks pg. 3)	
	819	825	shale	
	825	826	lime	
	826	890	shale	
			TD	

11/21/16 - Set 875, 20 of 2 7/8" 8nd LUE (new)
 Baffle at 845.50
 Used 3 centralizers
 Float shoe on bottom

HUGHES DRILLING CO.

CORE TIME

Lease Fa 56 line 1434

Formation Antlersville

Date 11/21/16 RPM c 47 sample

FROM	TO	TIME	MINUTES	REMARKS
811	812	}		Sand very lamin. w/shale (some bleed)
812	813			
813	814	-		Sand lamin. w/shale (bleeding)
814	815	-		limy sand (ex. bleed)
815	816	}		Solid sand (ex bleed)
816	817			
817	818			
818	819	-		Sand lamin. w/shale (bleeding)
819	820	}		Shale
820	821			
				(Best Perf Zone) 814 - 818 Isaac Binback Clay Hughes



REMIT TO
 Consolidated Oil Well Services, LLC
 Dept:970
 P.O.Box 4346
 Houston, TX 77210-4346

MAIN OFFICE

P.O.Box884
 Chanute, KS 66720
 620/431-9210, 1-800/467-8676
 Fax 620/431-0012

Invoice

Invoice#

809071

Invoice Date: 11/23/16

Terms: Net 30

Page 1

H B ENERGY LLC

3137 Virginia Road
 WELLSVILLE KS 66092
 USA
 9139639127

FASOLINO HB-4

Part No	Description	Quantity	Unit Price	Discount(%)	Total
CE0450	Cement Pump Charge 0 - 1500'	1.000	1,500.0000	62.000	570.00
CE0002	Equipment Mileage Charge - Heavy Equipment	30.000	7.1500	62.000	81.51
CE0711	Minimum Cement Delivery Charge	1.000	660.0000	62.000	250.80
WE0853	80 BBL Vacuum Truck (Cement Services)	1.000	0.0000	0.000	0.00
CC5840	Poz-Blend I A (50:50)	115.000	13.5000	62.000	589.95
CC5965	*Bentonite*	293.000	0.3000	62.000	33.40
CC6075	Celloflake	29.000	2.0000	62.000	22.04
CP8176	2 7/8" Top Rubber Plug	1.000	45.0000	62.000	17.10

Subtotal 4,117.90

Discounted Amount 2,553.10

SubTotal After Discount 1,564.80

Amount Due 4,252.58 If paid after 12/23/16

Tax: 51.18

Total: 1,615.98



CONSOLIDATED
Oil Well Services, LLC

7087 / 6884

TICKET NUMBER 50344

LOCATION Ottawa KS

FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-457-8876

FIELD TICKET & TREATMENT REPORT
CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-21-16	3645	Fasolina NB-4	SW 41	14	22	Jb
CUSTOMER			TRUCK # DRIVER TRUCK # DRIVER			
H B Energy LLC			712 Fred Mad			
MAILING ADDRESS			495 Halber			
3137 Virginia Rd			675 Kid Det			
CITY			503 Kid Car			
Wellsville						
STATE						
KS						
ZIP CODE						
66092						

JOB TYPE _____ HOLE SIZE 5 7/8 HOLE DEPTH 890 CASING SIZE & WEIGHT 2 1/2 EUE
 CASING DEPTH 875 DRILL PIPE Baffle tubing @ 845 OTHER _____
 SLURRY WEIGHT _____ SLURRY VOL _____ WATER gal/ek _____ CEMENT LEFT in CASING 30' x Plug
 DISPLACEMENT 4.9130 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4 BPM

REMARKS: Hold safety meeting. Establish circulation. Mix & Pump 100# Gel Flush. + Mix & Pump 115 sks Per Blend I A Cement 270 Gal 1/4" Flo Seal/sk Cement to surface. Flush pump & lines clean. Displace 2 1/2" Rubber plug to baffle in casing. Pressure to 800# PSI. Release pressure to set float valve.

1 Fred Mader

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0450	1	PUMP CHARGE	495	1500.00
CE0002	30 mi	MILEAGE	495	214.00
CE074	Minimum	Ten Miles delivery	503	660.00
WE0852	→	60 ABL Vac Truck	18/ckg	
		Sub Total		2374.00
		less 62%		-747.20
				902.80
CE5840	115 sks	Per Blend I A Cement	1533.00	
CE5865	293 #	Bentonite Gel	87.20	
CC4075	29 #	Cello Flake	58.00	
CP8176	1	2 1/2" Rubber plug	45.00	
		Sub Total		1743.20
		less 62%		-1090.91
				662.29
			7.776	SALES TAX
				51.15
				ESTIMATED TOTAL
				1165.98
				(4252.58)

Revin 3737

AUTHORIZATION [Signature] TITLE _____ DATE 11/21/16

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a "claim") for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) sub-surface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(e) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE, WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.