





Service Order #: 70,082C

Date: 03-Nov-16

Well Name	Location	County	St	API#		
JERRY 1-29	SEC 29-6-35	THOMAS	KS			
Formation	Cement Via	Type Of Service	Well Type	Age	AFE#	PO#
	TUBING	SURFACE		NEW		

Customer: LD DRILLING

Remarks: 60/40 POZ, 1.21 YIELD, 14.8#

MIX 300 SKS, 64.6 BBLs @ 14.8 PPG  
SHUT DOWN / CLEAR PUMP AND LINE  
DISPLACEMENT 21 BBL  
PUMPED 21 BBLs TO PIT

Customer Rep: RICK PH:

WELLBORE DATA

Type	Size	Weight	Depth	Volume
Surface Casing:	8.625	24.0	353.0	
Production Casing:				
Intermediate:				
Drill Pipe:				
Tubing:				

OTHER DATA

BHT	Max PSI	Total Depth
		357.0

Packer or Retainer Type / Depth:

--	--

Perf Depths:	#	Total
	0	0
	0	
	0	

Type	Size	Depth (Top)	Depth (Bot)	Volume
Liner:				
Open Hole:	12.250	0.0	357.0	

TIME	PUMP RATES		DENSITY	PRESS	STG TOT	TOTAL	REMARKS
	WATER (gpm)	PUMP (bpm)	(lb/gal)	(psi)	(bbls)	(bbls)	
22:12	0	0.3	14.69	6	0.0	82.5	ANNOTATION
22:19	0	0.2	10.21	110	21.2	103.7	PLUG DOWN
22:23	0	0.5	10.32	0	23.2	105.7	Paused 22:23:47

Summary

Max Fl. Rate	Avg Fl. Rate	Max Psi	Avg Psi
0.5	3.6	171	100

Customer Acknowledgement:

Service Rating:

- Satisfactory
- Unsatisfactory

Cementer:


K.LESLEY

PRODUCTS USED

300 SKS 60/40 POZ

# LD DRILLING

JERRY 1-29



Job Started On: 11/03/2016 @ 9:39:54 PM

ANNOTATION

PLUG DOWN

Paused 22:23:47