#### For KCC Use: Effective Date: District # \_ SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1332509

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	month	day	 vear	Spot Description:	
	monu	uay	уваг	Sec Twp	_S. R E
OPERATOR: License#				feet from	N / S Line of Secti
lame:					E / W Line of Secti
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:				(Note: Locate well on the Section Plat on	reverse side)
ity:	State:	Zip:	+	County:	•
ontact Person:				Lease Name:	
hone:				Field Name:	vvcii #
ONTRACTOR: License#				Is this a Prorated / Spaced Field?	Yes
ame:				Target Formation(s):	
				Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Туре	Equipment:	Ground Surface Elevation:	
Oil Enh Red	c Infield		Mud Rotary		leet wi
Gas Storage	Pool Ext	t	Air Rotary	Water well within one-quarter mile:	
Disposa			Cable	Public water supply well within one mile:	Yes
Seismic ;# of H	Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
If OWWO: old well inf	formation as follow	ve.		Surface Pipe by Alternate: II	
II OVVVO. old well illi	omation as ioliow	v5.		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion Date	: O	riginal Total	Depth:	Formation at Total Depth:	
			П., П.,	Water Source for Drilling Operations:	
Directional, Deviated or Horiz			Yes No	Well Farm Pond Other:	
f Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location: KCC DKT #:				( <b>Note:</b> Apply for Permit with DWF	R[])
				Will Cores be taken?	Yes
				If Yes, proposed zone:	
			AF	FIDAVIT	
The undersigned hereby aff	irms that the drill	ling, comple			
-		-	etion and eventual pl	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.	
t is agreed that the following	g minimum requi	rements wil	etion and eventual pl Il be met:		
t is agreed that the following  1. Notify the appropriate	g minimum requi e district office <i>pr</i>	rements wil	etion and eventual pl Il be met: ding of well;	lugging of this well will comply with K.S.A. 55 et. seq.	
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten	rements wil rior to spude t to drill sha	etion and eventual pl Il be met: ding of well; all be posted on eac	lugging of this well will comply with K.S.A. 55 et. seq.	e shall be set
t is agreed that the following  1. Notify the appropriate  2. A copy of the approve  3. The minimum amoun	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe	rements will in the control of the c	etion and eventual pl Il be met: ding of well; all be posted on eac d below shall be ser	lugging of this well will comply with K.S.A. 55 et. seq.	e shall be set
s agreed that the following     Notify the appropriate     A copy of the approve     The minimum amoun through all unconsolice	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p	rements wil ior to spude t to drill sha as specified blus a minim	etion and eventual pl Il be met: ding of well; all be posted on eac d below shall be sen num of 20 feet into th	lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pip	
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> <li>The minimum amoun through all unconsolid</li> <li>If the well is dry hole,</li> <li>The appropriate distri</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n	rements will rior to spudd to drill sha as specified blus a minim etween the potified before	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug	th drilling rig;  th drilling rig;  thy circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in;	rior to plugging;
<ol> <li>agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> <li>The minimum amoun through all unconsolid</li> <li>If the well is dry hole,</li> <li>The appropriate distrib</li> <li>If an ALTERNATE II Comment</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p	rements will rior to spude to drill she as specified oldus a minimetween the actified beforoduction p	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cemente	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA	rior to plugging;
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> <li>The minimum amoun through all unconsolid</li> <li>If the well is dry hole,</li> <li>The appropriate distri</li> <li>If an ALTERNATE II COr pursuant to Appen</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten- t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern	rements will rior to spude to drill sha as specified blus a minim etween the potified befor roduction p Kansas su	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cementer arface casing order #	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA:  133,891-C, which applies to the KCC District 3 area, alter	rior to plugging;  IYS of spud date.  ernate II cementing
Notify the appropriate     A copy of the approve     The minimum amoun through all unconsolic     If the well is dry hole,     The appropriate distriction of the appropriate of th	g minimum requi e district office <i>pr</i> ed notice of inten- t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern	rements will rior to spude to drill sha as specified blus a minim etween the potified befor roduction p Kansas su	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cementer arface casing order #	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA	rior to plugging;  IYS of spud date.  ernate II cementing
<ol> <li>t is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> <li>The minimum amoun through all unconsolid</li> <li>If the well is dry hole,</li> <li>The appropriate distri</li> <li>If an ALTERNATE II COr pursuant to Appen</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten- t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern	rements will rior to spude to drill sha as specified blus a minim etween the potified befor roduction p Kansas su	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cementer arface casing order #	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA:  133,891-C, which applies to the KCC District 3 area, alter	rior to plugging;  IYS of spud date.  ernate II cementing
<ol> <li>Is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> <li>The minimum amoun through all unconsolic</li> <li>If the well is dry hole,</li> <li>The appropriate distri</li> <li>If an ALTERNATE II COR pursuant to Appen must be completed we</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern ithin 30 days of t	rements will rior to spude to drill sha as specified blus a minim etween the notified befor roduction p Kansas su	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cementer arface casing order #	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA:  133,891-C, which applies to the KCC District 3 area, alter	rior to plugging;  IYS of spud date.  ernate II cementing
<ol> <li>is agreed that the following</li> <li>Notify the appropriate</li> <li>A copy of the approve</li> <li>The minimum amoun through all unconsolic</li> <li>If the well is dry hole,</li> <li>The appropriate distri</li> <li>If an ALTERNATE II COR pursuant to Appen must be completed we</li> </ol>	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern ithin 30 days of t	rements will rior to spude to drill sha as specified blus a minim etween the notified befor roduction p Kansas su	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cementer arface casing order #	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA:  133,891-C, which applies to the KCC District 3 area, alter	rior to plugging;  IYS of spud date.  ernate II cementing
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed w	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern ithin 30 days of t	rements will rior to spude to drill sha as specified blus a minim etween the notified befor roduction p Kansas su	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis are well is either plug ipe shall be cementer arface casing order #	th drilling rig;  It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary priged or production casing is cemented in; ed from below any usable water to surface within 120 DA:  133,891-C, which applies to the KCC District 3 area, alter	rior to plugging;  IYS of spud date.  ernate II cementing
is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II COr pursuant to Appermust be completed weighted  Ibmitted Electronic  For KCC Use ONLY	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern rithin 30 days of t	rements will rior to spudd t to drill sha as specified slus a minim etween the totified befo roduction p Kansas su he spud da	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis ire well is either plug ipe shall be cemente iface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surface pipe underlying formation. Strict office on plug length and placement is necessary pope of the production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to the Remember to:  Remember to:  File Certification of Compliance with the Kansas Surface.	rior to plugging;  IYS of spud date.  ernate II cementing any cementing.
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Apper must be completed w	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern ithin 30 days of t	rements will rior to spudd t to drill sha as specified slus a minim etween the totified befo roduction p Kansas su he spud da	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis ire well is either plug ipe shall be cemente iface casing order # te or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. It ict office on plug length and placement is necessary possed or production casing is cemented in; ed from below any usable water to surface within 120 DA: In all cases, NOTIFY district office prior to  Remember to:  File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	AYS of spud date.  ernate II cementing any cementing.
is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed w  UDMITTED  FOR KCC USE ONLY  API # 15 -	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern rithin 30 days of t	rements will interest to drill sha as specified as minimetween the notified befor roduction p Kansas su he spud da	etion and eventual pl ll be met: ding of well; all be posted on eac d below shall be sen num of 20 feet into the operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surface pipe underlying formation. In strict office on plug length and placement is necessary possed or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to  Remember to:  - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Dril	IYS of spud date.  ernate II cementing any cementing.  ce Owner Notification
is agreed that the following  1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolid 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Apper must be completed w  Ubmitted Electronic  For KCC Use ONLY  API # 15 -  Conductor pipe required	g minimum requi e district office <i>pr</i> ed notice of inten- t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern rithin 30 days of t	rements will rior to spude t to drill sha as specified solus a minim etween the otified befo roduction p Kansas su he spud da	etion and eventual pl ll be met: ding of well; all be posted on each d below shall be sen num of 20 feet into th operator and the dis are well is either plug ipe shall be cemente arface casing order # te or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surface pipe underlying formation. In strict office on plug length and placement is necessary possed or production casing is cemented in; and from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto be plugged. In all cases, NOTIFY district office prior to  Remember to:  - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Dril; - File Drill Pit Application (form CDP-1) with Intent to Dril - File Completion Form ACO-1 within 120 days of spud of the specific prior in the completion form ACO-1 within 120 days of spud of the completion Form ACO-1 within 120 days	rior to plugging;  IYS of spud date. ernate II cementing any cementing.  ce Owner Notification  II; date;
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Apper must be completed w	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern ithin 30 days of ti	rements will rior to spude t to drill she as specified as specified lus a minim etween the roduction p Kansas su he spud da	etion and eventual pl ll be met: ding of well; all be posted on each d below shall be sen num of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. It ict office on plug length and placement is necessary posted from below any usable water to surface within 120 DA 133,891-C, which applies to the KCC District 3 area, alto e plugged. In all cases, NOTIFY district office prior to  Remember to:  File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Dril; File Drill Pit Application (form CDP-1) with Intent to Dril File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration	rior to plugging;  IYS of spud date. ernate II cementing any cementing.  ce Owner Notification  II; date; orders;
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Apper must be completed w	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern ithin 30 days of ti	rements will rior to spude t to drill she as specified as specified lus a minim etween the roduction p Kansas su he spud da	etion and eventual pl ll be met: ding of well; all be posted on each d below shall be sen num of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. It ict office on plug length and placement is necessary possed or production casing is cemented in; ed from below any usable water to surface within 120 DA: It is a system of the top; in all cases surface pipe underlying formation. It is a surface within 120 DA: It is a system of the interest of	rior to plugging;  AYS of spud date.  ernate II cementing any cementing.  ce Owner Notification  II; date; orders; over or re-entry;
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II CO Or pursuant to Appen must be completed w  Submitted Electronic  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required Approved by:  This authorization expires:	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern rithin 30 days of t	rements will rior to spude t to drill sha as specified as specified clus a minim etween the totified befo roduction p Kansas su he spud da	etion and eventual pl ll be met: ding of well; all be posted on eac d below shall be sen um of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation.  Strict office on plug length and placement is necessary possed or production casing is cemented in; ed from below any usable water to surface within 120 DA:  133,891-C, which applies to the KCC District 3 area, alte e plugged. In all cases, NOTIFY district office prior to  Remember to:  File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Dril;  File Drill Pit Application (form CDP-1) with Intent to Dril;  File Completion Form ACO-1 within 120 days of spud of File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is complete.	rior to plugging;  IYS of spud date. ernate II cementing any cementing.  ce Owner Notification  II; date; orders; over or re-entry; eted (within 60 days);
1. Notify the appropriate 2. A copy of the approve 3. The minimum amoun through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed w  UDMITTED  FOR KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe required Approved by:	g minimum requi e district office <i>pr</i> ed notice of inten t of surface pipe dated materials p an agreement be ict office will be n COMPLETION, p ndix "B" - Eastern rithin 30 days of t	rements will rior to spude t to drill sha as specified as specified clus a minim etween the totified befo roduction p Kansas su he spud da	etion and eventual pl ll be met: ding of well; all be posted on eac d below shall be sen um of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; It by circulating cement to the top; in all cases surface pipe underlying formation. It ict office on plug length and placement is necessary possed or production casing is cemented in; ed from below any usable water to surface within 120 DA: It is a system of the top; in all cases surface pipe underlying formation. It is a surface within 120 DA: It is a system of the interest of	rior to plugging;  AYS of spud date.  ernate II cementing any cementing.  ce Owner Notification  II;  date;  orders;  over or re-entry;  eted (within 60 days);  alt water.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

_			_	
S	id	e	T	W

1	33	25	na
	. ). )	<i>-</i>	1,51

For KCC Use ONLY	
API # 15	-

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

vi			Location of we	all. County.
				feet from N / S Line of Section
mber:				feet from E / W Line of Section
of Acres attributable	e to well:		Is Section:	Regular or Irregular
R/QTR/QTR of acr	eage:			
			If Section is I	rregular, locate well from nearest corner boundary.
				r used: NE NW SE SW
			Section comer	ruseuINLINVVSLJSVV
		Р	PLAT	
Show loc	ation of the well. Sh	ow footage to the nearest	lease or unit bound:	ary line. Show the predicted locations of
		-		as Surface Owner Notice Act (House Bill 2032).
icasc roads, lar	n batteries, pipelilles		separate plat if desir	
		2310 ft.	separate piat ii desir	eu.
				LEGEND
;	: : : : : : : : : : : : : : : : : : : :	: :	:	
:			:	<ul> <li>Well Location</li> </ul>
				Tank Battery Location
:	: :		:	Pipeline Location
				-
				Electric Line Location
				Lease Road Location
:	<u>:</u> :		:	0000 #
			- :	- 2266 ft.
:	<u>:</u> :	<u>: : : : : : : : : : : : : : : : : : : </u>	:	EXAMILE :
:	: :	20	:	
:		20	:	
;	: :	:	:	
:			:	
				1980' FS
	•		•	:   <b>    </b> : :
	• • • • • • • • • • • • • • • • • • • •			
:	: : :	: :	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	 SecTwp R		
Settling Pit Drilling Pit	If Existing, date co		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	urea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi			

### Kansas Corporation Commission Oil & Gas Conservation Division

1332509


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:       I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ct (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the mer(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	




- e Controlling data is based upon the best maps and photographs evaliable to us and upon a regular section of land containing 640 ocres.
- satified of land containing att octas.

  Approximate section lines were determined using the normal standard of care of alificial surveyors practicing in the state of Konsas. The section corners, which establish the proclass section lines were not necessarily located, and the syste location of the artificial location in the social location is not quadraneed. Therefore, the operator securing this service and occepting this proclass and occepting this proclass and artificial service of the artificial services. Inc., it deficates and amplipage normalisations of consequents of demands.

  Elevations derived from National Geodetic Vertical Datum.

February 16. 2017





# KSONA - Potential Tank Battery Location and Lease Road PLOT OF THE INTENDED WELL


Operator:	McCoy Petroleum Corporation		Location of Well: County: S	Gray Co., KS	
Lease:	D&D "A" #1-20		2310	feet from N /	S Line of Section
Well Number:	#1-20		2266	feet from E /	W Line of Section
Field:	Wildcat		Sec 20 Twp. 29	S Rng. 28	∏E ⊠W
	s attributable to well:	W	Is Section Regular	or Irregular	
			If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		

**PLAT** 

Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).







NOTE: Spot of the proposed drilling location.