KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1333388

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from Deast / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Oil WSW SWD SIOW	Elevation: Ground: Kelly Bushing:
□ OG □ GSW □ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

	Page Two	1333388
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS: Chaw important tang of formations panetrated	atail all aaraa Bapart all final	agniag of drill atoms togta giving interval togtad, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth an		Sample
Samples Sent to Geolog	ical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		ion, etc.		
Purpose of String	Durpose of StringSize Hole DrilledSize Casing Set (In O.D.)Weight Lbs. / Ft.Setting DepthType of Cement# Sacks UsedType and Percent Additives						
		ADDITIONAL	CEMENTING / SQL	EEZE RECORD			

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

No

No

No

Commingled

(Submit ACO-4)

(If No, skip questions 2 and 3)

(If No, fill out Page Three of the ACO-1)

Depth

(If No, skip question 3)

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

Open Hole

Other (Specify)

Vented

Sold

(If vented, Submit ACO-18.)

Used on Lease

Shots Per Foot		PERFORATION Specify Fo	RECOF	RD - Bridge Pl Each Interval F	ugs Set/Typ Perforated	be	Ac		, Cement Squeeze Record Kind of Material Used)	Depth
TUBING RECORD:	Siz	e:	Set At:		Packe	r At:	Liner Rur	n: Yes	No	
Date of First, Resumed	Producti	on, SWD or ENH	٦.	Producing M	ethod:	ping	Gas Lift	Other (Expla	in)	
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF G	AS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
DISPUSITI	UN OF G	A3.					HON:			ENVAL:

Perf.

Dually Comp.

(Submit ACO-5)

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	KEE 28-16
Doc ID	1333388

Tops

Name	Тор	Datum
Soil	0	12
Shale	12	120
Lime	120	190
Shale	190	220
Lime	220	260
Shale	260	270
Lime	270	400
Sandy Lime	400	460
Shale	460	490
Black Shale	490	492
Shale	492	520
Lime	520	560
Black Shale	560	562
Lime	562	640
Big Shale	640	690
Black Shale	690	692
Shale	692	770
Lime	770	815
Shale	815	855
Black Shale	855	857
Shale	857	870
Lime	870	880
Shale	880	890
Lime	890	900

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	KEE 28-16
Doc ID	1333388

Tops

Name	Тор	Datum
Shale	900	940
Lime	940	945
Black shale	945	947
Mucky shale	947	955
Upper Squirrel Sand	955	963
Shale	963	1015
Lower Squirrel Sand	1015	1025
Shale	1025	1100

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	KEE 28-16
Doc ID	1333388

Casing

	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10.250	8.625	24	40	portland	10	0
Production	6.125	2.875	6	1090	common	160	0

~	165.38 Date: 70	8-80 TAX ANDUNT		** PAYMENT RECEIVED **	RECEIVED BY	
	1890.00 2,99	taxable 9.90 Non-Taxable 35.30 Sudtotal	ور در	** ORDER ** ** DEPOSIT AMOUNT ** ** BALANCE DUE **		02 15 03:
				Dacks + 40 35/8 Surface	L SX	-
	21.2 OH 2	10 12000 40	2 32-15	acks Cententing	Kilkockeland 18-16 101	
	158 194	10 Dacks	2	(invie	P	Lumber
" Ducin	Lacka 40 39	10 Dack	1 - 10	Ker 2	tright I wish I alean	
Durface Contina	Dacko 401 85/2	10 Dack	2 BE-16	pks, Gladus	Multisukeerend 17-15 10-24 XILades 2-14 SWD-10	7
" And Jace Corina	8 ,04-9	10 Dack	\$7-16	Cleans	IS AKO	~
25/2 Surface Coins	あきも	6 10 Dack	1-14 raph	LC Robis	Grivere 35-15 - 15 0ka	
toto Front and		9,45 /EA				×
~		an in the second second	LOCATION	And the second s	SHIPPED ORDERED UM SKU	
	ORDR 326455	081 IULAL IULA	I TOM : XHI	q		-
(Y UKUEK "			name and the physical contract of the state	U NEOGHO FALLS KS 66758	•
	DOCH 326,455 *********	9/ 2/15 TERMA 1	del. Date: 9/ 2		E LAYMON DIL II 1998 SOUIRREL RD	62036575
<u></u>	3/ 2/15 8:05	16	NET 19TH OF MONTH		ard (A pre-mer, st vit	* <u>112</u>
<u> </u>	•• •• • •				CONTRACTOR TOUR NO. TRUNCALARD ONDAR NO.	
2 S L			191	p.o. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201		p.1
	page no 1	Ąq	DADUANA	THE NEW KLEIN LUMBER COMPANY 201 4. MADISON	(š T

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLDSAGOOS

LEASE: PEY Well # +

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

YATES CENTER SD SD

TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # alth Z DATE LOAD # SLUMP YARDS DEL BATCH# WATER TRIM TICKET NUMBER 3 D 1. Court Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) WARNING IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY. TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer The driver of this truck in presenting this RELEASE to you for your signature is of the option that the size and weight of his truck may possibly cause damage us the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE releving him and this supplier from any responsibility, from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driverays, curbs, etc., by the delivery of this material, and that you also agree to help him remove much from the wheels of his vehicle so that he will not little the public street. Further as additional considera-tion, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent propenty which may be claimed by anyone to have arisin out of delivery of this order. SIGNED H₂0 Added By Request/Authorized By GAL X WEIGHMASTER CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums oved. NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE. All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. LOAD RECEIVED BY: A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. X Excess Delay Time Charged @ \$60/HR. QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE MIXING AND HAULING 140 Dack cement 1090' 2718" casing circulated to Durface -RETURNED TO PLANT LEFT JOB **FINISH UNLOADING** DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 7.50 1. JOB NOT READY 6. TRUCK BROKE DOWN SLOW POUR OR PUMP ACCIDENT TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 8. CITATION 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER **ADDITIONAL CHARGE 1** TOTAL ROUND TRIP TOTAL AT JOB **UNLOADING TIME** DELAY TIME ADDITIONAL CHARGE 2 GRAND TOTAL

-1