Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1333391

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	SecTwpS. R East _ West			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from _ East / _ West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
	Producing Formation:			
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Elevation: Ground: Kelly Bushing:			
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Total Vertical Depth: Plug Back Total Depth:			
☐ OG ☐ GSW ☐ Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet			
Cothodia Other (Court First etc.)	Multiple Stage Cementing Collar Used? Yes No			
Cathodic Other (Core, Expl., etc.):				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set:Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to: w/ sx cmt.			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Committee Downit #	Chloride content: ppm Fluid volume: bbls			
☐ Commingled Permit #: ☐ Dual Completion Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid diaposal if hould offsite:			
ENHR Permit #:	Location of fluid disposal if hauled offsite:			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R			
Recompletion Date Recompletion Date	County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

īwo				
	1333391			

Operator Name:			Lease Na	ıme:			Well #:	
Sec Twp	S. R [East West	County: _					
INSTRUCTIONS: Show open and closed, flowing and flow rates if gas to s	g and shut-in pressur	res, whether shut-in pro	essure reache	ed static leve	l, hydrostat	ic pressures, bot		
Final Radioactivity Log, files must be submitted					ust be emai	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		Log	Formatio	n (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	☐ Yes ☐ No		Name			Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING Report all strings set-	RECORD conductor, surfa	New ace, intermedia	Used	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / F	t S	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	L CEMENTING	S / SQUEEZE	BECORD			
Purpose:	Depth	Type of Cement	# Sacks U			Type and F	Percent Additives	
Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom							
Flug On Zone								
Did you perform a hydraulic Does the volume of the tota Was the hydraulic fracturing	l base fluid of the hydra	ulic fracturing treatment e		_	Yes [Yes [Yes [No (If No, sk	ip questions 2 ar ip question 3) out Page Three	,
Shots Per Foot		N RECORD - Bridge Pluç otage of Each Interval Per				cture, Shot, Cement nount and Kind of Ma		Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed Pr	oduction, SWD or ENHI	R. Producing Met	hod:	Gas Li	ift 🔲 O	ther (Explain)		
Estimated Production Per 24 Hours	Oil Bb	ols. Gas	Mcf	Water	Bb	ols. (Gas-Oil Ratio	Gravity
DISPOSITION	OF GAS:		METHOD OF C	OMPLETION:			PRODUCTIO	DN INTERVAL:
Vented Sold	Used on Lease	Open Hole	Perf.	Dually Comp		nmingled		
(If vented, Subm.	it ACO-18.)	Other (Specify)	(,	GUDINIL ACO-5)	(Subr	nit ACO-4)		

Form	ACO1 - Well Completion			
Operator	Laymon Oil II, LLC			
Well Name	GRISIER 32-15			
Doc ID	1333391			

Tops

Name	Тор	Datum
Soil	0	12
Shale	12	140
Lime	140	200
Shale	200	210
Lime	210	450
Black shale	450	452
Lime	452	520
Shale	520	540
Big Shale	540	850
Black Shale	850	851
Shale	851	892
Black Shale	892	895
Upper Squirrel Sand	895	905
Shale	905	948
Cap Rock	948	950
lowerSquirrel Sand	950	970
Shale	970	1040

Form	ACO1 - Well Completion			
Operator	Laymon Oil II, LLC			
Well Name	GRISIER 32-15			
Doc ID	1333391			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	10.250	8.625	24	40	portland	10	0
Production	6.125	2.875	6	1030	common	160	0

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLPTADDS

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: GRISIER #32-16

54 W TO OTTER RD N TO 120TH RD E TO BATTERY (NSD OF RR TRACKS)

LAYMON OIL II- L.L.C.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
* 2:51 PM	MELL PO MIMBE	16,00	16.00		35		wooco
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12/13/10		1	. 16.00	7	0.00	4.00 in	41867

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE **LOADING** STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

QUANTITY

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

CODE

TRUCKING

MIXSHARL

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE NSIDE CURB LINE)
Dear Designer. The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the prefinises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order,
SIGNED

WELL (10 SACKS PER UNIT)

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

EXTENDED PRICE

LOAD RECEIVED BY

UNIT PRICE

16.00 16.00

160 packs - 27/8" croing circulated to Durface

WINTER CHARGE

MIXING AND HAULING

DESCRIPTION

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
		403	1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	%	TAX 7.50
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	
308	342				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL
					and the second of the second o