CORRECTION #1

or KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

SGA?

Kansas Corporation Commission Oil & Gas Conservation Division

1334260

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
OPERATOR: License#	foot from N / C line of Cootio
Name:	
Address 1:	ls SECTION: Regular Irregular?
Address 2:	- (Note: Locate well on the Section Plat on reverse side)
State:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	
tuno.	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes N
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
TIS OMMANO, and world but	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Desire stand Total Desire.
Original Completion Date: Original Total Depth:	_ Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	- Will Cores be taken? Yes No
	If Yes, proposed zone:
	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual p	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the minimum amount of surface pipe as specified below <i>shall be</i> second or the second of the second	FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second content of the second co	FFIDAVIT Idugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the surface of the s	FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus the propriate district office will be notified before well is either plus to a minimum of 20 feet into the district office will be notified before well is either plus to a minimum of 20 feet into the district office will be notified before well is either plus the district of the district	FFIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order is	ch drilling rig; In the top of this well will comply with K.S.A. 55 et. seq. In the top of this well will comply will be set to the top of t
The undersigned hereby affirms that the drilling, completion and eventual per tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ear and the district office prior and the district office prior and the district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to pursuant to Appendix "B" - Eastern Kansas surface casing order is	ch drilling rig; Into by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and the set the set to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order is	ch drilling rig; In the top of this well will comply with K.S.A. 55 et. seq. In the top of this well will comply will be set to the top of t
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into t	ch drilling rig; In the top of this well will comply with K.S.A. 55 et. seq. In the top of this well will comply will be set to the top of t
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set into t	ch drilling rig; In the top of this well will comply with K.S.A. 55 et. seq. In the top of this well will comply will be set to the top of t
The undersigned hereby affirms that the drilling, completion and eventual per tries agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a search of the spud date or the well shall be completed within 30 days of the spud date.	ch drilling rig; In the top of this well will comply with K.S.A. 55 et. seq. In the top of this well will comply will be set to the top of t
The undersigned hereby affirms that the drilling, completion and eventual per total superior to specific that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	ch drilling rig; Into by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is all cases, NOTIFY district office prior to any cementing one plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the dient of the second of the well is district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically	ch drilling rig; In the top in all cases surface pipe shall be set to the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of th	ch drilling rig; Interpret by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a literature in the company of the company of the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drill of the second of the specified below <i>shall be</i> second of the sec	Ch drilling rig; Interpret by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; and placement is necessary prior to plugging; agged or production casing is cemented in; and placement is necessary prior to plugging; agged or production casing is cemented in; and placement is necessary prior to plugging; agged or production casing is cemented in; and placement in the plugged or production against the plugged. In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be completed. **Description** **Description*	ch drilling rig; Interpretation of the top; in all cases surface pipe shall be set the underlying formation. Interpretation of the top; in all cases surface pipe shall be set the underlying formation. Interpretation of the top; in all cases surface pipe shall be set the underlying formation. Interpretation of the top; in all cases surface pipe shall be set the underlying formation. Interpretation of the top; in all cases surface pipe shall be set the underlying formation. Interpretation of the top; in all cases and placement is necessary prior to plugging; aged or production casing is cemented in; the top of the to
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drill of the second of the specified below <i>shall be</i> second of the sec	Prince of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; Led from below any usable water to surface within 120 DAYS of spud date. 2133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the	ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual put it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea: 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into teat. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluging. The appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15	Ch drilling rig; In the polyment to the top; in all cases surface pipe shall be set the underlying formation. In the set or plug length and placement is necessary prior to plugging; goed or production casing is cemented in; the set or plug length and placement is necessary prior to plugging; goed or production casing is cemented in; the set of the s
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea: 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the s	ch drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. \$133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	-


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R	
Number of Acres attributable to well:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1815 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1334260

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit: Depth to shallo Source of inform		west fresh water feet.	
feet Depth of water wellfeet measured		well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Drilling, Works		ver and Haul-Off Pits ONLY:	
Producing Formation: Type of materia		l utilized in drilling/workover:	
Number of producing wells on lease: Number of work		king pits to be utilized:	
· · · · · · · · · · · · · · · · · · ·		procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must b		pe closed within 365 days of spud date.	
Submitted Electronically			
	KCC O	OFFICE USE OF	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1334260

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ct (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ackCC will be required to send this information to the surface ow task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 Submitted Electronically	



Summary of Changes

Lease Name and Number: Ed Flake 7 API/Permit #: 15-121-31320-00-00

Doc ID: 1334260

Correction Number: 1

Approved By: Rick Hestermann 02/10/2017

Field Name	Previous Value	New Value
ElevationPDF	1004 Estimated	967 Estimated
Expected Spud Date	02/09/2017	02/20/2017
Feet to Nearest Water Well Within One-Mile of	4003	4615
Pit Ground Surface Elevation	1004	967
KCC Only - Approved By	Rick Hestermann 01/27/2017	Rick Hestermann 02/10/2017
KCC Only - Approved Date	01/27/2017	02/10/2017
KCC Only - Date Received	01/26/2017	02/10/2017
KCC Only - Lease Inspection	Yes	No
KCC Only - Regular Section Quarter Calls	NW NW NW SW	NW SW NW SW
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=9&to	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=9&to

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	2475	1815
Number of Feet North or South From Section	2475	1815
Line Quarter Call 3	NW	SW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13 30344	//kcc/detail/operatorE ditDetail.cfm?docID=13 34260
Subdivision3	NW	SW

Summary of Attachments

Lease Name and Number: Ed Flake 7

API: 15-121-31320-00-00

Doc ID: 1334260

Correction Number: 1

Approved By: Rick Hestermann 02/10/2017

Attachment Name