For KCC Use:

Effective	Date

District	#	

SGA?	Yes	No.
------	-----	-----

Form

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

1339059

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

KSONA-1, Certification of Com	pliance with	the Kansas S	Surface	e Owner N	lotification Act,	MUST be submitted	with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For:       Well Class:       Type Equipment:         Oil       Enh Rec       Infield       Mud Rotary         Gas       Storage       Pool Ext.       Air Rotary         Disposal       Wildcat       Cable         Seismic ;       # of Holes       Other         Other:	Nearest Lease or unit boundary line (in footage):         Ground Surface Elevation:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

#### AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY
API # 15
Conductor pipe requiredfeet
Minimum surface pipe required feet per ALT. I
Approved by:
This authorization expires:
Spud date: Agent:

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

**Well will not be drilled or Permit Expired** Date: \_ Signature of Operator or Agent: Side Two

1339059

For KCC Use ONLY

API # 15 -


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1335 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1339059

Form CDP-1 May 2010 Form must be Typed

\_\_\_\_

# **APPLICATION FOR SURFACE PIT**

	Su	bmit in Duplicat	e	
Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp	_R East West
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from	North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from	East / West Line of Section
		(bbls)		County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: (For Emerg	ng/l mg/l mg/l mg/l
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (feet)		Width (feet)	N/A: Steel Pits
Depth fro	m ground level to dee	epest point:	(feet)	No Pit
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			dures for periodic maintena cluding any special monitor	
		Depth to shallo Source of inforr	west fresh water	feet.
feet Depth of water well	feet	measured	well owner	electric log
Emergency, Settling and Burn Pits ONLY: Drilling, Work		Drilling, Worko	ver and Haul-Off Pits ONI	LY:
Producing Formation: Type of mate		Type of materia	rial utilized in drilling/workover:	
Number of producing wells on lease: Number of wo		Number of work	rking pits to be utilized:	
Barrels of fluid produced daily: Abandonment		t procedure:		
Does the slope from the tank battery allow all spilled fluids to       flow into the pit?       Yes       No   Drill pits must		be closed within 365 days of spud date.		
Submitted Electronically				

		KCC OFFICE USE ONLY	Liner Steel Pit RFAC RFAS
Date Received:	Permit Number:	Permit Date:	Lease Inspection: Yes No

			Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled
This form must be submitted with all Forms C-1 (Notice of T-1 (Request for Change of Operator Transfer of Injection of Any such form submitted without an acco Select the corresponding form being filed: C-1 (Intent) CB-1 (	or Surface Pit Permit); and ( mpanying Form KSONA-1	CP-1 (Well Pluggin will be returned.	g Application).
OPERATOR:         License #           Name:            Address 1:		·	R [] East [] West
Address 2:	Lease Name:		Well #:
City:          Zip:        +            Contact Person:	If filing a Form T-1 for mult the lease below:	iple wells on a lease,	enter the legal description of

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and
the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat
are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface

owner information can be found in the records of the register of deeds for the

county, and in the real estate property tax records of the county treasurer.

#### Select one of the following:

Surface Owner Information:

Address 2: \_\_\_\_\_

\_\_\_) \_\_\_\_\_ Fax: ( \_\_\_\_\_ ) \_\_\_\_\_

Citv: State: Zip: +

Phone: ( \_\_\_\_ Email Address:

Name:

Address 1:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

#### L Submitted Electronically

I

FO: STATE CORPORATION COMM	API Well Number: <u>15-015-19529-00-00</u>
	IISSION Spot: <u>SENWSE</u> Sec/Twnshp/Rge: <u>23-28S-5E</u>
CONSERVATION DIVISION - P	LUGGING <u>1335</u> feet from S Section Line, <u>1665</u> feet from E Section Line
130 SOUTH MARKET, SUITE 2' WICHITA, KANSAS 67202	Lease Name:         NORTH FOX BUSH-SHAWVER         Well #: 2           County:         BUTLER         Total Vertical Depth: 2814         feet
Operator License No.: <u>32475</u>	String Size Depth (ft) Pulled (ft) Comments
Dp Name: <u>BRADEN, JAMES R. D</u>	11 4 5 2680
Address: <u>10139 SW HAVERHILI</u> <u>AUGUSTA, KS 67010</u>	RD PROD 5.5 2754
Well Type: <u>OIL</u>	UIC Docket No: Date/Time to Plug: <u>11/10/2011 8:00 AM</u>
Plug Co. License No.: <u>32475</u>	Plug Co. Name: BRADEN, JAMES R. DBA BRADEN PETROLEUM & WELL PLUGGING
Proposal Rcvd. from: <u>JIM BRADE</u>	N Company: <u>BRADEN PETROLEUM &amp; WELL PL</u> Phone: (620) 222-125
Method: Plugging Proposal Received By: 1	DUANE KRUEGER WitnessType: PARTIAL
Date/Time Plugging Completed:	1/10/2011 5:00 PM KCC Agent: DUANE KRUEGER
Actual Plugging Report: SANDED BACK 50' ABOVE PER RIH W/TBG ON BACKSIDE @ 5: PUMPED 45 SXS 60/40 POZMIX	Perfs: FS @ 2675', DUMP BAILED 4 SXS CEMENT ON TOP. '. CONSOLIDATED OIL WELL SERVICES MIXED & 1% GEL TO SURFACE. LAYED DOWN TBG. RIH ESTABLISHED CIRCULATION MIXED & PLIMPED
Actual Plugging Report: SANDED BACK 50' ABOVE PER RIH W/TBG ON BACKSIDE @ 5: PUMPED 45 SXS 60/40 POZMIX W/TBG @ 250', CONSOLIDATEE 27 SXS 60/40 POZMIX 4% GEL T	Top       Bot       Thru       Comments         '. CONSOLIDATED OIL WELL SERVICES MIXED &       2754       2814       OH       OPEN HOLE
Actual Plugging Report: SANDED BACK 50' ABOVE PER RIH W/TBG ON BACKSIDE @ 5: PUMPED 45 SXS 60/40 POZMIX W/TBG @ 250', CONSOLIDATEE 27 SXS 60/40 POZMIX 4% GEL T 11-10-2011, 5:00 PM. CONSOLIE	TopBotThruComments'. CONSOLIDATED OIL WELL SERVICES MIXED & 4% GEL TO SURFACE. LAYED DOWN TBG. RIH ESTABLISHED CIRCULATION, MIXED & PUMPED O SURFACE. CEMENT CIRCULATED. PLUG DOWNTopBotThruComments
Actual Plugging Report: SANDED BACK 50' ABOVE PER RIH W/TBG ON BACKSIDE @ 5: PUMPED 45 SXS 60/40 POZMIX W/TBG @ 250', CONSOLIDATEE 27 SXS 60/40 POZMIX 4% GEL T 11-10-2011, 5:00 PM. CONSOLIE	FS @ 2675', DUMP BAILED 4 SXS CEMENT ON TOP.       Top       Bot       Thru       Comments         '. CONSOLIDATED OIL WELL SERVICES MIXED &       2754       2814       OH       OPEN HOLE         4% GEL TO SURFACE. LAYED DOWN TBG. RIH       ESTABLISHED CIRCULATION, MIXED & PUMPED       2754       2814       OH       OPEN HOLE         0 SURFACE. CEMENT CIRCULATED. PLUG DOWN       ATED CEMENT TICKET #34095.       PLUG DOWN       ATED CEMENT TICKET #34095.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

June 16, 2017

Bill Webster Webster Oil LLC 16500 S.E. PICKRELL LEON, KS 67074

Re: Drilling Pit Application North Fox Bush 2 SE/4 Sec.23-28S-05E Butler County, Kansas

Dear Bill Webster:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.