CORRECTION #1

| For KCC Use: | Kansas Corporation Commission | |
|-----------------|---------------------------------|--|
| Effective Date: | OIL & GAS CONSERVATION DIVISION | |
| District # | | |
| SGA? Yes No | NOTICE OF INTENT TO DRILL | |

1339102

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| SECTION: Get from E / W L Address 1: Address 2: | Yes N feet M3 Yes I Yes I Yes I |
|--|-------------------------------------|
| feet from E / W L | Yes N feet M: Yes I Yes I |
| ddress 1: | Yes N feet M: Yes I Yes I |
| | Yes N |
| State: Zip: + | Yes N |
| County C | Yes N |
| Lease Name: Well #: Field Name: Seismic # of Other Original Completion Date: Original Total Depth: Total Location: CD DKT #: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Gas Storage Pool Ext. Air Rotary Other: Wildcat Cable Disposal Wildcat Cable Depth to bottom of usable water: Depth to Disposal of Surge Pipe by Alternate: I I I I Length of Surface Pipe by Alternate: I I I I Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Drilled For: Well Kis. A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud or production casing is cemented in; 6. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below | Yes N |
| DNTRACTOR: License# | feet M3 YesI YesI |
| Target Formation(s): Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Soundcutor Pipe (if any): Projected Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: OWR Permit #: OWR Permit #: OWR Permit with DWR OWR Permit #: OWR Permit with DWR OWR P | feet M3 YesI YesI |
| Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Seismic ; Infield Mud Rotary Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth | feet M |
| Gas Storage Pool Ext. | feet MilyesI |
| Gas | Yes I |
| Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Duhr Disposal Wildcat Duhr Duhr Duhr Duhr Duhr Duhr Duhr Duhr | Yes [|
| Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of suable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the approperate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the appropriate district office will be notified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the production and surface within 120 DAYS of spud of the pub | |
| Seismic; # of Holes Other Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Length of Conductor Pipe (if any): Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations: Water Source for Drilling | |
| Surface Pipe by Alternate: I I IL Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Weter Source for Drilling Operations: Well parm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugges. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surfa | |
| Length of Surface Pipe Planned to be set: Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the surface with | |
| Operator: | |
| Well Name:Original Completion Date:Original Total Depth: | |
| Well Name: Original Completion Date: Original Total Depth: Original Total Depth: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the prior to plugge the plugged or production casing is cemented in; | |
| Water Source for Drilling Operations: Yes | |
| Yes, true vertical depth: Ottom Hole Location: CC DKT #: Well Farm Pond Other: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the spring that the plugged or production casing is cemented in; | |
| DWR Permit #: DWR Permit #: DWR Permit with DWR DWR DWR | |
| Will Cores be taken? If Yes, proposed zone: | |
| Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | |
| If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. at is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | Yes I |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of | |
| is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of | |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of | |
| A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | |
| A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | |
| through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | |
| If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of | et |
| 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of | ing; |
| | ate |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II ceme | |
| must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing | |
| | |
| | |
| ubmitted Electronically | |
| Remember to: | |
| For KCC Use ONLY - File Certification of Compliance with the Kansas Surface Owner Not | fication |
| API # 15 Act (KSONA-1) with Intent to Drill; | |
| Conductor pipe requiredfeet | |
| - File Completion Form ACO-1 within 120 days of spud date; | |
| Minimum surface pipe requiredfeet per ALTIII - File acreage attribution plat according to field proration orders; | |
| Approved by: Notify appropriate district office 48 hours prior to workover or re-entr | |
| This authorization expires: - Submit plugging report (CP-4) after plugging is completed (within 60 Obtain written expressed before dispessing as injecting self-vector. | y; |
| (This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water. | y; |
| - If well will not be drilled or permit has expired (See: authorized expirate please check the box below and return to the address below. | y; days); |

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| CORRECTION #1 | | |
|---------------|---------|--|
| | 1339102 | |

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

825 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1339102

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Gustini in Duplicate | | | | |
|---|-----------------------|---|--|--|
| Operator Name: | | | License Number: | |
| Operator Address: | | | | |
| Contact Person: | | Phone Number: | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | | |
| Emergency Pit Burn Pit | Proposed Existing | | SecTwp R | |
| Settling Pit Drilling Pit | If Existing, date cor | nstructed: | Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | |
| Oupply ALTINO. OF Teal Diffield) | | (bbls) | County | |
| Is the pit located in a Sensitive Ground Water Area? Yes No | | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | |
| Yes No | Yes N | lo | | |
| Pit dimensions (all but working pits):Length (feet) | | Width (feet) N/A: Steel Pits | | |
| Depth from ground level to deepest point: (feet) | | | | |
| material, thickness and installation procedure. liner integrity, including any special monitoring. | | | | |
| Distance to nearest water well within one-mile of pit: Depth to shall Source of info | | shallowest fresh water feet. f information: | | |
| feet Depth of water wellfeet | | measured well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: Drilling | | Drilling, Work | Drilling, Workover and Haul-Off Pits ONLY: | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | |
| Number of producing wells on lease: N | | Number of working pits to be utilized: | | |
| Barrels of fluid produced daily: Aba | | Abandonment procedure: | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must be closed within 365 days of spud date. | | |
| | - | | | |
| Submitted Electronically | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | | |
| Date Received: Permit Numl | ber: | Permi | it Date: Lease Inspection: Yes No | |

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1339102

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (| Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|--|---|--|--|
| OPERATOR: License # Name: Address 1: Address 2: | Well Location: | | |
| City: State: + Contact Person: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: | | |
| Surface Owner Information: Name: | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. | | |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice A | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owner. | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and | | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. | | |
| Submitted Electronically | | | |

Data use subject to license.

© DeLorme. Topo North America™ 9.

www.delorme.com



Summary of Changes

Lease Name and Number: Ed Flake 8
API/Permit #: 15-121-31321-00-00

Doc ID: 1339102

Correction Number: 1

Approved By: Rick Hestermann 02/23/2017

| Field Name | Previous Value | New Value |
|--|-------------------------------|-------------------------------|
| Depth Of Water Well | 250 | |
| Depth to Shallowest Fresh Water | 249 | |
| ElevationPDF | 982 Estimated | 923 Estimated |
| Expected Spud Date | 02/10/2017 | 02/28/2017 |
| Feet to Nearest Water Well Within One-Mile of | 3769 | NA |
| Pit Ground Surface Elevation | 982 | 923 |
| KCC Only - Approved By | Rick Hestermann 01/27/2017 | Rick Hestermann 02/23/2017 |
| KCC Only - Approved Date | 01/27/2017 | 02/23/2017 |
| KCC Only - Date Received | 01/26/2017 | 02/23/2017 |
| KCC Only - Lease Inspection | Yes | No |

Summary of changes for correction 1 continued

| Field Name | Previous Value | New Value | |
|---|--|--|--|
| KCC Only - Regular Section Quarter Calls | NW NE NW SW | SE NE SW SW | |
| LocationInfoLink | https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=9&to | https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=9&to | |
| Nearest Lease Or Unit Boundary | 165 | 825 | |
| Number of Feet East or West From Section Line | 4455 | 4125 | |
| Number of Feet East or West From Section Line | 4455 | 4125 | |
| Number of Feet North or South From Section | 2475 | 825 | |
| Line Number of Feet North or South From Section | 2475 | 825 | |
| Line Quarter Call 2 | NW | SW | |
| Quarter Call 4 - Smallest | NW | SE | |
| Save Link | //kcc/detail/operatorE ditDetail.cfm?docID=13 | //kcc/detail/operatorE ditDetail.cfm?docID=13 | |
| Subdivision2 | 30349 NW | 39102 SW | |
| Subdivision4Smallest | NW | SE | |

Summary of Attachments

Lease Name and Number: Ed Flake 8

API: 15-121-31321-00-00

Doc ID: 1339102

Correction Number: 1

Approved By: Rick Hestermann 02/23/2017

Attachment Name