

Spud date: \_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1339263

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Ш

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

# NOTICE OF INTENT TO DRILL

|  |  |   | Spot Description:   |
|--|--|---|---|
|  | month  | day year  |   |
| ODEDATOR: License#   |  |   | (Q/Q/Q/Q) feet from N / S Line of Section   |
|  |  |   | feet from E / W Line of Section   |
|  |  |   | L OFOTION D L D L O   |
|  |  |   |   |
|  |  | Zip: +  | (Note: Educate Well of the decision has on reverse state)   |
|  |  |   | County:   |
|  |  |   | Lease Name: vveii #:  |
|  |  |   | Field Name:   |
|  | ·  |   | is this at rotated, opaced rists.   |
| Name:  |  |   | Target Formation(s):  |
| Well Drilled For:  | Well Class:  | Type Equipment:   | Nearest Lease or unit boundary line (in footage):   |
| Oil Enh F  | Rec Infield  | Mud Rotary  | Ground Surface Elevation:feet MSI   |
| Gas Stora  |  | = '   | Water well within one-quarter mile:   |
| Dispo  |  | Cable   | Public water supply well within one mile:   |
| Seismic : #0   |  |   | Depth to bottom of fresh water:   |
|  | o  |   | Depth to bottom of usable water:  |
|  |  |   | Surface Pipe by Alternate: I II   |
| If OWWO: old well  | I information as follow  | /S:   | Length of Surface Pipe Planned to be set:   |
| Operatori  |  |   |   |
| •  |  |   | Projected Total Depth:  |
|  |  | riginal Total Depth:  |   |
| Original Completion Da   | ale O  | nginai iotai beptii   | Water Source for Drilling Operations:   |
| Directional, Deviated or Ho  | orizontal wellbore?  | Yes   | Well Farm Pond Other:   |
|  |  |   | ven Tami ona Guien.   |
| ·  |  |   | DVVK Feitilit #.  |
| KCC DKT #:   |  |   |   |
|  |  |   | If Yes, proposed zone:  |
|  |  |   | 11 165, proposed 20116  |
|  |  |   | AFFIDAVIT   |
| The undersigned hereby   | affirms that the drill   | ing, completion and eventua   | al plugging of this well will comply with K.S.A. 55 et. seq.  |
| It is agreed that the follow   | ving minimum requi   | rements will be met:  |   |
|  | iate district office <b>pr</b>   | ior to spudding of well:  |   |
| 1 Notify the appropri  |  | t to drill <b>shall be</b> posted on a  | each drilling rig:  |
| <ol> <li>Notify the appropri</li> <li>A copy of the appro</li> </ol>   |  | •   | set by circulating cement to the top; in all cases surface pipe shall be set  |
| 2. A copy of the appro   | nunt of surface pipe   |   | set by circulating content to the top, in all cases surface pipe shall be set   |
| <ul><li>2. A copy of the appre</li><li>3. The minimum amo</li></ul>  |  | lus a minimum of 20 feet int  |   |
| <ol> <li>A copy of the appro</li> <li>The minimum amo<br/>through all uncons</li> <li>If the well is dry ho</li> </ol>   | solidated materials pole, an agreement be  | olus a minimum of 20 feet int<br>etween the operator and the  | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>   |
| <ol> <li>A copy of the appro</li> <li>The minimum amo<br/>through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>  | solidated materials pole, an agreement be<br>strict office will be n   | olus a minimum of 20 feet int<br>etween the operator and the<br>otified before well is either p   | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> olugged or production casing is cemented in;  |
| <ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> </ol>   | colidated materials pole, an agreement be<br>strict office will be n<br>II COMPLETION, po  | lus a minimum of 20 feet int<br>etween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme  | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date.  |
| <ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>   | solidated materials pole, an agreement be<br>strict office will be n<br>II COMPLETION, poendix "B" - Eastern   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.  |
| <ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>   | solidated materials pole, an agreement be<br>strict office will be n<br>II COMPLETION, poendix "B" - Eastern   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date.  |
| <ol> <li>A copy of the approach</li> <li>The minimum amonthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE</li> <li>Or pursuant to Approach</li> </ol>   | solidated materials pole, an agreement be<br>strict office will be n<br>II COMPLETION, poendix "B" - Eastern   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errer #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appmust be completed</li> </ul> </li> </ol>  | colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.  |
| <ol> <li>A copy of the approach</li> <li>The minimum amothrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appmust be completed</li> </ul> </li> </ol>  | colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errer #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> <li>The appropriate of the appropriate of the appropriate of the approach</li> </ol>   | colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date. It is errectly the surface within 120 DAYS of spud date.  |
| <ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>  | colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the   | blus a minimum of 20 feet inte<br>tween the operator and the<br>otified before well is either p<br>roduction pipe shall be ceme<br>Kansas surface casing orde                               | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is errest that the surface of the surface is a real alternate II cementing is the plugged. In all cases, NOTIFY district office prior to any cementing.  |
| <ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate die</li> <li>If an ALTERNATE Or pursuant to Approach</li> <li>The appropriate of the appropriate of the appropriate of the approach</li> </ol>   | colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the   | olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha                | to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| 2. A copy of the approximate 3. The minimum amosthrough all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approximate be completed  ubmitted Electroic  For KCC Use ONLY  API # 15 -  | colidated materials pole, an agreement be strict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically   | olus a minimum of 20 feet interween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha                | o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;  |
| 2. A copy of the approach of the approach of the well is dry howard of the appropriate displayed in the approach of the appropriate displayed in the approach of the appropriate displayed in the approach of the appro  | colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically  | elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha                | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;   |
| 2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the appropriate discontinuous of the approach of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the appropriate discontinuous of the approach of  | colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically  | elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well sha                | co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;  |
| 2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approach and the completed  Ubmitted Electron  For KCC Use ONLY  API # 15 -  Conductor pipe required Minimum surface pipe recommends  Minimum surface pipe recommends  The minimum and the approach and | colidated materials pole, an agreement be astrict office will be n II COMPLETION, poendix "B" - Eastern d within 30 days of the nically  | elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well shall be ceme feet | contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| 2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate die 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Approved by:  This authorization expires  | colidated materials pole, an agreement be estrict office will be now the strict of the stric | elus a minimum of 20 feet intetween the operator and the otified before well is either production pipe shall be ceme Kansas surface casing orde he spud date or the well shall be ceme feet | co the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;  |

SEWARD CO. 3390' FEL

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County: feet from N / S Line of Section feet from E / W Line of Section  |  |  |
|---------------------------------------|--|--|--|
| Lease:                                |  |  |  |
| Well Number:                          |  |  |  |
| Field:                                | Sec Twp S. R   |  |  |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |  |  |
|                                       | If Section is Irregular, locate well from nearest corner boundary.                         |  |  |
|                                       | Section corner used: NE NW SE SW   |  |  |
|                                       |  |  |  |
|                                       | LAT  |  |  |
|                                       | lease or unit boundary line. Show the predicted locations of                               |  |  |
|                                       | quired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired. |  |  |
| 4500 ft.                              | eparate piat ii desired.   |  |  |
|                                       | · ·  |  |  |
|                                       | LEGEND   |  |  |
|                                       |  |  |  |
|                                       | Well Location  |  |  |
|                                       | Tank Battery Location  |  |  |
|                                       | Pipeline Location  |  |  |
|                                       | Electric Line Location   |  |  |
|                                       | Lease Road Location  |  |  |
|                                       | :  |  |  |
|                                       | EXAMPLE : :  |  |  |
|                                       |  |  |  |
| 23                                    |  |  |  |
|                                       |  |  |  |
|                                       |  |  |  |
|                                       |  |  |  |
|                                       |  |  |  |
|                                       | 1980' FSL  |  |  |
| 4500 %                                |  |  |  |
| 1500 ft.                              |  |  |  |
|                                       |  |  |  |

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                                | -   | License Number:  |  |
|---|--------------------------------|---|--|--|
| Operator Address:   |                                |   |  |  |
| Contact Person:   |                                |   | Phone Number:  |  |
| Lease Name & Well No.:  |                                |   | Pit Location (QQQQ):   |  |
| Type of Pit:  | Pit is:                        |   |  |  |
| Emergency Pit Burn Pit  | Proposed Existing              |   | SecTwp R   |  |
| Settling Pit Drilling Pit   | If Existing, date constructed: |   | Feet from North / South Line of Section  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Pit capacity:                          |                                |   | Feet from East / West Line of Section  |  |
|   | (bbls)                         |   | County   |  |
| Is the pit located in a Sensitive Ground Water Area? Yes No   |                                |   | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)       |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?              | 0   | How is the pit lined if a plastic liner is not used?                           |  |
| Pit dimensions (all but working pits):  | Length (feet                   | t)  | Width (feet) N/A: Steel Pits   |  |
| Depth fro   | om ground level to deep        | pest point:                                     | (feet) No Pit  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. |                                |   | dures for periodic maintenance and determining cluding any special monitoring. |  |
| Distance to nearest water well within one-mile of pit:  |                                | Depth to shallow<br>Source of inforr            | west fresh water feet.   |  |
| feet Depth of water wellfeet  |                                | measured  | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:   |                                | Drilling, Worko                                 | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |                                | Type of material utilized in drilling/workover: |  |  |
| Number of producing wells on lease:   |                                | Number of working pits to be utilized:          |  |  |
| Barrels of fluid produced daily:  |                                | Abandonment p                                   | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No          |                                | Drill pits must b                               | e closed within 365 days of spud date.   |  |
| Submitted Electronically  |                                |   |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                                |   |  |  |
| Date Received: Permit Numl  | ber:                           | Permi   | t Date: Lease Inspection: Yes No   |  |

## Kansas Corporation Commission Oil & Gas Conservation Division

1339263

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (  | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |  |
|---|--|--|--|--|
| OPERATOR: License #   | Well Location:   |  |  |  |
| Name:   | SecTwpS. R   |  |  |  |
| Address 1:  | County:  |  |  |  |
| Address 2:  | Lease Name: Well #:  |  |  |  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |  |  |  |
| Contact Person:   | the lease below:   |  |  |  |
| Phone: ( ) Fax: ( )   |  |  |  |  |
| Email Address:  |  |  |  |  |
| Surface Owner Information:  |  |  |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional   |  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |  |  |  |
| Address 2:  | accepts and in the real estate preparts toy records of the accepts traceurer   |  |  |  |
| City: State: Zip:+  |  |  |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead. | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form |  |  |  |
| CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a   | peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.   |  |  |  |
| KCC will be required to send this information to the surface ow   | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.   |  |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |  |  |  |
| Submitted Electronically  |  |  |  |  |

| For KCC Use ONLY |
|------------------|
| API # 15         |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: W&W Production Co.  Lease: Harner  Well Number: W-56  Field: HUMbold+/Chanate  Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: |        |                             | Sec | Location of Well: County:    4500  |  |  |
|---|--------|-----------------------------|-----|--|--|--|
|   |        | es, pipelines and electrica |     | LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Lease Road Location |  |  |
| W .   | 1500'W | 11 23                       |     | EXAMPLE  1980 FSL  SENARD CO. 3390 FEL   |  |  |

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: in all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.