

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1339279

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day ye	Sec Twp S. R [ E [ ] V
DPERATOR: License#	feet from N / S Line of Sectio
ame:	
ddress 1:	ls SECTION: Regular Irregular?
ddress 2:	
ity: State:	+——— County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipm	Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
Oil Enh Rec Infield Mud Ro Gas Storage Pool Ext. Air Rota	Mater well within one-quarter mile:
Gas Storage Pool Ext. Air Rota Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : IT ID
Original Completion Date: Original Total Depth: _	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	( <b>Note:</b> Apply for Permit with DWR )
	(Note: Apply for Permit with DWR )  Will Cores be taken?  Yes No
	(Note: Apply for Permit with DWR )
	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:
CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT
CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT d eventual plugging of this well will comply with K.S.A. 55 et. seq.
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes Note:
CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  d eventual plugging of this well will comply with K.S.A. 55 et. seq.  it: well;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med.  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> possible.	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  d eventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well; basted on each drilling rig;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med.  1. Notify the appropriate district office <i>prior</i> to spudding of w.  2. A copy of the approved notice of intent to drill <i>shall be</i> possible.	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  d eventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  psted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mer  1. Notify the appropriate district office <i>prior</i> to spudding of v  2. A copy of the approved notice of intent to drill <i>shall be</i> po  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2  4. If the well is dry hole, an agreement between the operator	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  d eventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  psted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mer  1. Notify the appropriate district office <i>prior</i> to spudding of v  2. A copy of the approved notice of intent to drill <i>shall be</i> po  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  posted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me:  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> po.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shal	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  bested on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me:  1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in the analyse of the appropriate district office will be notified before well in the appropriate district office will be notified be	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  bested on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be med.  1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> positive. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shall or pursuant to Appendix "B" - Eastern Kansas surface care	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  posted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be me:  1. Notify the appropriate district office <i>prior</i> to spudding of v. 2. A copy of the approved notice of intent to drill <i>shall be</i> po. 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2. 4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in the analyse of the appropriate district office will be notified before well in the appropriate district office will be notified be	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  bested on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> post.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  bested on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> post.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  osted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; Il be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate Il cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> post.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  osted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> positive.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well in 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface can must be completed within 30 days of the spud date or the submitted Electronically.  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  bested on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  For and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. The asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> pot.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i.  6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  Affice well;  bested on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  For and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. Asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be mei  1. Notify the appropriate district office <i>prior</i> to spudding of v  2. A copy of the approved notice of intent to drill <i>shall be</i> po  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2  4. If the well is dry hole, an agreement between the operato  5. The appropriate district office will be notified before well i  6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface ca must be completed within 30 days of the spud date or the completed Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq. st:  well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> pot.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i.  6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the submitted Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq. st:  well; bested on each drilling rig; shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be mei.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> pot.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i.  6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the complete of the conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  osted on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing is well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and t is agreed that the following minimum requirements will be met.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> positive of the minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operators. The appropriate district office will be notified before well in the first of the spund date or the spund of the spund date or the spund of	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  deventual plugging of this well will comply with K.S.A. 55 et. seq.  It:  well;  stall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; II be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and it is agreed that the following minimum requirements will be med.  1. Notify the appropriate district office <i>prior</i> to spudding of v.  2. A copy of the approved notice of intent to drill <i>shall be</i> pod.  3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 2.  4. If the well is dry hole, an agreement between the operato 5. The appropriate district office will be notified before well i 6. If an ALTERNATE II COMPLETION, production pipe shal Or pursuant to Appendix "B" - Eastern Kansas surface camust be completed within 30 days of the spud date or the completed within 30 days of the spud date or the conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  d eventual plugging of this well will comply with K.S.A. 55 et. seq.  it:  well;  state on each drilling rig;  shall be set by circulating cement to the top; in all cases surface pipe shall be set 20 feet into the underlying formation.  or and the district office on plug length and placement is necessary prior to plugging; is either plugged or production casing is cemented in; ill be cemented from below any usable water to surface within 120 DAYS of spud date. asing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing as well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approach before dispecting or injection cell written.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ LO	cation of vvei	i: County:				
Lease:							_			feet from	N /	S Line	of Section
Well Numb	or∙									feet from	E /	W Line	of Section
								<u> </u>	Twp.		_ =	E	W
i iciu.							_ 00	o	_ TWP	0. 1			_ ••
Number of	Acres attr	ibutable to	well:				– le (	Section:	Regular or	Irregula	r		
QTR/QTR/	QTR/QTR	of acreag	e:					occion.	Tregular of	irregula	•		
								ection is Irr	regular, locate	woll from n	oarost co	rnor houn	dary
								ction corner	_			sw	uai y.
							Se	ction comer	usea: INE	INVV	]SE []3	>VV	
							PLAT						
					_				ry line. Show t				
	lease roa	ds, tank b	atteries, p	ipelines an					Surface Own	er Notice Act	(House B	ill 2032).	
				40	You m	ay attach	a separate	plat if desire	ed.				
				10	00 ft.								
		:	:	:		:	:						
		:	:	:		:	:	:		LEG	FND		
		:	:	:		:	:	:					
		:	:	:		:	:	:		O Well I	_ocation		
		:	:				:		Γ	Tank	Battery L	ocation	
		:	:	:		:	:	:	_		ne Locati		
		:	:	:		:	:	:			ric Line L		
0050 (1		:	:			:	:		_		e Road Lo		
2350 ft		:	:	<del></del>		:	:	:	_		T TOOLG E	ocation	
		:	:	:		:	:	:					
			:				:						I
		:	:	:		:	:		EXAM	IPLE			
		:	:	: .		:	:					:	
		:	:	. 2	23	:	:						
		:	:	:		:	:	:		:		:	
	• • • • • • • • • • • • • • • • • • • •	:		:		:		:				:	
			:	:		:	:					•	
		:	:	:		:	:	:		:	:	:	
		:	:	:		:	:			i o-		:	1980' FSL
		:	:	:		:	:				:	:	
		:	:	:		:	:				:	:	
					•••••							:	
		:	:	:		:	:				<u>:</u>	:	
		:	:	:		:	:	;	SEWARD	CO 3300' FE	ı		

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West			
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
material, thickness and installation procedure.		liner integrity, in	cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No			

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1339279

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat				
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.				
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1					
Submitted Electronically					

For KCC Use ONLY
API # 15

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

erator: W&W Production Ca use: Harner Harner: W - 57 Ithic: Humbold + /Chanate Index of Acres attributable to well:  RYQTR/QTR/QTR of acreage:	Location of Well: County:
lease roads, tank batteries, pipelines and electrical line	PLAT  Inearest lease or unit boundary line. Show the predicted locations of less, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  Illiach a separate plat if desired.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location
NOTE: In all cases locate the spot of the proposed of	EXAMPLE  OF 1980' FSL  SENARD CO. 3390' FEL

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- $\ensuremath{\mathbf{3}}.$  The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.