

__ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1339284

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R E W
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity:	County:
ontact Person:hone:	Lease Name: Well #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?YesNo
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSI
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I III
<u> </u>	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other:
f Yes, true vertical depth:	Talli Talli Gallon
Sottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
CCC DKT #:	
	If Yes, proposed zone:
	FEID AVIIT
-	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	1.17
2. A copy of the approved notice of intent to drill shall be posted on e	eat by circulating coment to the tent in all caces curtage pine chall be cot
3. The minimum amount of surface pipe as specified below shall be s	
 The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into 	
 3. The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pl If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall 	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description**	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15 -	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be before well is a completed within 30 days of the spud date or the well shall be completed. Ibmitted Electronically For KCC Use ONLY API # 15	conthe underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; noted from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15 -	conthe underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Idistrict office on plug length and placement is necessary prior to plugging; Idigged or production casing is cemented in; Intelligent from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing Idibe plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description**	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 6. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **District Completed Surface Pipe required feet** **Minimum surface pipe required feet per ALT. I I III **III **IIII **IIII **IIII **IIII **IIII **IIII **IIII **III **IIII	conthe underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing I be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant be completed within 30 days of the spud date or the well sh	conthe underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing If be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							_ Lo	cation of We	II: Cour	nty:				
Lease:										fe	et from	N /	S Line	of Section
Well Numb	er:									fe	et from	E /	W Line	of Section
Field:			Se	SecTwpS. R E				W						
Number of QTR/QTR/							15	Section:	Regu	ılar or	Irregul	ar		
								Section is Ir	-				7	dary.
							Se	ection corner	used:	NE _	NW	SE	SW	
							PLAT							
					_			r unit bounda	-					
	lease roa	ds, tank b	atteries, pi	ipelines an				y the Kansa		ce Owner I	Notice A	ct (House	Bill 2032).	
					You m	ay attach 200	a separate ft .	plat if desire	ea.					
2450 (4		:	:	:		. 	:	:						
3450 ft			:	:		: '••	:	:				SEND		
			:	:		:	:	:			LEC	SEND		
			:		•••••		:			0	Wel	Location	า	
			:				:				Tanl	k Battery	Location	
			:	:	••••	:	:	:				eline Loca		
			:	:		:	:	:			-		Location	
			:				:						Location	
		:	:	:		:	:	:						
			:	:		:	:	:						
			•	:						EXAMPL	-	:	:]
			<u>:</u>	<u>:</u>		:	:	:		LAAMIT	-L :	:		
			:	2	3	:					:	:	÷	
				_								:		
						• • • • • • • • • • • • • • • • • • • •						:	:	
			:	:		:	:				:	:	÷	
			:	:		:		:						
	•••••	•••••			••••	•••••					0=		:	1980' FSL
			:	:		:					ĬĬ		:	
			:	:		:	:	:						
					••••		•••••						•	
			:	:		:	:						:	
			:	<u>:</u>		:	:			SEWARD CO.	3390' F	EL		-
		•	•	•		•	•	•						

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

	Ou	billit ili Duplicat				
Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	SecTwp R				
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
(п ил Зарріу ягт но. от теат Біппец)		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	m ground level to dee	epest point:	(feet) No Pit			
If the pit is lined give a brief description of the lin material, thickness and installation procedure.			edures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Numb	oer:	Pormi	it Date: Lease Inspection: Ves No			

Kansas Corporation Commission Oil & Gas Conservation Division

1339284

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ct (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ackCC will be required to send this information to the surface ow task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 Submitted Electronically	

For KCC Use ONLY	
API#15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: W.W. Production C. Lease: Harner Well Number: W - 58 Field: Humbolat / Chanute Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Sec. 23					
Show location of the well. Show footage to lease roads, tank batteries, pipelines and electrical You m	•	Surface Owner Notice Act (House Bill 2032).				
3450' W		LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location				
W 23		EXAMPLE				

1980 FSL

NOTE: in all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.