

Spud date: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1341014

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month o	day year	Spot Description:
	monar	idy your	(a/a/a/a) Sec Twp S. R 🔲 E
OPERATOR: License#			feet from N / S Line of Se
Name:			feet from E / W Line of Se
Address 1:			Is SECTION: Regular Irregular?
Address 2:			(Note: Locate well on the Section Plat on reverse side)
		Zip: +	
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			
lame:			- Target Formation(s):
14/- II Duille et Fenn	14/- 11 01	Torre Construences	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet
Oil Enh F		Mud Rotary	Water well within one-quarter mile:
Gas Stora	· H	Air Rotary	Public water supply well within one mile: Yes Yes
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;# c			Depth to bottom of resh water:
Other:			Surface Pipe by Alternate: II
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
•			
			_ Projected Total Depth:
Original Completion Da	ate: Orig	inal Total Depth:	
Directional, Deviated or Ho	rizontal wellhore?	Yes No	Water Source for Drilling Operations:
		103140	
i yes ime vemcal debin:			
•			DWK Pelliit #.
Bottom Hole Location:			(Note: Apply for Permit with DWR)
Bottom Hole Location:			(Note: Apply for Permit with DWR) Will Cores be taken?
Bottom Hole Location:			(Note: Apply for Permit with DWR)
Bottom Hole Location:			(Note: Apply for Permit with DWR) Will Cores be taken?
Sottom Hole Location:		AI	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:
Bottom Hole Location: CCC DKT #:	affirms that the drilling	Al յ, completion and eventual p	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:
Sottom Hole Location: CCC DKT #: The undersigned hereby	affirms that the drilling	ΑΙ g, completion and eventual p ments will be met:	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the approximation of the approxim	affirms that the drilling ring minimum requirer ate district office prior oved notice of intent to	Alg, completion and eventual prents will be met: to spudding of well; odrill shall be posted on ea	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq.
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as	Alg, completion and eventual prents will be met: to spudding of well; of drill shall be posted on ear specified below shall be see	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconsorted.	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plus	Alg, completion and eventual prents will be met: To spudding of well; of drill shall be posted on ea specified below shall be set a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement betw	Alg, completion and eventual prents will be met: To spudding of well; of drill shall be posted on ear specified below shall be set a minimum of 20 feet into tween the operator and the discomplete.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If yes proposed zone: Strict office on plug length and placement is necessary prior to plugging;
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plustle, an agreement betwestrict office will be noti	Alg, completion and eventual prenents will be met: To spudding of well; of drill shall be posted on ear specified below shall be set a minimum of 20 feet into tween the operator and the diffied before well is either plus	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If yes proposed zone: The drilling rig; If yes proposed zone: Strict office on plug length and placement is necessary prior to plugging; If yes proposed zone: Yes propos
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement betwestrict office will be notill COMPLETION, producing	Algorial processing and the difference of the operator and the difference of the operator and the diffed before well be cement.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
CCC DKT #: The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet ict office will be noticled to the completion of the co	Algorial processing and the discount of the completion and eventual processing of well; to spudding of well; to drill shall be posted on easpecified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Slugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If yes proposed zone: The drilling rig; If yes proposed zone: Strict office on plug length and placement is necessary prior to plugging; If yes proposed zone: Yes propos
CCC DKT #: The undersigned hereby this agreed that the follow 1. Notify the appropriation 2. A copy of the appropriation 3. The minimum amough all unconsess. If the well is dry how 5. The appropriate dis 6. If an ALTERNATE In Or pursuant to Approprisus and the control of the appropriation of the	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet ict office will be noticled to the completion of the co	Algorial processing and the discount of the completion and eventual processing of well; to spudding of well; to drill shall be posted on easpecified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet ict office will be noticle COMPLETION, proceeding the continuation of the continuation of the complement of t	Algorial processing and the discount of the completion and eventual processing of well; to spudding of well; to drill shall be posted on easpecified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria A copy of the appropria The minimum amo through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the completion, profile COMPLETION, profile in COMPLETION, profile within 30 days of the	Algorial processing and the discount of the completion and eventual processing of well; to spudding of well; to drill shall be posted on easpecified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria A copy of the appro The minimum amo through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the completion, profile COMPLETION, profile in COMPLETION, profile within 30 days of the	Algorial processing and the discount of the completion and eventual processing of well; to spudding of well; to drill shall be posted on easpecified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ited from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the appropria A copy of the appro The minimum amo through all unconso If the well is dry ho The appropriate dis If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office prior oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between the completion, profile COMPLETION, profile in COMPLETION, profile within 30 days of the	Algorial processing and the discount of the completion and eventual processing of well; to spudding of well; to drill shall be posted on easpecified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order.	(Note: Apply for Permit with DWR) Will Cores be taken?
the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement between strict office will be noticall COMPLETION, proceeding "B" - Eastern Kall within 30 days of the	g, completion and eventual prents will be met: It to spudding of well; It drill shall be posted on ea specified below shall be see a minimum of 20 feet into the entire operator and the distriction pipe shall be cemen ansas surface casing order spud date or the well shall be	(Note: Apply for Permit with DWR) Will Cores be taken?
he undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the approduction and through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 7. Or pursuant to Appropriate dis 8. If an ALTERNATE I Or pursuant to Appropriate dis 9. If an ALTERNATE I OR Pursuant to Appropriate dis 9. If an ALTERNATE I OR Pursuant to Appropriate dis 9. If an ALTERNATE I OR PURSUANT TO PURSUANT	affirms that the drilling ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as blidated materials plus le, an agreement betwestrict office will be noting I COMPLETION, procuendix "B" - Eastern Kall within 30 days of the	g, completion and eventual prents will be met: It to spudding of well; It drill shall be posted on ea specified below shall be see a minimum of 20 feet into the even the operator and the dividence of the property of the p	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Yes If by circulating cement to the top; in all cases surface pipe shall be set If he underlying formation. Istrict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It deform below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing If yes If Yes
The undersigned hereby It is agreed that the follow It is appropriate If the well is dry ho It is dry ho It is appropriate dis If an ALTERNATE IOT pursuant to Appropriate dis If an ALTERNATE IOT pursuant to Appropriate dis It is a Completed In the complete In the co	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweetrict office will be notical COMPLETION, proceeding "B" - Eastern Kall within 30 days of the	g, completion and eventual prents will be met: To spudding of well; In drill shall be posted on ea specified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluduction pipe shall be cement ansas surface casing order is spud date or the well shall in feet	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Strict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby It is agreed that the follow It is appropriate If the well is dry ho If the well is dry ho If an ALTERNATE IT OR pursuant to Appropriate to Appropriate to Appropriate to Appropriate to Appropriate to Appropriate the Completed Identited Electroic Identity Identity It is a completed	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweetrict office will be notical COMPLETION, proceeding "B" - Eastern Kall within 30 days of the	g, completion and eventual prents will be met: To spudding of well; In drill shall be posted on ea specified below shall be set a minimum of 20 feet into even the operator and the diffied before well is either pluduction pipe shall be cement ansas surface casing order is spud date or the well shall in feet	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; Yes If by circulating cement to the top; in all cases surface pipe shall be set If he underlying formation. Istrict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It deform below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing If yes If Yes
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the approduce and through all unconses. 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approduce and the completed. Ubmitted Electroic For KCC Use ONLY API # 15 - Conductor pipe required.	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plustle, an agreement betwentict office will be notiful COMPLETION, proceed within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It of a drill shall be posted on ear specified below shall be set as a minimum of 20 feet into the even the operator and the distriction pipe shall be cementansas surface casing order as spud date or the well shall be spuddeted as	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
CCC DKT #: The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the approduce of the appropriate of the appropriate of the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate of the appropriate of the appropriate of the appropriate of the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate of the appropr	affirms that the drilling ring minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement between the completion of the completion of the within 30 days of the completion	g, completion and eventual prenents will be met: It to spudding of well; It of a drill shall be posted on ear specified below shall be set as a minimum of 20 feet into the even the operator and the distriction pipe shall be cementansas surface casing order as spud date or the well shall be spuddeted as	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
ease:	feet from N / S Line of Section		
Vell Number:	feet from E / W Line of Section		
Field:	SecTwpS. R 🗌 E 🗍 W		
Number of Acres attributable to well:	is Section. Negulai of Integulai		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		
lease roads, tank batteries, pipelines and electrical lines, a	PLAT rest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032). The a separate plat if desired. The separate plat if desired.		
: : :	·· ·		
	1988 ft. LEGEND		
	O Well Location		
	Tank Battery Location		
	i i i i i i i i i i i i i i i i i i i		
	Electric Line Location		
	Lease Road Location		
	EXAMPLE : :		
· · · · · · · · · · · · · · · · · · ·			
17			
: : : : :			
	. · 1980' FSL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Artificial Liner?	(bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County County mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	lo			
	Length (fee		Width (feet) N/A: Steel Pits (feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all splow into the pit? Yes No		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1341014

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:		
Name:			
Address 1:			
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:	ille lease below.		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.		
Submitted Electronically			



