Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1346476

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	Sec Twp S. R			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from East / West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	Spot Description:			
Wellsite Geologist:				
Purchaser:				
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
□ Oil □ WSW □ SHOW □ Gas □ D&A □ ENHR □ SIGW □ OG □ GSW □ Temp. Abd. □ CM (Coal Bed Methane) □ Cathodic □ Other (Core, Expl., etc.): □ If Workover/Re-entry: Old Well Info as follows: Operator: Well Name:	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?			
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer				
□ Commingled Permit #:	Dewatering method used: Location of fluid disposal if hauled offsite:			
GSW Permit #:	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
Wireline Log Received			
Geologist Report Received			
UIC Distribution			
ALT I II Approved by: Date:			

Operator Name:				Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
open and closed, flowing and flow rates if gas to	ng and shut-in pressu surface test, along w	res, whe	ther shut-in pre hart(s). Attach	essure reac extra shee	hed stati t if more	c level, hydrost space is neede	atic pressures, b ed.	ottom hole tempe	erature, fluid recovery,
Final Radioactivity Log files must be submitted	-					gs must be em	alled to kcc-well-	logs@kcc.ks.gov	v. Digital electronic lo
Drill Stem Tests Taken (Attach Additional S	heets)	Ye	es No				ion (Top), Depth		Sample
Samples Sent to Geold	ogical Survey	Ye	es 🗌 No		Nam	е		Тор	Datum
Cores Taken Electric Log Run		☐ Y€							
List All E. Logs Run:									
		Beno	CASING ort all strings set-o	RECORD	Ne		etion etc		
Purpose of String	Size Hole	Siz	e Casing	Wei	ght	Setting	Type of	# Sacks	Type and Percent
	Drilled	Set	t (In O.D.)	Lbs.	Ft.	Depth	Cement	Used	Additives
			ADDITIONAL	CEMENTII	NG / SQL	EEZE RECORU)		
Purpose: Perforate Protect Casing	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Plug Back TD Plug Off Zone									
Did you perform a hydraul Does the volume of the to Was the hydraulic fracturir	tal base fluid of the hydra	ulic fractu	ıring treatment ex		•	Yes Yes Yes	No (If No, s	skip questions 2 ar skip question 3) fill out Page Three	,
Shots Per Foot			RD - Bridge Plug Each Interval Perl				acture, Shot, Ceme Amount and Kind of I		d Depth
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:			
Date of First, Resumed F	Production, SWD or ENH	R.	Producing Meth	nod:			Yes N	io	
Estimated Production Per 24 Hours	Oil B	bls.	Flowing Gas	Pumpin Mcf	g		Other <i>(Explain)</i> Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease		NDpen Hole	METHOD OF	_	Comp. Co	ommingled bmit ACO-4)	PRODUCTIO	ON INTERVAL:

Form	ACO1 - Well Completion
Operator	Piqua Petro, Inc.
Well Name	SHANNON 35-16
Doc ID	1346476

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	''		Type and Percent Additives
Surface	12.25	7	17	22	Regular	10	
Production	5.625	2.875	6.5	875	Regular	105	

Operator License #: 30345	API #: 15-001-31457-00-00			
Operator: Piqua Petro, Inc.	Lease: Shannon			
Address: 1331 Xylan Rd, Piqua, KS 66761	Well #: 35-16			
Phone: (620) 433-0099	Spud Date: 11-15-16 Completed: 11-16-16			
Contractor License: 34036	Location: SW-SE-NW-NW of 14-25-17E			
T.D.: 882 T.D. of Pipe: 875 Size: 2.875"	1315 Feet From North			
Surface Pipe Size: 7" Depth: 22'	950 Feet From West			
Kind of Well: Enc. Rec.	County: Allen			

LOG

Thickness	Strata	From	To	Thickness	Strata	From	То
8	Soil/ Broken Lime	0	8	16	Oil Sand	812	828
130	Shale	8	138	54	Shale	828	882
18	Lime	138	156				
19	Shale	156	175				-
50	Lime	175	225				
39	Shale	225	264				
13	Lime	264	277				= ·
16	Shale	277	293			-	
74	Lime	293	367			_	
7	Shale/Black Shale	367	374				
29	Lime	374	403			 -	
3	Shale/Black Shale	403	406				,
34	Lime	406	440				
175	Shale	440	615				
11	Lime	615	626		T.D. of Pipe	1	875
67	Shale	626	693		T.D.		882
5	Lime	693	698				- 002
4	Shale	698	702			1	
18	Lime	702	720			 	
6	Shale	720	726				
5	Lime	726	731			 	
2	Black Shale	731	733				
21	Shale	733	754				
3	Lime	754	757				
6	Shale	757	763				
8	Lime	763	771				
3	Shale	771	774			†	
2	Black Shale	774	776			 	
36	Shale	776	812			1 1	

Leis Oil Services, LLC

1410 150th Rd Yates Center, KS 66783

Invoice

Date	Invoice #
12/3/2016	1130

Bill To	
Piqua Petro, Inc.	
1331 Xylan Rd	
Piqua, KS 66761	
•	

P.O. No.	Terms	Project
	Net 30	

Quantity	Description	Rate	Amount
856 1 10 871 1 10 882 1	Cement for Surface Drilling Shannon 33-16 Portable Pit Cement for Surface Drilling Shannon 34-16 Portable Pit Cement for surface Drilling Shannon 35-16 Portable Pit Cement for Surface Drilling JJ Startz Mississippi Bit Charge Portable Pit	11.60 5.25 200.00 11.60 5.25 200.00 11.60 5.25 800.00 200.00	116.00 4,494.00 200.00 116.00 4,572.75 -200.00 116.00 4,630.50 200.00 116.00 6,520.50 800.00 200.00
		Total	\$22,281.75

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Cor oducts, Inc. NOTICE TO OWNER
Feature of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property princip is the subject of this contract.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, settler assumes no responsibility for damages in any manner to eldewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or am indicated. We do not assume responsibility for strength real when water is added at customer's request.

Contractor must provide place for truck to weath out. A \$30 charge will be added per truck it contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: SHANNON #35-16

PIOOC PIQUA PETRO, INC. 1331 XYLAN RD

PIQUA

KS 66761

54 W TO 600RD S 3MI TO MINNESOTA RD W 1.5MI PIPE GATE SSD

		*			% Gir	
FORMULA	LOAD SIZE	YARDS ORDERED		DRIVERARUCK		PLANT/TRANSACTION #
	10.50 }	130, 500		: ` i		141. F 1°13
	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
J	1	10.50	62.3	Ø. 00	មក្សាស្តី FU	41.506
	l.	PO NUMBER LOAD#	PO NUMBER LOAD# YARDS DEL.	1 WELL 10.50 10.	PO NUMBER 2 LOAD # YARDS DEL BATCH# WATER TRIM	FORMULA LOAD SIZE YARDS ORDERED DRIVERGERUCK UNELL 10.50 10.50 LOAD # YARDS DEL BATCH# WATER TRIM SLUMP

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Comman. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin, in Case of
Contact: With, Skin or Eynes, Plush Thoroughly, With; Wester, It Introduce Persists, Get. Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IN IN PERISHABLE COMMODITY and BECOMES THIS PROPERTY OF THIS PURCHASER UPON LEAVING THE PLANT. ANY CHARGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST GE TELEPHONIED TO THIS BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' less, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Dalay Time Charged @ \$80/HR. CODE

HELL.

PROPERTY DAMAGE RELEASE

PROPERTY DAMAGE RELEASE

(TO BE SIGNEO IF DELIVERY TO BE MADE INSIDE CURB UNE)

Dear Customer-The driver of the truck in presenting this RELEASE to you but your signature is of the opinion that the size and weight of his truck may proselly cause demands to the premises and/or adjacent property if it places the material in this load where you deliver it. It is not within the driver is requesting that you sign this RELEASE releving him and this supplier from any responsibility from any demands the manage that may could be premises and/or adjacent property, buildings, sidewelled, chireways, cuthe, etc., by the delivery of this material, and that vehicle so that he will not little the public size the property in the wheels of his vehicle so that he will not little the public size size from the wheels of his vehicle and that he will not little the public size in factor that public and this supplier form the public size additional consideration, the undersigned agrees to indomnity and hold harmises the driver of his truck and this supplier for any and at duringe to the primare and/or adjacent property which may be claimed by seyone to have askin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

LOAD RECEIVED BY

X	X		
	Δ	UNIT PRICE	EXTENDED PRICE
SACKS PER UNIT ND HAULING CHAPGE ()	10.50 10.50		1-7353
7			1)62
		 :	15-75 2

10.50

QUANTITY

M. 50

-MIX8HAUL TRUCKING MIXING AND

TRUCKING CHAPGE

DESCRIPTION

MELL 10

<u> </u>						w /) ~ ·
RETURNED TO PLANT	, LEFT JOB ,	FINISH UNLOADING	DELAY EXPLANATION/CYL	INDER TEST TAKEN	TIME ALLOWED] '
1:31	1.08	109	I. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 9. CITATION	n (TAX 72.75 16 CS 3
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR SROKE DOWN S. ADDED WATER	9. OTHER	TIME DUE	ず り・2 ー
17.18	12.37	12.42				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
. 1.25						GRAND TOTAL
		· · · _	en a series de la constante de	1 1 11	W I I I W	ar en

MIDWEST SURVEYS, INC.

Invoice

PO BOX 68 OSAWATOMIE, KS 66064 913-755-2128

Date	Invoice #
12/16/2016	35129

Bill To	
PIQUA PETRO,INC. 1331 XYLAN RD PIQUA, KS 66761	
	ı

Ship To	
SHANNON 35-1 6	
ALLEN CO, KS	

			Customer Order	No.	Terms
	Γ		G LAIR		G LAIR
Qty		Description			Amount
	2" DML TWO (2) MINIMU THIRTY ONE (1)	A RAY / NEUTRON / CCL RTG) PERFORATIONS PER FOOT JM CHARGE TEN (10) PERFORATIO TWO (32) ADDITIONAL PERFORATIO ADDITIONAL RUN RATED AT: 812.0 TO 832.0	ONS ONS @ \$ 22.00 E	4	790.00 704.00 525.00
Net Due Upon Re	ceipt	Late Charge of 1 - 1/2 % per Month on Accounts of	over 30 Days	Total	\$2,584.00

Phone #	
913-755-2128	