#### For KCC Use: Effective Date: District # \_ SGA? Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1346909

Well will not be drilled or Permit Expired Date: \_\_\_

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. REW
PERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ty:	County:
ontact Person: none:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
<u> </u>	Length of Surface Pipe Planned to be set:
Operator:	
Well Name: Original Total Poeth:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	
	If Yes, proposed zone:
A E	FIDAVIT
	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual p	
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual parties is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual processing the isagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the int	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of t	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement.	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual pit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. Strict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and the ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be submitted Electronically  **Jubmitted Electronically**  For KCC Use ONLY*	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the strategy of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the strategy of the strategy of the spud date or the well shall be set the strategy of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing ge plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed within 30 days of the spud date or the well shall be sequented.  In the well shall be sequented.	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual prices is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the surface propriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the surface casing order the must be completed within 30 days of the spud date or the well shall be submitted Electronically  **For KCC Use ONLY**	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing ge plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual process to a agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the distriction of the sequence of the sequence of the well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual provided to the undersigned hereby affirms that the drilling, completion and eventual provided to the undersigned hereby affirms that the drilling, completion and eventual provided to the undersigned hereby affirms that the drilling, completion and eventual provided to the undersigned that the following minimum requirements will be met:  1. Notify the appropriate district office of intent to drill shall be posted on each and the undersigned provided to the undersigned to the undersigne	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

1346909

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	/ell: County:
.ease:									feet from N / S Line of Section
Vell Number:									feet from E / W Line of Section
ield:							Se	c	Twp S. R
Number of Act							– ls :	Section:	Regular or Irregular
									Irregular, locate well from nearest corner boundary.
							Se	ction corne	er used: NE NW SE SW
							PLAT		
									dary line. Show the predicted locations of
lea	ase road	ls, tank ba	atteries, pi	pelines and					ras Surface Owner Notice Act (House Bill 2032).
					YOU III	223	32 ft.	plat if desi	rea.
	:		:	:		:	:	:	
			:						LEGEND
		•••••			•••••		:		Well Location
	:			: :				:	Tank Battery Location
					••••			•	Pipeline Location
	:		: :	:			:	:	Electric Line Location
	:		: :	:		:	:	:	Lease Road Location
	:	•••••	:	:	•••••	: -	:	:	1667 ft.
						· •			EXAMPLE : :
	•		<u>:</u> :	<u>.                                    </u>		• :	:	:	
				6	l				
			:	: 		:	:	:	
	:		•	:		:	:	: :	
	·····			·		:	:	:	<u> </u>
	:		:	:		:	:	:	1980' FSL
	i		•			:	:	:	
				· · · · · · · · · · · · · · · · · · ·					
	:		•			:	:	:	: :::::::::::::::::::::::::::::::::::::
1	:		:		I		:		SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A  Is the bottom below ground level?  Yes No  Pit dimensions (all but working pits):	Artificial Liner? Yes N Length (fee	(bbls)  No  lo epest point:	SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration:mg/l		
Distance to nearest water well within one-mile of	of nit	Denth to shallo	west fresh water feet.		
Distance to nearest water well within one-fille t	л рп.	Source of infor	nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Perm	t Date: Lease Inspection:  Yes No		

### Kansas Corporation Commission Oil & Gas Conservation Division

1346909

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be le	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.				
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					

EMPIRE ENERGY E & P. LLC THOMPSON LEASE NE.1/4. SECTION 6. T9S. R18W ROOKS COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

ion as shown on this may not be legally act landowner.

location and may Contact departme

only only use.

\*Ingress
plat is popened f

March 27, 2017

SCALE

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessorily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability Elevations derived from National Geodetic Vertical Datum.

