For KCC Use: Effective Date: ______ District # _____ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1347348

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form

Expected Spud Date:	nonth day	year	Spot Description:	
III	uay uay	ува	Sec Twp S. R	E
OPERATOR: License#			feet from N /	S Line of Secti
Name:			feet from E /	W Line of Secti
Address 1:			Is SECTION: Regular Irregular?	
Address 2:			- (Note: Locate well on the Section Plat on reverse	sido)
city:			- (Note: Locate well on the Section Flat on levelse	side)
Contact Person:			County	
hone:			Lease Name: w	'ell #:
			Field Name:	
CONTRACTOR: License#			Is this a Prorated / Spaced Field?	Yes N
lame:			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec	Infield	Mud Rotary	Ground Surface Elevation:	feet M
Gas Storage	Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes I
Disposal	Wildcat	Cable	Public water supply well within one mile:	Yes I
Seismic : # of Holes			Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I II	
If OWWO: old well information	ation as follows:		Length of Surface Pipe Planned to be set:	
•			Langth of Candidata Dina (if any)	
Operator:			Projected Total Depth:	
Well Name:				
Original Completion Date:	Original	iotai Depth:		
Directional, Deviated or Horizonta	ıl wellhore?	Yes No	Water Source for Drilling Operations:	
f Yes, true vertical depth:			VVeiiTamirrondOther	
Bottom Hole Location:			DWR Permit #:	
KCC DKT #:			(Note: Apply for Permit with DWR)	
			vviii Cores de takerr?	Yes I
		Al	If Yes, proposed zone: FFIDAVIT	
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved no	inimum requirement trict office <i>prior</i> to otice of intent to drustrace pipe as spe	ompletion and eventual parts will be met: spudding of well; ill shall be posted on eacecified below shall be se	FFIDAVIT blugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall	be set
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix 6	trict office <i>prior</i> to otice of intent to dr surface pipe as spot d materials plus a agreement betwee ffice will be notified IPLETION, product "B" - Eastern Kans	ompletion and eventual parts will be met: spudding of well; ill shall be posted on earecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order.	FFIDAVIT blugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall	plugging; pud date. I cementing
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved not 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix structures of the completed within	trict office <i>prior</i> to otice of intent to dr surface pipe as sped d materials plus a agreement betwee ffice will be notified IPLETION, product "B" - Eastern Kans a 30 days of the sped otice of the sped of the	ompletion and eventual parts will be met: spudding of well; ill shall be posted on earecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order.	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II	plugging; pud date. I cementing
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved not 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix structs of the completed within	trict office <i>prior</i> to otice of intent to dr surface pipe as sped d materials plus a agreement betwee ffice will be notified IPLETION, product "B" - Eastern Kans a 30 days of the sped otice of the sped of the	ompletion and eventual parts will be met: spudding of well; ill shall be posted on earecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order.	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of s#133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cere	plugging; pud date. I cementing menting.
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved not 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix should be completed within	trict office <i>prior</i> to otice of intent to dr surface pipe as sped d materials plus a agreement betwee ffice will be notified IPLETION, product "B" - Eastern Kans a 30 days of the sped otice of the sped of the	ompletion and eventual parts will be met: spudding of well; ill shall be posted on earecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any certain the surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any certain the surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged.	plugging; pud date. I cementing menting.
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix smust be completed within	inimum requirement trict office <i>prior</i> to otice of intent to drice of drice of the series of	ompletion and eventual pats will be met: spudding of well; ill shall be posted on eaterified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be sufficient or the well shall be determined to the well	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of set #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cere Remember to: - File Certification of Compliance with the Kansas Surface Owner.	plugging; pud date. I cementing menting.
1. Notify the appropriate dist 2. A copy of the approved not 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within Libmitted Electronical For KCC Use ONLY API # 15 Conductor pipe required	inimum requirement trict office <i>prior</i> to otice of intent to driver surface pipe as specific to the surface pipe as specific will be notified the surface will be notified to the surface will be not the surf	ompletion and eventual parts will be met: spudding of well; ill shall be posted on earecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be determined by the method of the method of the method of the well shall be determined by the method of the well shall be determined by the method of the well shall be determined by the method of the well shall be determined by the method of the method of the well shall be determined by the method of the method o	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to pgged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of s#133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cere Remember to: - File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	plugging; pud date. I cementing menting.
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved not 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix should be completed within must be completed within a complete some completed within the conductor pipe required for the	inimum requirement trict office <i>prior</i> to otice of intent to drisurface pipe as sped materials plus a agreement betwee ffice will be notified MPLETION, producting and agreement Kansing 30 days of the specific trick of the specific of the	ompletion and eventual pats will be met: spudding of well; ill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be the operator and the did before well as surface casing order and date or the well shall be the operator and the well shall be the operator and the operator an	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to pgged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of s #133,891-C, which applies to the KCC District 3 area, alternate II be plugged. In all cases, NOTIFY district office prior to any cere Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	plugging; spud date. I cementing menting. er Notification
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within ubmitted Electronical For KCC Use ONLY API # 15 Conductor pipe required	inimum requirement trict office <i>prior</i> to otice of intent to drisurface pipe as sped materials plus a agreement betwee ffice will be notified MPLETION, producting and agreement Kansing 30 days of the specific trick of the specific of the	ompletion and eventual pats will be met: spudding of well; ill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be the operator and the did before well as surface casing order and date or the well shall be the operator and the well shall be the operator and the operator an	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of standard from the plugged. In all cases, NOTIFY district office prior to any cere seemed. In all cases, NOTIFY district office prior to any cere seemed. Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or research.	eplugging; epud date. I cementing menting. er Notification e-entry;
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of sthrough all unconsolidated 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within Libmitted Electronical For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires:	inimum requirement trict office <i>prior</i> to otice of intent to drice of intent to drice of intent to drice of intent to drice of materials plus a agreement betwee ffice will be notified "B" - Eastern Kans in 30 days of the spirit	ompletion and eventual pats will be met: spudding of well; ill shall be posted on eace: decified below shall be seminimum of 20 feet into to the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be determined by the operator is the operator of the well shall be determined by the operator of the well shall be determined by the operator of t	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to pgged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of standard from the plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged. In all cases, NOTIFY district office prior to any cere plugged prior prior to prior to prior to prior to prior to prior to plugged propriate district office 48 hours prior to workover or resubmit plugging report (CP-4) after plugging is completed (with	epud date. I cementing menting. er Notification er e-entry; hin 60 days);
t is agreed that the following mi 1. Notify the appropriate dist 2. A copy of the approved no 3. The minimum amount of sthrough all unconsolidate 4. If the well is dry hole, and 5. The appropriate district of 6. If an ALTERNATE II COM Or pursuant to Appendix must be completed within ubmitted Electronical For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	inimum requirement trict office <i>prior</i> to otice of intent to drice of intent to drice of intent to drice of intent to drice of materials plus a agreement betwee ffice will be notified "B" - Eastern Kans in 30 days of the spirit	ompletion and eventual pats will be met: spudding of well; ill shall be posted on eace: decified below shall be seminimum of 20 feet into to the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be the operator and the did before well is either plution pipe shall be cementas surface casing order and date or the well shall be determined by the operator is the operator of the well shall be determined by the operator of the well shall be determined by the operator of t	ch drilling rig; et by circulating cement to the top; in all cases surface pipe shall the underlying formation. istrict office on plug length and placement is necessary prior to paged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of standard from the plugged. In all cases, NOTIFY district office prior to any cere seemed. In all cases, NOTIFY district office prior to any cere seemed. Remember to: File Certification of Compliance with the Kansas Surface Owner Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or research.	eplugging; epud date. I cementing menting. er Notification re-entry; hin 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	_

Operator: _

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: ___

Lease:							feet from N / S Line of Section		
Well Number:						feet from E / W Line of Section			
						SecTwpS. R E W			
						is Section: Regular or Irregular			
							Irregular, locate well from nearest corner boundary. er used: NE NW SE SW		
					ootage to the nearest lines, as rec	quired by the Kans	dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).		
		: :	:	:		<u> </u>			
2225 ft.		<u>:</u>	:	<u>:</u> -6 ∣		:	LEGEND		
		:	· · · · · · · · · · · · · · · · · · ·	:			O Well Location Tank Battery Location		
	••••	:	:	:			Pipeline Location Electric Line Location Lease Road Location		
		: :	:	:		·······			
		: : :	<u>:</u> :	3	5	:	EXAMPLE		
			:						
				:			1980' FSL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:		-		
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		SecTwp R		
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Dit consoit u		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Is the bottom below ground level? Yes No Artificial Liner? Yes No		How is the pit lined if a plastic liner i	s not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)	N/A: Steel Pits	
	om ground level to dea		(feet)	No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and description	etermining	
material, trickriess and installation procedure.		iller illegilty, il	icidaling any special monitoring.		
Distance to nearest water well within one-mile of	Depth to shallowest fresh water feet.				
feet Depth of water wellfeet		Source of information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:	Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:	Type of material utilized in drilling/workover:				
Number of producing wells on lease:	Number of working pits to be utilized:				
Barrels of fluid produced daily:	Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	it Date: Lease Insp	ection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1347348


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License # Name:	Well Location:				
Address 1:	County: Well #:				
Address 2: State: Zip:+					
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					



approximate social lines were determined using the normal standard of core of cilfield surveyors proprioting in the state of Konsos. The section corners, which establish the precise section lines were not necessarily located, and the west itecation of the afficient is not purchased. Therefore, the coordard foculation is not purchased. Therefore, the coordard socialing his service and accepting his plot and all other parties relying therefore appears no not dentrol saves difficiled Services. Inc. its officers and amplicates harmless from the consequential damages.

Elevations derived from National Coodstia Vartical Datum.

Morch 2, 2017

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 09, 2017

BRYCE BIDLEMAN Trans Pacific Oil Corporation 100 S MAIN STE 200 WICHITA, KS 67202-3735

Re: Drilling Pit Application CHERI 'A' 1-35 NW/4 Sec.35-14S-32W Logan County, Kansas

Dear BRYCE BIDLEMAN:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 72 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.