### For KCC Use: Effective Date: District # \_ SGA? Yes No

# Kansas Corporation Commission Oil & Gas Conservation Division

1347510

Well will not be drilled or Permit Expired Date: \_\_\_

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

SECTION:   Get from   E /   W L Address 1:   Address 2:	Yes N  feet M3  Yes I  Yes I  Yes I
feet from   E /   W L	Yes N  feet M: Yes I  Yes I
ddress 1:	Yes N  feet M: Yes I  Yes I
	Yes N
State:   Zip:   +	Yes N
County   C	Yes N
Lease Name: Well #: Field Name: Seismic # of Other Original Completion Date: Original Total Depth: Total Location: CD DKT #:  Well Drilled For: Well Class: Type Equipment:  Well Drilled For: Well Class: Type Equipment:  Water well within one-quarter mile: Solution of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to Disposal will case pipe a Specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  Lease Name: Field Name: Is this a Prorated / Spaced Field?  Is the vell within one-quarter mile:  Is this a Prorated / Spaced Field?  Is the vell within one-quarter mile:  Is this a Prorated / Spaced Field?  Is this a Prorated / Spaced Field.  I	Yes N
DNTRACTOR: License#	feet M3  YesI  YesI
Target Formation(s):    Well Drilled For:   Well Class:   Type Equipment:   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Ground Surface Elevation:   Water well within one-quarter mile:   Water well within one-quarter mile:   Public water supply well within one mile:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   II   Length of Soundator Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Formation at Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Well Farm Pond   Other:   DWR Permit #:   OWR Permit #:   OWR Permit with DWR   OWR Permit #:   OWR Permit with DWR   OWR Permit #:   OWR Permit with DWR   OWR Pe	feet M3  YesI  YesI
Nearest Lease or unit boundary line (in footage):   Nearest Lease or unit boundary line (in footage):   Nearest Lease or unit boundary line (in footage):   Seismic ; Infield   Mud Rotary   Water well within one-quarter mile:   Public water supply well within one mile:   Depth to bottom of fresh water:   Depth	feet M
Gas Storage Pool Ext.	feet MilyesI
Gas	Yes I
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Duhr Disposal Wildcat Duhr Duhr Duhr Duhr Duhr Duhr Duhr Duhr	Yes [
Disposal   Wildcat   Cable   Depth to bottom of fresh water:   Depth to bottom of suable water:   Surface Pipe by Alternate:   I   II   Length of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   Water Source for Drilling Operations:   (Note: Apply for Permit with DWR   )   Will Cores be taken?   If Yes, proposed zone:   AFFIDAVIT   Water Source for Drilling of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:   Notify the appropriate district office prior to spudding of well;   A copy of the appropriate district office prior to spudding of well;   A copy of the approperate district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.   If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg   The appropriate district office will be notified before well is either plugged or production casing is cemented in;   If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the production and production and production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the production and production pipe shall be cemen	
Seismic; # of Holes Other Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Length of Conductor Pipe (if any): Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations: Water Source for Drilling	
Surface Pipe by Alternate: I I IL  Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Well Name:  Original Completion Date: Original Total Depth: Formation at Total Depth:  Weter Source for Drilling Operations:  Well parm Pond Other:  Well Farm Pond Other:  Well Farm Pond Other:  Well Farm Pond Other:  Well Farm Pond Other:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugges. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surfa	
Length of Surface Pipe Planned to be set:  Operator:  Well Name:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Total Depth:  Formation at Total Depth:  Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the surface with	
Operator:	
Well Name:Original Completion Date:Original Total Depth:	
Well Name: Original Completion Date: Original Total Depth:  Original Total Depth:  Original Total Depth:  Formation at Total Depth:  Water Source for Drilling Operations:  Well Farm Pond Other:  DWR Permit #:  (Note: Apply for Permit with DWR)  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the prior to plugge the plugged or production casing is cemented in;	
Water Source for Drilling Operations:    Yes	
Yes, true vertical depth:  Ottom Hole Location:  CC DKT #:   Well Farm Pond Other:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the spring that the plugged or production casing is cemented in;	
DWR Permit #:    DWR Permit #:     DWR Permit with DWR   DWR   DWR	
Will Cores be taken?    If Yes, proposed zone:	
Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. at is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	Yes I
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of	
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of</li> </ol>	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of</li> </ol>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged.</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of</li> </ol>	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged.</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of</li> </ol>	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of</li> </ol>	et
<ul><li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li><li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of</li></ul>	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	ing;
	ate
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II ceme	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing	
ubmitted Electronically	
Remember to:	
For KCC Use ONLY  - File Certification of Compliance with the Kansas Surface Owner Not	fication
API # 15 Act (KSONA-1) with Intent to Drill;	
Conductor pipe requiredfeet	
- File Completion Form ACO-1 within 120 days of spud date;	
Minimum surface pipe requiredfeet per ALTIII - File acreage attribution plat according to field proration orders;	
Approved by: Notify appropriate district office 48 hours prior to workover or re-entr	
This authorization expires:  - Submit plugging report (CP-4) after plugging is completed (within 60 Obtain written expressed before dispessing as injecting self-vector.	y;
(This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.	y;
- If well will not be drilled or permit has expired (See: authorized expirate please check the box below and return to the address below.	y; days);

1347510

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	is dection. Tregular of Tregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
PL	
Show location of the well. Show footage to the nearest leader roads, tank batteries, pipelines and electrical lines, as requ	ase or unit boundary line. Show the predicted locations of
	parate plat if desired.
	1855 ft.
	<u> </u>
	LEGEND
	O Well Location
	O Well Location Tank Battery Location
	Pipeline Location
	: Electric Line Location
	Lease Road Location
	750 ft.
	EXAMPLE : :
: : : : : : : : : : : : : : : : : : : :	
33	
	1980' FSL

## ${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Licer			License Number:
Operator Address:			
			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
			The Essential (Adda).
Type of Pit:  Emergency Pit  Burn Pit	Pit is:		Sec. Twp. R. East West
Settling Pit Drilling Pit	Proposed Existing		
Workover Pit Haul-Off Pit			Feet from North / South Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes No Yes No		
(		,	Width (feet)N/A: Steel Pits
Depth from ground level to deepest point: (feet) No Pit  If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining			
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining including any special monitoring.
Distance to nearest water well within one-mile of pit:  Depth to shallowest fresh water feet.  Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	ll utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
2.2			
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection:  Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1347510

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	tile lease below.
Phone: ( ) Fax: ( )  Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: <ul> <li>I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.</li> </ul>	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Oct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.


### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.




T 34 S

32



Oil Wello



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 10, 2017

Joseph Forma O'Brien Energy Resources Corp. 18 CONGRESS ST, STE 207 PORTSMOUTH, NH 03801-4091

Re: Drilling Pit Application Clayton 5-33 NE/4 Sec.33-33S-29W Meade County, Kansas

## Dear Joseph Forma:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.