For KCC Use:

| Effective | Date |
|-----------|------|
| | |

| District | # | |
|----------|---|--|
| | | |

| SGA? | Yes | 🗌 No |
|------|-----|------|
| | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

1347572

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

| Expected Spud Date: | Spot Description: |
|--|--|
| month day year OPERATOR: License# | Sec Twp S. R E □ W feet from □ N / □ S Line of Section feet from □ E / □ W Line of Section |
| Address 1: | Is SECTION: Regular Irregular? |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) County: Lease Name: Well #: Field Name: |
| CONTRACTOR: License# Name: | Is this a Prorated / Spaced Field? Yes Yes No Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other: | Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: |
| Operator: Well Name: | Length of Conductor Pipe (if any): Projected Total Depth: |
| Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: | Formation at Total Depth: |
| KCC DKT #: | Will Cores be taken? Yes No If Yes, proposed zone: Yes Yes |

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below **shall be set** by circulating cement to the top; in all cases surface pipe **shall be set** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

| For KCC Use ONLY | |
|-------------------------------|--------------------------|
| API # 15 | |
| Conductor pipe required | feet |
| Minimum surface pipe required | _ feet per ALT. 🔄 I 🔄 II |
| Approved by: | |
| This authorization expires: | |
| Spud date: Agent: | |

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

_ Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent: Side Two

1347572

For KCC Use ONLY

API # 15 -


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R E 🗌 W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1113 ft. In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1347572

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | |
|---|---|---|-----------------------------------|--------------------------------|
| Operator Address: | | | | |
| Contact Person: | | | Phone Number: | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit | Pit is: | Existing | SecTwp R. Feet from | East West |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | (bbls) | Feet from | East / West Line of Section |
| Is the pit located in a Sensitive Ground Water A | rea? Yes I | No | Chloride concentration: | y Pits and Settling Pits only) |
| Is the bottom below ground level? | Artificial Liner? | lo | How is the pit lined if a plastic | c liner is not used? |
| Depth from | Length (fee m ground level to dee ner | pest point: Describe proced | dures for periodic maintenance | |
| material, thickness and installation procedure. | | iner megniy, in | cluding any special monitoring | |
| Distance to nearest water well within one-mile o | f pit: | Depth to shallow Source of inform | west fresh water nation: | feet. |
| feet Depth of water well | feet | measured | well owner | electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: | | Type of materia Number of work | ing pits to be utilized: | |
| Does the slope from the tank battery allow all sp flow into the pit? Yes No | billed fluids to | Drill pits must be closed within 365 days of spud date. | | ud date. |
| Submitted Electronically | | | | |
| | KCC | OFFICE USE ON | | eel Pit |

Date Received:

| Kansas Corpora Oil & Gas Conse CERTIFICATION OF CO KANSAS SURFACE OWN | RVATION DIVISION | | Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled |
|---|--|---|--|
| This form must be submitted with all Forms C-1 (Notice of I T-1 (Request for Change of Operator Transfer of Injection or Any such form submitted without an accor Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca | Surface Pit Permit); and C panying Form KSONA-1 v | CP-1 (Well Plugging A will be returned. | Application). |
| OPERATOR: License # | Well Location: Sec. Sec. County: Sec. Lease Name: Lease Name: If filing a Form T-1 for multing the lease below: | | |
| Surface Owner Information: Name: Address 1: Address 2: City: | When filing a Form T-1 invo sheet listing all of the inforr owner information can be fo county, and in the real estat | mation to the left for eac ound in the records of th | ch surface owner. Surface ne register of deeds for the |

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I


BOX 8604 - PRATT, KS 67124 (620) 672-6491

OIL FIELD SURVEYORS

36171 INVOICE NO.

VAL ENERGY INC 2A-24 OWWO NEAL OPERATOR NO. FARM COWLEY 1113' FSL & 1785' FEL of Sec. 32s 5e 24 LOCATION COUNTY R ELEVATION: 1291' GR 篮 VAL ENERGY INC 125 N. Market Ste 1710 Wichita, KS 67202 Todd Allam AUTHORIZED BY: _ SCALE: 1" = 1000' Located two old bore holes. Both bore holes were located and unearthed by backhoe. Atkinson #2: (NE SW SE) Bore hole was found 1098' FSL & 1735' FEL of Sec. GPS Coordinates: 37.246950 96.830550 NAD83 -Road This pipe was reburied after verification. 2 4 Atkinson #2 Twin: (50' W of NE SW SE) Bore hole was found 1113' FSL & 1785' FEL of Sec. Set 5' wood stake by casing. ★ NEAL 2A-24 OWWO GPS Coordinates: 37.24699 OLD BORE HOLE 96.83072 NAD83 × HWY 160 3/6/17 DATE STAKED: -

Taylor Printing Inc., • Pratt, KS 67124 • 620-672-3656



| STATE OF KANSAS STATE CORPORATION COMMISSION | a la | | | | | | |
|---|---|---|--|--|--|---|-------------------|
| re All Information Completely ke Required Affidavit il or Deliver Report to: | | WF | ELL PLU | GGING R | ECORD | | |
| Conservation Division State Corporation Commission | C. | owley | | 24 | 22 - | F (-) | |
| 212 No. Market Wichita, Kansas 67202 | Location as "NE | Jorgen Carrier | Coasty | . Sec. 47 1 | Wp. <u>52</u> Rg | e <u>5</u> (E)_ E SW SE | (|
| NORTH | Lease Owper | Chalden I | Petroleum | Company | | | |
| | Lease Name | Atkinso | | 1 Bldg., | Lubbock, | Well No. | 2 - 4 |
| | Office Address Character of We | | | | Dry Hol | | |
| | Date well comp | | | | 9-12 | | 19 7 |
| | Application for g | | | | <u>9-12</u> 9-12 | | _19_7 |
| | Application for p Plugging comme | | | | 9-12 | | <u>19</u> 19 7 |
| | Plugging comple | | | | 9-12 | | 19 7 |
| | Reason for aband | donment of well | or producing | formation | Dry H | 01e | |
| | If a producing v | vell is abandons | | t production | | | 19 |
| | Was permission | | | | | efore plugging | |
| Locate well correctly on above Section Plat | menced? Ye | | Graham | | | | |
| ame of Conservation Agent who supe oducing formation | ervised plugging of this | | | | Total Donth | F Well 3541 | F |
| oducing formation ow depth and thickness of all water | De | eptn to top s. | Dottoin | | Totat Deput | JI 17 CH | I |
| OIL, GAS OR WATER RECORD | | | | | | CASING RE | CORL |
| FORMATION | | FROM | τα | SIZE | PUT IN | PULLED | оит |
| PURMATION | | | | 8 5/8" | 302 ' | | • • |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| feet for each plug s | ment or other plugs we et. | re used, state th | ng where the s | mud fluid was j same and dep | placed and the | method or met | hods (|
| introducing it into the hole. If cerfeet for each plug s | ment or other plugs we let. <u>Hole Mudded to</u> 1/2 sack Hulls, | re used, state th | e character of | same and dep | th placed, fron | a | hods t |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and dep s cement s cement | th placed, from | a | hods t |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. <u>Hole Mudded to</u> <u>1/2 sack Hulls</u> Mud to 40' | 2401 , plug, and | e character of d 20 sack d 10 sack | same and dep s cement s cement | th placed, from | a | hods 1 |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and dep s cement s cement | th placed, fron | n | hods t |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depressions cement | PECE | N F D | fe |
| introducing it into the hole. If cer feet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depressions cement | PECE | n | fe |
| introducing it into the hole. If cer feet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depressions cement | PECE | N F D | fe |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depr s cement t \$\$\$ | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depr s cement t \$\$\$ | RECE CORPORATION | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depr s cement t \$\$\$ | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depr s cement t \$\$\$ | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cerfeet for each plug s | mentorotherplugswea et. 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, | 2401 , plug, and | e character of d 20 sack d 10 sack | same and depr s cement t \$\$\$ | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cer feet for each plug s | ment or other plugs weret. Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped | e used, state th 240' , plug, and , plug, and with 2 sad | e character of d 20 sack d 10 sack cks cemen | same and depressions of the same and depression of the second sec | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cer feet for each plug s | Ment or other plugs were wet. Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr | e used, state th 240' , plug, and , plug, and with 2 sad with 2 sad description is nece illing, Ir | e character of d 20 sack d 10 sack cks cemen | same and depressions of the same and depression of the second sec | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cer feet for each plug s | ment or other plugs weret. Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped | e used, state th 240' , plug, and , plug, and with 2 sad with 2 sad description is nece illing, Ir | e character of d 20 sack d 10 sack cks cemen | same and depressions of the same and depression of the second sec | RECE RECRATI | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cerfeet for each plug s | hent or other plugs weret. Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr orado, Kansas | re used, state th 240' , plug, and , plug, and with 2 sad description is used -illing, Ir 67042 | e character of d 20 sack d 10 sack cks cemen cks cemen saury, use BACK C. | same and depr s cement t s cement t sTAT | RECE CORPORATION CORPORATION Wichita | D DN COMMISSIO 5 1972 DN DIVISION | fe |
| introducing it into the hole. If cer feet for each plug s | hent or other plugs weret. Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr orado, Kansas | re used, state th 240' , plug, and , plug, and with 2 sad with 2 sad description is nece -i11ing, Ir 67042 | e character of d 20 sack d 10 sack cks cemen cks cemen sary, use BACK Co. | same and depr s cement t s cement t stAl | RECEI E CORPORATIO CORPORATIO Wichita Wichita | DN COMMISSIO 5 1972 DN DIVISION Kansas | N |
| introducing it into the hole. If cerfeet for each plug s | Multo to 40' 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr orado, Kansas | description is neces- illing. In 67042 | e character of d 20 sack d 10 sack cks cemen cks cemen sack cks cemen d 20 sack d 10 sack d 10 sack cks cemen d 20 sack d 10 sack | same and depressions and depression of this sheet) | RECEI E CORPORATIO CONSERVATIO Wichita Wichita -, SS. | T) of the above | N -descr |
| introducing it into the hole. If cerfeet for each plug s | Ment or other plugs were Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr orado, Kansas . COl ¹ says: That I have known | description is neces- illing, Ir 67042 | e character of d 20 sack d 10 sack cks cemen cks cemen sacy, use BACK C. utler employee of of frcts, stateme | same and depressions and depression of this sheet) | RECEI E CORPORATIO CONSERVATIO Wichita Wichita -, SS. | T) of the above | N -descr |
| introducing it into the hole. If cerfeet for each plug s | Ment or other plugs were Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr orado, Kansas . (Of seys: That I have known at the same are true an | description is neces- illing, Ir 67042 | e character of d 20 sack d 10 sack cks cemen cks cemen sacy, use BACK C. utler employee of of frcts, stateme | same and depressions and depression of this sheet) | RECEI E CORPORATIO CONSERVATIO Wichita Wichita -, SS. | T) of the above | N -descr |
| introducing it into the hole. If cerfeet for each plug s | Ment or other plugs were Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr orado, Kansas . (Of seys: That I have known at the same are true an | re used, state th 240' , plug, and with 2 sad with 2 sad description is acce i lling, Ir 67042 VIY OFBI we here the same set of the sa | e character of d 20 sack d 10 sack cks cemen cks cemen sacy, use BACK C. utler employee of of frcts, stateme | same and depressions and depression of this sheet) | RECE ECORPORATIO UNSERVATIO Wichita SS. ner or operator rs herein cont | T) of the above | N -desca |
| introducing it into the hole. If cer feet for each plug s feet for each plug s arme of Plugging Contractor M Idress Box 448, E1 D FATE OF Kansas Ernest Sifford ell, being first duly sworn on oath, howe-described well as filed and tha | Ment or other plugs were Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr or ado, Kansas . (Of says: That I have know at the same are true an | re used, state th 240' , plug, and with 2 sad with 2 sad description is nece | e character of d 20 sack d 10 sack cks cemen d 20 sack cks character charact | same and deprives a same and deprives a same and deprives a same and deprives a same a | RECEI ECORPORATION CONSERVATION Wichita Wichita SS. ner or operator rs herein cont Constant (Address) | r) of the above ained and the | N -desca |
| introducing it into the hole. If cerfeet for each plug s | Ment or other plugs were Hole Mudded to 1/2 sack Hulls, Mud to 40' 1/2 sack Hulls, Rathole capped (If additional hite & Ellis Dr or ado, Kansas . (Of says: That I have know at the same are true an | re used, state th 240' , plug, and with 2 sad with 2 sad description is nece 'illing, Ir 67042 WEY OF Bu (for the d correct. So I (Signsture) | e character of d 20 sack d 10 sack cks cemen d 20 sack cks character charact | same and deprives a same and deprives a same and deprives a same and deprives a same a | RECEI ECORPORATION CONSERVATION Wichita Wichita SS. ner or operator rs herein cont Constant (Address) | T) of the above | N -desca |