#### For KCC Use: Effective Date: District # \_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1348512

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month da		Spot Description:	
	montn da	ay year	(0/0/0/0) Sec Twp	S. R
DERATOR: License#			(Q/Q/Q/Q) feet from	N / S Line of Section
			feet from	E / W Line of Section
			Is SECTION: Regular Irregular?	
•		Zip: +	(Note: Locate well on the Section Plat of	*
•			County:	
			Lease Name:	
ONTRACTOR: Lissues II	ı		Field Name:	
Jon ( RACTOR: License# lame:	:		io tino a i rotatoa / opacoa i tota i	Yes No
iaiiie			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh	Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MS
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes N
Dispo		Cable	Public water supply well within one mile:	Yes N
Seismic ;#	of Holes Other	_	Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I	
If OWWO: old well	I information as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
			Designated Tetal Dentile	
Original Completion D	ate: Origin	al Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:	
Yes, true vertical depth: _			DWR Permit #:	
Bottom Hole Location:			- (Note: Apply for Permit with DW	/R 🗌 )
(CC DKT #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
		AF	FIDAVIT	
he undersigned hereby	affirms that the drilling,	completion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
	wing minimum requirem	ents will be met:		
t is agreed that the follow				
•	ate district office <b>prior</b> t	o spudding of well:		
Notify the appropri	iate district office <i>prior</i> to		ch drilling rig;	
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> </ol>	oved notice of intent to	drill <b>shall be</b> posted on each	th drilling rig; f by circulating cement to the top; in all cases surface pi	pe <b>shall be set</b>
Notify the appropri     A copy of the appr     The minimum amount through all uncons	oved notice of intent to open of surface pipe as solidated materials plus	drill <b>shall be</b> posted on eac specified below <b>shall be se</b> a minimum of 20 feet into tl	$\it t$ by circulating cement to the top; in all cases surface pine underlying formation.	
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> </ol>	oved notice of intent to open of surface pipe as solidated materials plus oble, an agreement between	drill <b>shall be</b> posted on each specified below <b>shall be se</b> a minimum of 20 feet into the operator and the dispersion of the dispersion	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary to the content is necessary t	
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> </ol>	oved notice of intent to ount of surface pipe as s solidated materials plus ole, an agreement betwe istrict office will be notifice	drill shall be posted on each pecified below shall be seen a minimum of 20 feet into the dienthe operator and the dienthe operator and the dienthe before well is either pluged.	t by circulating cement to the top; in all cases surface pine underlying formation. strict office on plug length and placement is necessary paged or production casing is cemented in;	orior to plugging;
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> </ol>	oved notice of intent to ount of surface pipe as s solidated materials plus ble, an agreement betwe istrict office will be notifical II COMPLETION, produ	drill shall be posted on each pecified below shall be seen a minimum of 20 feet into the een the operator and the dised before well is either pluguation pipe shall be cement	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 D	orior to plugging;  AYS of spud date.
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	oved notice of intent to count of surface pipe as solidated materials plus pole, an agreement betwee istrict office will be notifice II COMPLETION, produpendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 De  133,891-C, which applies to the KCC District 3 area, al	orior to plugging;  AYS of spud date. ternate II cementing
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	oved notice of intent to count of surface pipe as solidated materials plus pole, an agreement betwee istrict office will be notifice II COMPLETION, produpendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 D	orior to plugging;  AYS of spud date. ternate II cementing
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	oved notice of intent to count of surface pipe as solidated materials plus pole, an agreement betwee istrict office will be notifice II COMPLETION, produpendix "B" - Eastern Kar	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguetion pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 De  133,891-C, which applies to the KCC District 3 area, al	orior to plugging;  AYS of spud date. ternate II cementing
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Appropriate of</li> </ol>	oved notice of intent to ount of surface pipe as solidated materials plus oble, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solution of the solution of the solution of the solution.	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 De  133,891-C, which applies to the KCC District 3 area, al	orior to plugging;  AYS of spud date. ternate II cementing
<ol> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Appropriate of</li> </ol>	oved notice of intent to ount of surface pipe as solidated materials plus oble, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solution of the solution of the solution of the solution.	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in;  ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, allowed plugged. In all cases, NOTIFY district office prior to	orior to plugging;  AYS of spud date. ternate II cementing
Notify the appropri     A copy of the appr     The minimum amouthrough all uncons     If the well is dry ho     The appropriate di     If an ALTERNATE     Or pursuant to Appropriate descriptions or pursuant to appropriate description.	oved notice of intent to ount of surface pipe as solidated materials plus oble, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solution of the solution of the solution of the solution.	drill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order #	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary pinged or production casing is cemented in; ed from below any usable water to surface within 120 District 3 area, all the plugged. In all cases, NOTIFY district office prior to Remember to:	prior to plugging;  PAYS of spud date.  Iternate II cementing or any cementing.
Notify the appropri     A copy of the appr     The minimum amouthrough all uncons     If the well is dry ho     The appropriate di     If an ALTERNATE     Or pursuant to Appropriate descriptions of the completed submitted Electro  For KCC Use ONLY	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the distent the operator and the distent before well is either pluguction pipe shall be cement the assurface casing order spud date or the well shall be	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, all e plugged. In all cases, NOTIFY district office prior to Remember to:  - File Certification of Compliance with the Kansas Surface.	prior to plugging;  PAYS of spud date.  Iternate II cementing or any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry house 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate described by the completed  Ubmitted Electro  For KCC Use ONLY  API # 15 -	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notificed in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated in the solida	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement in sas surface casing order supply and date or the well shall be	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, also plugged. In all cases, NOTIFY district office prior to Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;	prior to plugging;  PAYS of spud date.  Iternate II cementing or any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry house 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement in sas surface casing order supply and date or the well shall be	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, alle plugged. In all cases, NOTIFY district office prior to Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D	prior to plugging;  PAYS of spud date. Iternate II cementing or any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate description  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement between istrict office will be notificed in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated in the solida	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order from the spud date or the well shall be spud feet.	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Dt. 133,891-C, which applies to the KCC District 3 area, also plugged. In all cases, NOTIFY district office prior to the Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spuce	porior to plugging; PAYS of spud date. Iternate II cementing or any cementing.  ace Owner Notification  rill; I date;
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry house the appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di brighted Electro  Ibmitted Electro  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe re	roved notice of intent to count of surface pipe as a solidated materials plus pole, an agreement between istrict office will be notificed in COMPLETION, produce and within 30 days of the solidated in the solida	drill shall be posted on each specified below shall be seen a minimum of 20 feet into the enthe operator and the disease before well is either pluguction pipe shall be cement as surface casing order # spud date or the well shall be spud feet feet feet per ALT I II	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, alle plugged. In all cases, NOTIFY district office prior to File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spucerille acreage attribution plat according to field proration.	prior to plugging;  PAYS of spud date. ternate II cementing of any cementing.  ace Owner Notification  rill; It date; on orders;
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by Conductor pipe required Minimum surface pipe re- Approved by:	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated materials.	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either plugation pipe shall be cement as surface casing order from the spud date or the well shall be spud feet per ALT. I I II	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Dt. 133,891-C, which applies to the KCC District 3 area, also plugged. In all cases, NOTIFY district office prior to the Remember to:  - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to D. File Completion Form ACO-1 within 120 days of spuce	prior to plugging;  PAYS of spud date. ternate II cementing or any cementing.  ace Owner Notification  rill; d date; on orders; kover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe re Approved by:  This authorization expire	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement betwee istrict office will be notifice. II COMPLETION, production of within 30 days of the solidated materials. II complete the complete of the solidate of the	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order standard date or the well shall be spud date or the well shall be feet feet per ALT.	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 Deta33,891-C, which applies to the KCC District 3 area, alle plugged. In all cases, NOTIFY district office prior to Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Detail Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to world.	prior to plugging;  PAYS of spud date. ternate II cementing or any cementing.  ace Owner Notification  rill; d date; on orders; kover or re-entry; leted (within 60 days);
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe re Approved by:  This authorization expire	roved notice of intent to count of surface pipe as solidated materials plus cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated materials.	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order standard date or the well shall be spud date or the well shall be feet feet per ALT.	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary paged or production casing is cemented in; ed from below any usable water to surface within 120 De 133,891-C, which applies to the KCC District 3 area, all e plugged. In all cases, NOTIFY district office prior to Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spuce. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comp	prior to plugging;  PAYS of spud date. Iternate II cementing or any cementing.  Package of the company of the c
1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe re Approved by:  This authorization expire	roved notice of intent to count of surface pipe as a solidated materials plus able, an agreement betwee istrict office will be notificed in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solidated in the surface of the solidated in the surface of the surface	drill shall be posted on each specified below shall be set a minimum of 20 feet into the enthe operator and the dised before well is either pluguction pipe shall be cement as surface casing order standard date or the well shall be spud date or the well shall be feet feet per ALT.	t by circulating cement to the top; in all cases surface pine underlying formation.  Strict office on plug length and placement is necessary pinged or production casing is cemented in; ged from below any usable water to surface within 120 Details, 891-C, which applies to the KCC District 3 area, all the plugged. In all cases, NOTIFY district office prior to the File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Defile Completion Form ACO-1 within 120 days of spuce.  File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to world Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting services.	prior to plugging;  PAYS of spud date. Iternate II cementing or any cementing.  Packed of the company of the co

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Nell Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as re	PLAT  lease or unit boundary line. Show the predicted locations of equired by the Kansas Surface Owner Notice Act (House Bill 2032).  separate plat if desired.  1 tt.
	1411 ft. <b>LEGEND</b>
	O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location
	Lease Road Location  EXAMPLE : :
19	EARWIFLE
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:    Emergency Pit   Burn Pit	Pit is:  Proposed Existing  If Existing, date constructed:		 SecTwp R		
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit					
(If WP Supply API No. or Year Drilled)	Pit capacity:	(6.6.1-)	Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes 1	No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the limaterial, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet.		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of work	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
	-				
Submitted Electronically					
Gubililited Liectroffically					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi			

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1348512

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🔲 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.		
KCC will be required to send this information to the surface ov	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

#### AMERICAN OIL, LLC BALTHAZOR LEASE NE. 1/4, SECTION 19, T9S, R2OW ROOKS COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

\*Ingress plat is opened f

Approximate section lines were determined using the normal standard of care of allfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Incretare, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability Elevations derived from National Geodetic Vertical Datum.

# AMERICAN OIL, LLC BALTHAZOR LEASE NE. 1/4, SECTION 19, T9S, R2OW ROOKS COUNTY, KANSAS

