For KCC Use: Effective Date: District # _ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1348731

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Sec. Twp. S. R.	ected Spud Date:	nth day	year	Spot Description:	
SECTION: Regular Reaf from N S Line Section N S Line	men.	iii aay	your		R [E [V
Same:	ERATOR: License#			feet from N /	S Line of Section
Mote: Locate well on the Section Plat on reverse side)				feet from E /	W Line of Section
didess 2:					
State: Zip: + County: Laase Namo: Well #: Fleek Name: State: Zip: Hone: Well Drilled For: Well Class: Type Equipment: State: Promation(s): State: Zip: Well Class: Type Equipment: State: All State: State: Promation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Well Drilled For: Well Class: Type Equipment: State: All Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one equarter mile: Yellow water supply well water to expand the water: Depth: to bottom of resh water: Depth: Depth: De				(Materila exite well on the Section Diet on verse	vraa aida)
ontact Person:				,	*
Field Name: Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): State of Lease or Unit boundary line (in footage): State or Unit boundary line (in footage): Sta				County	
Striage Stronge Stro	one:				Well #:
Target Formation(s):					
Well Drilled For: Well Class: Type Equipment: Nearrest Lease or unit boundary line (in footage): Ground Surface Elevation: Well cass Surfage Pool Ext. Air Rotary Wildcat Sustainic ; # of Holes Other Other Other: Depth to bottom of tresh water: Depth to bottom of usable water: Depth to Depth to Water Sources Depth to Depth to Depth to Water Sources Depth to Dept					Yes No
Oil Enh Rec Infield Mud Rotary Water well within one-quarter mile: Water Survey Water Source Pipe by Alternate: I I Length of Surface Pipe Planned to be set: Water Source for Drilling Operations: Water Source for Drilling Op	ne:				
Gas Storage Pool Ext. Air Rotary Storage Pool Ext. Air Rotary Storage Pool Ext. Air Rotary Pool Ext. Air Rotary Pool Ext. Air Rotary Public water supply well within one mile: Yeuron Yes Public water supply well within one mile: Yeuron Yes Y	Well Drilled For:	Vell Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yeblic water supply well within one-fluer Yeblic water	Oil Enh Pec	Infield	Mud Potary	Ground Surface Elevation:	feet MS
Disposal Wildcat Cable Disposal Other Other Depth to bottom of tresh water: Depth to bottom of usable water:			= '	Water well within one-quarter mile:	Yes N
Seismic # of Holes Other		_	_ ′	Public water supply well within one mile:	Yes N
Other: Governor: Governor			Gubio	Depth to bottom of fresh water:	
Surface Pipe by Alternate:				•	
Length of Surface Pipe Planned to be set: Length of Surface Pipe (If any): Length of Conductor Pipe (If any): Projected Total Depth: Streetional, Deviated or Horizontal wellbore? Ves, true vertical depth: Directional, Deviated or Horizontal wellbore? Ves, true vertical depth: Lottom Hole Location: CCC DKT #: Will Cores be taken? Will Farm Pond Other: Will Farm Pond Other: Will Farm Pond Other: Will Cores be taken? Yes, proposed zone: Will Cores be taken? Yes, proposed zone: AFFIDAVIT Will Cores be taken? Yes, proposed zone: AFFIDAVIT Notify the appropriate district office prior to spudding of well: 2. A copy of the appropriate district office prior to spudding of well: 2. A copy of the appropriate district office prior to spudding of well: 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 ADAYS of spud date Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. API #15 -	Other.				
Length of Conductor Pipe (if any): Projected Total Depth: Promation at Total Depth:	If OWWO: old well informati	ion as follows:			
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Water Source	_				
Original Completion Date:Original Total Depth:	·			, , ,	
Water Source for Drilling Operations: Water Saurce Source for Drill Water Source Sourc					
Ves No Well Farm Pond Other: DWR Permit #: DWR Permit with DWR DWR Permit #: Will Cores be taken? If Yes, proposed zone: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Well Farm Pond Other: DWR Permit #: Will Cores be taken? If Yes, proposed zone: I	Original Completion Date:	Original	Iotal Depth:		
West, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR) Vill COED KT #: Will Cores be taken? Yill Permit with DWR) Will Cores be taken? Yill Permit with DWR Yill Permit with K.S.A. 55 et. seq. **AFIDAM Yill Will Core be taken Yill Permit with K.S.A. 55	actional Davistad or Harizantal v	vallbara?	□ Voo □ No		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date or production of production pr					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging formation. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Completion form ACO-1 within 120 days of spud date; - File corrification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Circlification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File circlification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 day). - Obtain written approval before disposing or inject	•				
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Approved by: For KCC Use ONLY API #15 - Conductor pipe required					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging for the appropriate district office will be notified before well is either plugged or production casing is cemented in; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** 7. File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; 7. File Completion Form ACO-1 within 120 days of spud date; 7. File acreage attribution plat according to field proration orders; 8. Submit plugging report (CP-4) after plugging is completed (within 60 days). 8. Obtain written approval before disposing or injecting salt water.) DICT #.			- Will Cores be taken?	Yes N
the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluggling. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Bemember to:** File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or e-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water.				ir Yes, proposed Zone:	
Is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 7. File Certification of Compliance with the Kansas Surface Owner Notification Price			AF	FIDAVIT	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Ibmitted Electronically Remember to: - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water.	undersigned hereby affirms the	hat the drilling, co	mpletion and eventual p	olugging of this well will comply with K.S.A. 55 et. seq.	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 7. File Completion of Compliance with the Kansas Surface Owner Notificate. 8. Approved by: 8. File Completion Form ACO-1 within 120 days of spud date; 9. File acreage attribution plat according to field proration orders; 1. Notify appropriate district office 48 hours prior to workover or re-entry; 1. Submit plugging report (CP-4) after plugging is completed (within 60 days). 1. Obtain written approval before disposing or injecting salt water.	-	_			
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Prior KCC Use ONLY** API # 15	· ·	•			
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. While the complete of the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water.				ch drilling rig:	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. With the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. For KCC Use ONLY API # 15					nall he set
 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. 8. Emember to: - File Certification of Compliance with the Kansas Surface Owner Notifice. Act (KSONA-1) with Intent to Drill; - File Certification (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days). - Obtain written approval before disposing or injecting salt water. 					an be set
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water.	S .	•		, ,	to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Library district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill; Conductor pipe required	,	•		, , , , , , , , , , , , , , , , , , , ,	7 7 33 37
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Beautiful Electronically For KCC Use ONLY	6. If an ALTERNATE II COMP	LETION, product	ion pipe shall be cemen	ted from below any usable water to surface within 120 DAYS of	of spud date.
### Remember to: For KCC Use ONLY			•	, , , , , , , , , , , , , , , , , , ,	•
Remember to: For KCC Use ONLY API # 15	must be completed within 3	ι0 days of the spι	ıd date or the well shall h	be plugged. In all cases, NOTIFY district office prior to any	cementing.
Remember to: For KCC Use ONLY API # 15					
Remember to: For KCC Use ONLY API # 15					
Remember to: For KCC Use ONLY API # 15	mitted Electronically	/			
For KCC Use ONLY API # 15				Pemember to:	
API # 15	or KCC Use ONLY				NI CC C
Conductor pipe required				-	wner Notification
Conductor pipe required					
Minimum surface pipe requiredfeet per ALTIIIIIIIIIIIIIIIIIIIIIII = acreage attribution plat according to field proration orders; Approved by:	and the standard and the standard of the stand		feet		
Approved by: This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) This authorization void if drilling not started within 12 months of approval date.)	onauctor pipe required			ļ , , , , , , , , , , , , , , , , , , ,	
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) - Submit plugging report (CP-4) after plugging is completed (within 60 days) - Obtain written approval before disposing or injecting salt water.			feet per ALT.	- File acreage attribution plat according to field progetion order	ars.
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	inimum surface pipe required				
(This authorization void it drilling not started within 12 months of approval date.)	inimum surface pipe required oproved by:			- Notify appropriate district office 48 hours prior to workover	or re-entry;
	inimum surface pipe required oproved by: nis authorization expires:			 Notify appropriate district office 48 hours prior to workover of Submit plugging report (CP-4) after plugging is completed (or re-entry; (within 60 days);
Spud date: Agent: Please check the box below and return to the address below.	inimum surface pipe required oproved by: nis authorization expires:			 Notify appropriate district office 48 hours prior to workover of Submit plugging report (CP-4) after plugging is completed (Obtain written approval before disposing or injecting salt was 	or re-entry; (within 60 days); ater.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side	IWA

1348731

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🗍 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



LEGEND

O Well Location
Tank Battery Location
Pipeline Location
----- Electric Line Location
Lease Road Location



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1348731

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed Existing		SecTwp R	
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(II WI Supply All Five. St. Teal Brilled)	API No. or Year Drilled) Fit Capacity(bbls)		County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:		
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	Date: Lease Inspection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1348731

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R 🗌 East 🗌 West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name: When filing a Form T-1 involving multiple surface owners,				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location. CP-1 that I am filing in connection with this form; 2) if the form is	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form pening filed is a Form C-1 or Form CB-1, the plat(s) required by this			
form; and 3) my operator name, address, phone number, fax, a				
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the /ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				

E-LAND VENTURES, LLC FLEMING LEASE NW. 1/4, SECTION 30, T285, R6E BUTLER COUNTY, KANSAS



- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- Approximate section lines were determined using the normal standard of care of oilfield surveyors procticing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

ocation as shown on thi and may not be legally Contact landowner, department for access.

*Ingress plat is opened f

March 14, 2017

30

For KCC Use ONLY	
API # 15	_

Operator: E-Land Ventures, LLC

Lease: Fleming

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Butler

Well Number: 2-30 Field: N/A		Sec. 30	
Number of Acres attributable to w QTR/QTR/QTR/QTR of acreage:		 _	Regular or Irregular regular, locate well from nearest corner boundary. used: NE NW SE SW
	teries, pipelines and ele	or unit bounda d by the Kansas	ry line. Show the predicted locations of s Surface Owner Notice Act (House Bill 2032). d.
hu			LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
			1980' FSL
		 	SEWARD CO. 3390' FEL


In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

E-LAND VENTURES, LLC FLEMING LEASE NW. 1/4. SECTION 30. T285. R6E BUTLER COUNTY. KANSAS



- Controlling data is based upon the best maps and photographs ovailable to us and upon a regular section of land containing 640 acres.
- Approximate form times were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily loaded, and the exact loadion of the defilishe loading in the section is not operator. Therefore, the operator securing this service and accepting this plat and all other parties relying therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services, inc., its officers and employees harmless from all lasses, dosts and expenses and said entities released from any lightlity from incidental or consequential damages.

*Ingress
plat is
opened f

Morch 14, 2017

30

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 23, 2017

Willard McAndrew E-Land Ventures, LLC 6009 W. PARKER RD. #149-273 PLANO, TX 75093

Re: Drilling Pit Application Fleming 2-30 NW/4 Sec.30-28S-06E Butler County, Kansas

Dear Willard McAndrew:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.