For KCC Use: Effective Date: District # _ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1349078

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month	day	year	Spot Description:	
	monun	uay	year	Sec Twp S. R	E \
OPERATOR: License#				feet from N /	S Line of Section
lame:				feet from E /	W Line of Section
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:				(Note: Locate well on the Section Plat on reverse s	side)
ity:	State:	Zip:	+	County:	3,40)
ontact Person:				Lease Name: We	ıll #·
hone:				Field Name:	,
ONTRACTOR: License#	<u> </u>			Is this a Prorated / Spaced Field?	Yes No
lame:				Target Formation(s):	
				Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Туре Е	Equipment:	Ground Surface Elevation:	
Oil Enh	Rec Infield	N	Mud Rotary		
Gas Stora	age Pool Ext.		Air Rotary	Water well within one-quarter mile:	Yes N
Dispo			Cable	Public water supply well within one mile:	Yes N
Seismic ;#				Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water:	
If OW/WO: old well	l information as follow	c.		Surface Pipe by Alternate: III	
II OVVVO. old well	illioittation as lollow.	3.		Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion D	ate: Or	iginal Total D	Depth:	Formation at Total Depth:	
				Water Source for Drilling Operations:	
irectional, Deviated or Ho			Yes No	Well Farm Pond Other:	
Yes, true vertical depth:				DWR Permit #:	
ottom Hole Location:				(Note: Apply for Permit with DWR)	
CC DKT #:				Will Cores be taken?	Yes N
				If Yes, proposed zone:	
			AFI	FIDAVIT	
he undersigned hereby	affirms that the drilli	ng, completi	ion and eventual plu	ugging of this well will comply with K.S.A. 55 et. seq.	
is agreed that the follow	vina minimum reauir	ements will	be met:		
Notify the appropri					
2. A copy of the appr				n drilling rig:	
				by circulating cement to the top; in all cases surface pipe shall I	be set
	olidated materials pl	us a minimu	um of 20 feet into the	e underlying formation.	
	le, an agreement be			trict office on plug length and placement is necessary <i>prior to p</i>	lugging;
through all uncons	-		, ,	ged or production casing is cemented in;	
through all uncons 4. If the well is dry ho 5. The appropriate di	strict office will be no		aa ahall ba '-	d from below any usable water to surface within 120 DAYS of sp	
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE	strict office will be no II COMPLETION, pr				
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	strict office will be no II COMPLETION, pr pendix "B" - Eastern	Kansas surf	face casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II	cementing
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	strict office will be no II COMPLETION, pr pendix "B" - Eastern	Kansas surf	face casing order #1		cementing
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	strict office will be no II COMPLETION, pr pendix "B" - Eastern	Kansas surf	face casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II	cementing
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th	Kansas surf	face casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II	cementing
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th	Kansas surf	face casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II	cementing
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed Ibmitted Electro	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th	Kansas surf	face casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II	cementing
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed Ubmitted Electro	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th	Kansas surf	face casing order #1	133,891-C, which applies to the KCC District 3 area, alternate II e plugged. <i>In all cases, NOTIFY district office</i> prior to any cem	cementing nenting.
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed Ubmitted Electro For KCC Use ONLY	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th	Kansas surf	face casing order #1	 133,891-C, which applies to the KCC District 3 area, alternate II is plugged. In all cases, NOTIFY district office prior to any cere Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; 	cementing nenting.
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed Ubmitted Electro For KCC Use ONLY API # 15 -	strict office will be no II COMPLETION, propendix "B" - Eastern d within 30 days of the	Kansas surf ne spud date	face casing order #1	 133,891-C, which applies to the KCC District 3 area, alternate II is plugged. In all cases, NOTIFY district office prior to any cere Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; 	cementing nenting.
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di bmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	strict office will be no II COMPLETION, propendix "B" - Eastern d within 30 days of the	Kansas surf ne spud date	face casing order #1 e or the well shall be	Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	cementing nenting.
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di submitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th nically	Kansas surf ne spud date feet	face casing order #1 e or the well shall be	Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	cementing nenting. r Notification
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di bmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th nically	Kansas surf ne spud date feet	face casing order #1 e or the well shall be	Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re	cementing nenting. r Notification
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate di Diputed Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th nically quired	Kansas surf ne spud date feet feet p	face casing order #1 e or the well shall be et per ALT. III	Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting support of the Act (KPONA-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or resulting supports.	r Notification e-entry; in 60 days);
through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	strict office will be no II COMPLETION, pr pendix "B" - Eastern d within 30 days of th nically quired	Kansas surf ne spud date feet feet p	face casing order #1 e or the well shall be et per ALT. III	Remember to: File Certification of Compliance with the Kansas Surface Owne Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re	cementing nenting. r Notification e-entry; in 60 days);

Side I W		

1349078

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



1613 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1349078

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
(II WI Supply All TNO. St. Total Dilliots)		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallow	west fresh water feet.
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	utilized in drilling/workover:
Number of producing wells on lease:		Number of working pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
	кссс	OFFICE USE OF	NLY Steel Pit RFAC RFAS
Date Received: Permit Numb	ber:	Permi	Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349078

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

STRATAKAN EXPLORATION, LLC SELARO SU CEASE BEN EANSHIER LEASE SE. 1/4. SECTION 1. T225. R14W STAFFORD COUNTY, KANSAS

GRAVEL ROAD (NW. 150TH ST.) Notes: 1. Set "T" Post at location site. 2. All flagging Red & Yellow. 3. Overhead power available at N., S. & W. lines. Sec. 1. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelines in Sec. 1. 6. Cattle in stubble at date of staking. 7. Found old wells per magnetic response. 8. Contact landowner for best access. SEWARD SW Drillsite Location matter #1-1 014 sell 10 FE 1613 FSL 405 FEL STUBBLE Ground Elevation = 1912 $Y = 545383 \quad X = 1912665$ TIATIED ELECTRIC WIRE FENCE GATE (CLOSED) State Plane-NAD 27-Konsos South 1582"FSL 594"FEL Fren. = 1918 Lotitude 38.164090 Longitude -98.804159 W55 64-NAD 63 HIGHWAY K-19 (FAY) Radium Seward 219 REFUG

から

Ingrass plot is opened t

80

* Elevations derived from Warland! Geodetic Vertical Data

Morch 9. 2017

Controlling case is based upon the best maps and photographs evolutions to us and each a regular section of tend containing evo cares.

Abordizate section lines were determined using the normal standard of core of cilibria surveyors practicing in the state of Kansas. The section corners, which exposits in the precise section lines, were not necessarily located, and the water location in the science in the section is the science in the section is not purchased. The aster in section is the science in the section is not purchased. The aster in section is set to the section in the section in the section in the section is also as a section of the section in the section in the section in the section in the section is set to the section of the section in the section in

STRATAKAN EXPLORATION, LLC SELARO SU CEASE BEN EANSHIER LEASE SE. 1/4. SECTION 1. T225. R14W STAFFORD COUNTY, KANSAS

GRAVEL ROAD (NW. 150TH ST.) Notes: 1. Set "T" Post at location site. 2. All flagging Red & Yellow. 3. Overhead power available at N., S. & W. lines. Sec. 1. Kansas One Call System Inc. should be notified before excavation (1-800-344-7233). 5. CAUTION: Various pipelines in Sec. 1. 6. Cattle in stubble at date of staking. 7. Found old wells per magnetic response. 8. Contact landowner for best access. Buried Electrical SEWARD SW Drillsite Location mbier #1-1 O DIS # 8130 1613 FSL 405 FEL STUBBLE Ground Elevation = 1912 $Y = 545383 \quad X = 1912665$ TIACCED ELECTRIC WIRE FENCE GATE (CLOSED) State Plane-NAB 27-Kensos South 1582 FSL 594 FEL Fren = 1918 Lotitude 38.164090 Longitude -98.804159 W55 64-NAD 63 Flow Line ANK BATTERY HIGHWAY K-19 (FAX) Radium Seward (219) REFUG

De NOR

80

Abordizate section lines were determined using the normal standard of core of cilibria surveyors practicing in the state of Kansas. The section corners, which exposits in the precise section lines, were not necessarily located, and the water location in the science in the section is the science in the section is not purchased. The aster in section is the science in the section is not purchased. The aster in section is set to the section in the section in the section in the section is also as a section of the section in the section in the section in the section in the section is set to the section of the section in the section in

* Elevations derived from National Geodetic Vertical Data

Morch 9. 2017

Controlling case is based upon the best maps and photographs evolutions to us and each a regular section of tend containing evo cares.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 21, 2017

Justin R. Prater StrataKan Exploration, LLC 204 W. MILL ST. PLAINVILLE, KS 67663

Re: Drilling Pit Application Seward SW 1-1 SE/4 Sec.01-22S-14W Stafford County, Kansas

Dear Justin R. Prater:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.