## For KCC Use: Effective Date: District # \_ SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349116

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month	day v		Spot Description:	
	montn	day y	/ear		ec Twp S. R E
PERATOR: License#				(Q/Q/Q/Q) 	feet from N / S Line of Sec
					feet from E / W Line of Sec
ddress 1:				Is SECTION: Regular	Irregular?
address 2:					
ity:				·	I on the Section Plat on reverse side)
contact Person:		•		County:	
hone:					Well #:
ONTO A CTOD III				Field Name:	
CONTRACTOR: License#	:			Is this a Prorated / Spaced Field	
lame:				Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipr	ment:	•	line (in footage):
Oil Enh	Rec Infield	Mud R	otarv	Ground Surface Elevation:	feet N
Gas Stora		=	•	Water well within one-quarter m	
Dispo	• =	Cable	•	Public water supply well within o	one mile: Yes
Seismic ;#	of Holes Other			Depth to bottom of fresh water:	
Other:				Depth to bottom of usable water	:
				Surface Pipe by Alternate:	I II
If OWWO: old well	l information as follows	3:		Length of Surface Pipe Planned	to be set:
Operator:				Length of Conductor Pipe (if any	y):
Well Name:				Projected Total Depth:	
Original Completion D	ate: Ori	iginal Total Depth:		Formation at Total Depth:	
				Water Source for Drilling Operat	
Pirectional, Deviated or Ho	orizontal wellbore?		Yes No	Well Farm Pond	Other:
f Yes, true vertical depth: _				DWR Permit #:	
Bottom Hole Location:				(Note: Ap	ply for Permit with DWR 🗌 )
(CC DKT #:				Will Cores be taken?	Yes
				If Yes, proposed zone:	
'he undersigned hereby	affirms that the drilling	ng completion ar		FIDAVIT	CS A 55 et sea
-		-	nd eventual plu	FIDAVIT ugging of this well will comply with k	(.S.A. 55 et. seq.
t is agreed that the follow	ving minimum require	ements will be me	nd eventual plu et:		S.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropri	ving minimum require ate district office <i>pri</i> e	ements will be me	nd eventual plu et: well;	ggging of this well will comply with K	C.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropri  2. A copy of the appr	ving minimum require ate district office <i>prie</i> oved notice of intent	ements will be me or to spudding of to drill shall be	nd eventual pluet: well; oosted on each	ngging of this well will comply with k	
t is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amo	ving minimum require ate district office <b>prie</b> oved notice of intent ount of surface pipe a	ements will be me or to spudding of to drill shall be p as specified below	nd eventual pluet: well; bosted on each	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in	all cases surface pipe <b>shall be set</b>
is agreed that the follow     Notify the appropri     A copy of the appr     The minimum amounthrough all uncons	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials pli	ements will be me or to spudding of to drill shall be p as specified below us a minimum of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.	all cases surface pipe <b>shall be set</b>
<ol> <li>is agreed that the follows</li> <li>Notify the approprise</li> <li>A copy of the apprentation</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry hor</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be	ements will be mo or to spudding of to drill shall be p as specified below us a minimum of tween the operat	nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist	ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.	all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, pro	ements will be mo or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha	nd eventual pluet:  well; bosted on each w shall be set 20 feet into the or and the dist is either plugg all be cemente	agging of this well will comply with keep a drilling rig; by circulating cement to the top; in a cunderlying formation.  The control of the c	all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ; ad in;  urface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> <li>Or pursuant to Appriate</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
<ol> <li>t is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ; ad in;  urface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> <li>Or pursuant to Appriate</li> </ol>	ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
<ol> <li>Is agreed that the follows</li> <li>Notify the appropriance</li> <li>A copy of the appropriance</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry how</li> <li>The appropriate diented</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate</li> </ul> </li> </ol>	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
<ol> <li>Is agreed that the follows</li> <li>Notify the appropriance</li> <li>A copy of the appropriance</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry how</li> <li>The appropriate diented</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate</li> </ul> </li> </ol>	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie	all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di District Completed  Ubmitted Electro  For KCC Use ONLY	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface c as spud date or the	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amouthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate to appr	ving minimum require fate district office <i>pri</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the nically	ements will be me or to spudding of to drill shall be pas specified below us a minimum of tween the operation before well oduction pipe shakansas surface care spud date or the	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1	and drilling rig; by circulating cement to the top; in the enderlying formation. The enderlying formation and placer god or production casing is cemented from below any usable water to start and placer and pla	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE Or pursuant to Appropriate to a pursu	ving minimum require late district office price oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern Id within 30 days of the nically	ements will be me or to spudding of to drill shall be p is specified below us a minimum of tween the operat biffied before well oduction pipe sha Kansas surface c e spud date or th	and eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1 ne well shall be	a drilling rig; by circulating cement to the top; in a underlying formation.  The underlying formation are underlying formation.  The underlying formation are underlying formation are underlying formation.  The plug length and placer are underlying formation are underlying formation.  The plug length and placer are underlying formation are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length and placer are underlying formation.  The plug length and plug length and placer are underlying formation.  The plug length and p	all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in a cumulating cement to the top; in a cumulating cement to the top; in a cumulating formation.  The underlying formation casing is cemented of the complete of the complet	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re	ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the	nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in a e underlying formation.  Trict office on plug length and placer ged or production casing is cemented from below any usable water to st 33,891-C, which applies to the KCt a plugged. In all cases, NOTIFY distribution of Compliance water (KSONA-1) with Intent to Drill - File Drill Pit Application (form CD - File Completion Form ACO-1 with - File acreage attribution plat acco - Notify appropriate district office 4	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe re Approved by:  This authorization expires	ving minimum require late district office <i>prie</i> loved notice of intent lount of surface pipe a lolidated materials pl lole, an agreement be strict office will be no II COMPLETION, pre loendix "B" - Eastern I ld within 30 days of the  nically  quired  quired	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the	nd eventual pluet:  well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in the enderlying formation.  The enderlying formation are underlying formation are underlying formation.  The enderlying formation are underlying formation are underlying for the enderlying formation are underlying for the enderlying formation.  The enderlying formation formation are underlying for the end of	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days);
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re- Approved by:	ving minimum require late district office <i>prie</i> loved notice of intent lount of surface pipe a lolidated materials pl lole, an agreement be strict office will be no II COMPLETION, pre loendix "B" - Eastern I ld within 30 days of the  nically  quired  quired	ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the	nd eventual pluet:  well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be	a drilling rig; by circulating cement to the top; in the enderlying formation.  The enderlying formation are underlying formation are underlying formation.  The enderlying formation are underlying formation are underlying for a second are	all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

_		-	
			ľ

1	34	91	۱1	6

For KCC Use ONLY	
API # 15	-


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## 4785 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed [	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(II WI Supply All TNO. St. Total Difficult		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to deep	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallow	west fresh water feet.	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numb	ber:	Permi	Date: Lease Inspection: Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349116

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  cct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease: Glades  Well Number: 95-17  Sec. 9 Twp. 24 S. R. 16 Well on When of Section  Well Number of Acres attributable to well:  GTR/GTR/GTR/GTR of acreage: SE NW NW NW  Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  O Well Location  Tank Battery Location  Pipeline Location  Pipeline Location  Lease Road Location  Lease Road Location  Lease Road Location	Operator: Laymon Oil II LLC	Location of Well: County: Woodson
Well Number: 95-17    A	Lease: Glades	
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:  SE _ NW _ NW _ NW  Is Section:  Regular or _ Irregular  Irregular, locate well from nearest corner boundary.  Section corner used:  NE _ NW _ SE _ SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location  EXAMPLE	Well Number: 95-17	4,785 feet from X E / W Line of Section
If Section is Irregular, locate well from nearest corner boundary.    Section corner used:   NE   NW   SE   SW	Field: Vernon	Sec. 9 Twp. 24 S. R. 16 X E W
If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW  PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired  LEGEND  Well Location  — Pipeline Location — Pipeline Location — Electric Line Location — Lease Road Location  EXAMPLE	Number of Acres attributable to well:	Is Section: Regular or Irregular
PLAT  Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  O Well Location  Tank Battery Location  — Pipeline Location —— Electric Line Location —— Lease Road Location  EXAMPLE	QTR/QTR/QTR/QTR of acreage: SE NW _	NW
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.  LEGEND  Well Location  Tank Battery Location  —— Pipeline Location  —— Electric Line Location  —— Lease Road Location  EXAMPLE		
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  LEGEND  O Well Location  Tank Battery Location  — Pipeline Location  — Electric Line Location  — Lease Road Location  EXAMPLE		PLAT .
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).  You may attach a separate plat if desired.  LEGEND  O Well Location  Tank Battery Location  — Pipeline Location  — Electric Line Location  — Lease Road Location  EXAMPLE	Show location of the well. Show footage to	
LEGEND  O Well Location Tank Battery Location — Pipeline Location — Electric Line Location Lease Road Location  EXAMPLE	lease roads, tank batteries, pipelines and electrica	l lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location  EXAMPLE	You m	ay attach a separate plat if desired.
O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location  EXAMPLE		: : :
O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location  EXAMPLE		LEGEND
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location	• : : : : : : : : : : : : : : : : : : :	
Pipeline Location Electric Line Location Lease Road Location	// i i i i i i i i i i i i i i i i i i	
EXAMPLE		
EXAMPLE  9		
9 EXAMPLE		
9		Lease Road Location
9		
9		EVAMPLE :
	: : : :	EAAWIPLE
1980'FSL	3	
1980' FSL		
1980' FSL		
1980' FSL		
300 1 0 2		1080'FSI
		1960 FSL

# NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 21, 2017

Michael Laymon Laymon Oil II, LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758-7124

Re: Drilling Pit Application Glades 95-17 NW/4 Sec.09-24S-16E Woodson County, Kansas

## Dear Michael Laymon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.