### For KCC Use: Effective Date: District # \_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349280

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	month	day year	Spot Description:	
	montn	day year	( <u>\alpha/\alpha/\alpha/\alpha/\alpha}</u> Sec 1	Гwp S. R
DERATOR: License#			foot f	rom N / S Line of Section
			foot f	rom E / W Line of Section
			Is SECTION: Regular Irregular?	
		Zip: +	— (Note: Locate well on the Secti	•
•			County:	
			Lease Name:	
ONTO A CTOD III			Field Name:	
	·		io uno a rioratoa / opasoa riorar	Yes No
lame:			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in foota	<del>-</del> .
Oil Enh I	Rec Infield	Mud Rotary	Ground Surface Elevation:	
Gas Stora		Air Rotary	Water well within one-quarter mile:	Yes N
Dispo	• =	Cable	Public water supply well within one mile:	Yes N
Seismic ;#	of Holes Other		Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: I II	
If OWWO: old well	I information as follows	:	Length of Surface Pipe Planned to be set: _	
Operator:			Length of Conductor Pipe (if any):	
			Designated Total Denths	
Original Completion D	ate: Ori	ginal Total Depth:	Formation at Total Depth:	
			Water Source for Drilling Operations:	
irectional, Deviated or Ho	orizontal wellbore?	Yes N	Well Farm Pond Other:	
f Yes, true vertical depth:_			DWR Permit #:	
			(Note: Apply for Permit	t with DWR 🔲 )
(CC DKT #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
'he undersigned hereby	affirms that the drilling	= 1	AFFIDAVIT	sea
-		ng, completion and eventual	<b>FFIDAVIT</b> plugging of this well will comply with K.S.A. 55 et.	seq.
t is agreed that the follow	wing minimum require	ng, completion and eventual ements will be met:		seq.
t is agreed that the follow  1. Notify the appropri	wing minimum require iate district office <i>pric</i>	ng, completion and eventual ements will be met:  or to spudding of well;	plugging of this well will comply with K.S.A. 55 et.	seq.
t is agreed that the follow  1. Notify the appropri  2. A copy of the appropri	ving minimum require tate district office <b>pric</b> oved notice of intent	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on e	plugging of this well will comply with K.S.A. 55 et. ach drilling rig;	
t is agreed that the follow  1. Notify the appropri  2. A copy of the appri  3. The minimum amounts	wing minimum require iate district office <i>pric</i> oved notice of intent ount of surface pipe as	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on eas specified below shall be s	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su	
<ol> <li>is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> </ol>	wing minimum require iate district office <i>pric</i> oved notice of intent ount of surface pipe a solidated materials plu	ng, completion and eventual ements will be met: or to spudding of well; to drill shall be posted on e is specified below shall be s us a minimum of 20 feet into	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.	urface pipe <b>shall be set</b>
<ol> <li>is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry hore</li> </ol>	wing minimum require intended district office <i>price</i> oved notice of intent to bunt of surface pipe assolidated materials pluble, an agreement bet	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su	urface pipe <b>shall be set</b>
<ol> <li>is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the apprior</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> </ol>	wing minimum require intended district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, pro	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the ottified before well is either plantation of the plantation of the shall be ceme	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date.
<ol> <li>is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Appr</li> </ol>	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Pricate of the surface of the strict of the surface of	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
<ol> <li>t is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the apprior</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> <li>Or pursuant to Apprior</li> </ol>	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Pricate of the surface of the strict of the surface of	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Appr</li> </ol>	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe as solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Pricate of the surface of the strict of the surface of	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
<ol> <li>Is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         Or pursuant to Appropriate or</li></ol>	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
<ol> <li>Is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         Or pursuant to Appropriate or</li></ol>	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in;  nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3	urface pipe shall be set essary prior to plugging; n 120 DAYS of spud date. area, alternate II cementing
is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ng, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is be plugged. In all cases, NOTIFY district office	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing e prior to any cementing.
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a completed  Ibmitted Electro  For KCC Use ONLY	wing minimum require intended district office <i>pric</i> oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement bet estrict office will be no II COMPLETION, proportion of the district office will be district office will be district office will be district office will be not II COMPLETION, proportion of the district of the dist	ag, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the ottified before well is either pladuction pipe shall be ceme Kansas surface casing order e spud date or the well shall	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases su the underlying formation.  district office on plug length and placement is nece ugged or production casing is cemented in; nted from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is the plugged. In all cases, NOTIFY district office  Remember to:	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing e prior to any cementing.
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a complete	wing minimum require intending district office price oved notice of intending out of surface pipe and solidated materials pluble, an agreement beto estrict office will be not all COMPLETION, propendix "B" - Eastern Materials and within 30 days of the nically	ag, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on eas specified below shall be sus a minimum of 20 feet into tween the operator and the ottified before well is either pladuction pipe shall be ceme Kansas surface casing order e spud date or the well shall	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and placement is necessary and placement is necessary and placement in the sugged or production casing is cemented in; need from below any usable water to surface within #133,891-C, which applies to the KCC District 3 is be plugged. In all cases, NOTIFY district office.  Remember to:  - File Certification of Compliance with the Kans	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing e prior to any cementing.
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required	wing minimum require iate district office <i>pric</i> oved notice of intent to bunt of surface pipe at solidated materials pluble, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Ed within 30 days of the nically	ag, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on easy specified below shall be sus a minimum of 20 feet into tween the operator and the ottified before well is either pladuction pipe shall be ceme Kansas surface casing order e spud date or the well shall	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the underlying formation of complete to surface within the set of th	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. earea, alternate II cementing exprior to any cementing. essas Surface Owner Notification ent to Drill; es of spud date;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re-	wing minimum require intended district office price oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement beto itstrict office will be not its COMPLETION, proposed within 30 days of the inically	ements will be met:  or to spudding of well; to drill shall be posted on et as specified below shall be as a minimum of 20 feet into tween the operator and the ottified before well is either pluduction pipe shall be ceme cansas surface casing order e spud date or the well shall be spudded to the well shall be spudded.	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the second of the top; in all case within the top; in all case within the top; in all cases, we will be plugged. In all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases sure the top	erface pipe shall be set essary prior to plugging; en 120 DAYS of spud date. area, alternate II cementing e prior to any cementing. essas Surface Owner Notification ent to Drill; e of spud date; proration orders;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re-	wing minimum require intended district office price oved notice of intended oved notice of intended over of surface pipe as solidated materials pluble, an agreement beto itstrict office will be not its COMPLETION, proposed within 30 days of the inically	ements will be met:  or to spudding of well; to drill shall be posted on et as specified below shall be as a minimum of 20 feet into tween the operator and the ottified before well is either pluduction pipe shall be ceme cansas surface casing order e spud date or the well shall be spudded to the well shall be spudded.	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the second of the top; in all case within the top; in all case within the top; in all cases, we will be plugged. In all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases sure the top	essary prior to plugging; In 120 DAYS of spud date. In area, alternate II cementing exprior to any cementing.  It is as Surface Owner Notification It is of spud date; It proration orders; In to workover or re-entry;
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe recapproved by:  This authorization expire	wing minimum require intended in the district office price oved notice of intended oved notice of intended intended in the intended intended intended in the intended intended intended intended intended intended in the intended intend	ements will be met:  Proto spudding of well; to drill shall be posted on end is specified below shall be sus a minimum of 20 feet into tween the operator and the obstitution before well is either pluduction pipe shall be ceme (ansas surface casing order end is spuddate or the well shall be spuddate or the well shall in the feet is specified before well is either pluduction pipe shall be ceme (ansas surface casing order end in the well shall in the feet is spuddate. It is shall in the feet in the well shall in the feet is spuddate. It is shall in the feet is spuddate. It is shall in the feet is shall in the feet is shall in the feet in the feet is shall in the feet in the feet is shall in the feet is shall in the feet in the feet is shall be said in the feet	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure underlying formation.  district office on plug length and placement is necessary and the second of the top; in all case withing the surface withing the second of the top; in all cases, withing the plugged. In all cases, NOTIFY district offices with the Kansandt (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days in File acreage attribution plat according to field in Notify appropriate district office 48 hours prions under the surface with the Kansandt in the surface with the surf	essary <i>prior to plugging;</i> In 120 DAYS of spud date. In area, alternate II cementing exprior to any cementing.  It is as Surface Owner Notification It is of spud date; I proration orders; In to workover or re-entry; I se completed (within 60 days);
is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe real  Approved by:  This authorization expire	wing minimum require intended in the district office price oved notice of intended oved notice of intended intended in the intended intended intended in the intended intended intended intended intended intended in the intended intend	ag, completion and eventual ements will be met:  or to spudding of well; to drill shall be posted on easy specified below shall be as a minimum of 20 feet into tween the operator and the attified before well is either pladuction pipe shall be ceme Kansas surface casing order as spud date or the well shall be spud date or the well shall be greater feet feet per ALT.	plugging of this well will comply with K.S.A. 55 et.  ach drilling rig;  set by circulating cement to the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the underlying formation of the top; in all cases sure the underlying formation.  district office on plug length and placement is necessary and the second of the top; in all case within the top; in all case within the top; in all cases, we will be plugged. In all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases, NOTIFY district office of the top; in all cases sure the top	essary <i>prior to plugging;</i> In 120 DAYS of spud date. In area, alternate II cementing a prior to any cementing.  It is as Surface Owner Notification  It is of spud date; I proration orders; In to workover or re-entry; I is completed (within 60 days); Injecting salt water.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							Lo	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Num	ber:								feet from E / W Line of Section
Field:							Se	ec	Twp S. R
Number o	of Acres attr	ibutable to	well:				— ls	Section:	Regular or Irregular
QTR/QTF	R/QTR/QTR	of acrea	je:				_	Coolon.	
								Section is ection corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
	lease roa				d electrica	al lines, as	required l		dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired.
330 ft.		:	:			:			LEGEND
330 II.	<del></del>		•	•				•	O Wall Looption
		•		:		:		:	O Well Location  Tank Battery Location
		:	:	:		:	:	:	——— Pipeline Location
		:	:	:	•••••	:	:	:	Electric Line Location
		:	:	:		:	:	:	Lease Road Location
		:	:	:		:	:	:	Eddo Noda Eddalon
		:	;	:		:	:	:	
		:						:	EXAMPLE : :
		:	:	<u>:</u>		:	:	:	
		:	:	1	0	:	:	:	
		:	:	:		:	:	:	
	•••••				•••••				
			:				•		:
		:	:	:		:	:	:	: : :
		:	:			:			1980' FSL
		:	:	:		:	········ :	:	
		:						:	SEWARD CO. 3390' FEL
		•	•	•		•	•	•	

## NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		,	License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed [	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(II WI Supply All TNO. St. Total Difficult)		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to deep	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallow	west fresh water feet.	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	кссс	OFFICE USE OF	NLY Steel Pit RFAC RFAS	
Date Received: Permit Number	ber:	Permi	Date: Lease Inspection: Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349280

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: <ul> <li>I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.</li> </ul>	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  cct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

	N	
Flow Line  O O O  Tanks	Flow /1 Line /1	10,335,3W
Road W	DOD 't Road	
ise existing read or get to well		
	1	

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

March 22, 2017

Mitch Bartelson B5 Operating, LLC PO BOX 45 WELLINGTON, KS 67152

Re: Drilling Pit Application Simons Bros. Unit 4 NW/4 Sec.10-33S-03W Sumner County, Kansas

#### Dear Mitch Bartelson:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.