## For KCC Use: Effective Date: District # \_ SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349638

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

|  | month  | day v  |  | Spot Description:  |   |
|--|--|--|--|--|---|
|  | montn  | day y  | /ear   |  | ec Twp S. R E   |
| PERATOR: License#  |  |  |  | (Q/Q/Q/Q)<br>  | feet from N / S Line of Sec   |
|  |  |  |  |  | feet from E / W Line of Sec   |
| ddress 1:  |  |  |  | Is SECTION: Regular  | Irregular?  |
| address 2:   |  |  |  |  |   |
| ity:   |  |  |  | ·  | I on the Section Plat on reverse side)  |
| contact Person:  |  | •  |  | County:  |   |
| hone:  |  |  |  |  | Well #:   |
| ONTO A CTOD III  |  |  |  | Field Name:  |   |
| CONTRACTOR: License#   | :  |  |  | Is this a Prorated / Spaced Field  |   |
| lame:  |  |  |  | Target Formation(s):   |   |
| Well Drilled For:  | Well Class:  | Type Equipr  | ment:  | •  | line (in footage):  |
| Oil Enh  | Rec Infield  | Mud R  | otarv  | Ground Surface Elevation:  | feet N  |
| Gas Stora  |  | =  | •  | Water well within one-quarter m  |   |
| Dispo  | • =  | Cable  | •  | Public water supply well within o  | one mile: Yes   |
| Seismic ;#   | of Holes Other   |  |  | Depth to bottom of fresh water:  |   |
| Other:   |  |  |  | Depth to bottom of usable water  | :   |
|  |  |  |  | Surface Pipe by Alternate:   | I II  |
| If OWWO: old well  | l information as follows   | 3:   |  | Length of Surface Pipe Planned   | to be set:  |
| Operator:  |  |  |  | Length of Conductor Pipe (if any   | y):   |
| Well Name:   |  |  |  | Projected Total Depth:   |   |
| Original Completion D  | ate:Ori  | iginal Total Depth:  |  | Formation at Total Depth:  |   |
|  |  |  |  | Water Source for Drilling Operat   |   |
| Pirectional, Deviated or Ho  | orizontal wellbore?  |  | Yes No   | Well Farm Pond   | Other:  |
| f Yes, true vertical depth: _  |  |  |  | DWR Permit #:  |   |
| Bottom Hole Location:  |  |  |  | (Note: Ap  | ply for Permit with DWR 🗌 )   |
| (CC DKT #:   |  |  |  | Will Cores be taken?   | Yes   |
|  |  |  |  | If Yes, proposed zone:   |   |
|  |  |  |  |  |   |
| 'he undersigned hereby   | affirms that the drilling  | ng completion ar   |  | FIDAVIT  | CS A 55 et sea  |
| -  |  | -  | nd eventual plu  | FIDAVIT ugging of this well will comply with k   | (.S.A. 55 et. seq.  |
| t is agreed that the follow  | ving minimum require   | ements will be me  | nd eventual plu<br>et:   |  | S.S.A. 55 et. seq.  |
| t is agreed that the follow  1. Notify the appropri  | ving minimum require<br>ate district office <i>pri</i> e   | ements will be me  | nd eventual plu<br>et:<br>well;  | ggging of this well will comply with K   | C.S.A. 55 et. seq.  |
| t is agreed that the follow  1. Notify the appropri  2. A copy of the appr   | ving minimum require<br>ate district office <i>prie</i><br>oved notice of intent   | ements will be me<br>or to spudding of<br>to drill shall be  | nd eventual pluet: well; oosted on each  | ngging of this well will comply with k   |   |
| t is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amo   | ving minimum require<br>ate district office <b>prie</b><br>oved notice of intent<br>ount of surface pipe a   | ements will be me<br>or to spudding of<br>to drill shall be p<br>as specified below  | nd eventual pluet: well; bosted on each  | ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in   | all cases surface pipe <b>shall be set</b>  |
| is agreed that the follow     Notify the appropri     A copy of the appr     The minimum amounthrough all uncons   | ving minimum require<br>ate district office <b>prio</b><br>oved notice of intent<br>ount of surface pipe a<br>olidated materials pli   | ements will be me<br>or to spudding of<br>to drill shall be p<br>as specified below<br>us a minimum of   | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the   | ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.   | all cases surface pipe <b>shall be set</b>  |
| <ol> <li>is agreed that the follows</li> <li>Notify the approprise</li> <li>A copy of the apprentation</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry hor</li> </ol>   | ving minimum require<br>ate district office <b>prio</b><br>oved notice of intent<br>ount of surface pipe a<br>olidated materials plote, an agreement be  | ements will be mo<br>or to spudding of<br>to drill shall be p<br>as specified below<br>us a minimum of<br>tween the operat   | nd eventual pluet: well; bosted on each v shall be set 20 feet into the or and the dist  | ngging of this well will comply with keep a drilling rig; by circulating cement to the top; in the e underlying formation.   | all cases surface pipe <b>shall be set</b><br>ment is necessary <b>prior to plugging</b> ;  |
| <ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> </ol>  | ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, pro   | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatified before well oduction pipe shall be ported.  | nd eventual pluet:  well; bosted on each w shall be set 20 feet into the or and the dist is either plugg all be cemente                                    | agging of this well will comply with keep a drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see  | all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ; ad in;  urface within <b>120 DAYS</b> of spud date.   |
| <ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> <li>Or pursuant to Appropriate</li> </ol>   | ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I   | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | and eventual pluet:  well; bosted on each or shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                  | agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC  | all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing   |
| <ol> <li>t is agreed that the follow</li> <li>Notify the appropri</li> <li>A copy of the appr</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>   | ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I   | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC  | all cases surface pipe <b>shall be set</b> ment is necessary <b>prior to plugging</b> ; ad in;  urface within <b>120 DAYS</b> of spud date.   |
| <ol> <li>is agreed that the follows</li> <li>Notify the appropriate</li> <li>A copy of the appriate</li> <li>The minimum amounthrough all unconses</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE</li> <li>Or pursuant to Appropriate</li> </ol>   | ving minimum require ate district office <b>prio</b> oved notice of intent ount of surface pipe a olidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I   | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC  | all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing   |
| <ol> <li>Is agreed that the follows</li> <li>Notify the appropriance</li> <li>A copy of the appropriance</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate</li> </ul> </li> </ol>  | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the                               | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC  | all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing   |
| <ol> <li>Is agreed that the follows</li> <li>Notify the appropriance</li> <li>A copy of the appropriance</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry how</li> <li>The appropriate dies</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate</li> </ul> </li> </ol>  | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the                               | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC  | all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing   |
| is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro   | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the                               | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | agging of this well will comply with keep and drilling rig; by circulating cement to the top; in the eunderlying formation.  The production casing is cemented from below any usable water to see 133,891-C, which applies to the KCC  | all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing   |
| is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE  Or pursuant to Appropriate descriptions  ibmitted Electro   | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the                               | ements will be moor to spudding of to drill shall be pus specified below us a minimum of tween the operatotified before well oduction pipe shakansas surface of  | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie | all cases surface pipe shall be set  ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing   |
| 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di District Completed  Ubmitted Electro  For KCC Use ONLY   | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the                               | ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface c as spud date or the                         | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | and drilling rig; by circulating cement to the top; in the eunderlying formation. The eunderlying formation arise of production casing is cemented from below any usable water to so 33,891-C, which applies to the KCO applie | all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  |
| is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pursuant to Appropriate di  Ibmitted Electro  For KCC Use ONLY  API # 15 -  | ving minimum require fate district office <i>pri</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern I d within 30 days of the nically                        | ements will be me or to spudding of to drill shall be pas specified below us a minimum of tween the operation before well oduction pipe shakansas surface care spud date or the                                | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1                    | and drilling rig; by circulating cement to the top; in the enderlying formation. The enderlying formation and placer god or production casing is cemented from below any usable water to start and placer and pla | all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  |
| is agreed that the follow  1. Notify the appropri  2. A copy of the appr  3. The minimum amounthrough all uncons  4. If the well is dry ho  5. The appropriate di  6. If an ALTERNATE Or pursuant to Appropriate to a pursu | ving minimum require late district office price oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not II COMPLETION, propendix "B" - Eastern Id within 30 days of the nically                              | ements will be me or to spudding of to drill shall be p is specified below us a minimum of tween the operat biffied before well oduction pipe sha Kansas surface c e spud date or th                           | and eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente easing order #1 ne well shall be  | a drilling rig; by circulating cement to the top; in a underlying formation.  The underlying formation are underlying formation.  The underlying formation are underlying formation are underlying formation.  The plug length and placer are underlying formation are underlying formation.  The plug length and placer are underlying formation are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length are underlying formation of the plug length are underlying formation.  The plug length and placer are underlying formation.  The plug length and plug length and placer are underlying formation.  The plug length and p | all cases surface pipe shall be set ment is necessary prior to plugging; ed in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date;   |
| is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re   | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically                     | ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the feet feet feet per AL | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be  | a drilling rig; by circulating cement to the top; in a cumulating cement to the top; in a cumulating cement to the top; in a cumulating formation.  The underlying formation casing is cemented of the complete of the complet | all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders;  |
| is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re   | ving minimum require fate district office <i>prie</i> oved notice of intent ount of surface pipe a colidated materials plote, an agreement be strict office will be not all COMPLETION, propendix "B" - Eastern I di within 30 days of the nically                     | ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat otified before well oduction pipe sha Kansas surface of the spud date or the feet feet feet per AL | nd eventual pluet:  well; bosted on each v shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be  | a drilling rig; by circulating cement to the top; in a e underlying formation.  Trict office on plug length and placer ged or production casing is cemented from below any usable water to st 33,891-C, which applies to the KCt a plugged. In all cases, NOTIFY distribution of Compliance water (KSONA-1) with Intent to Drill - File Drill Pit Application (form CD - File Completion Form ACO-1 with - File acreage attribution plat acco - Notify appropriate district office 4   | all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry;   |
| 1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe re Approved by:  This authorization expires   | ving minimum require late district office <i>prie</i> loved notice of intent oven to f surface pipe a lolidated materials plote, an agreement be strict office will be no II COMPLETION, pro loendix "B" - Eastern I ld within 30 days of the  nically  quired  quired | ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the  | nd eventual pluet:  well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be | a drilling rig; by circulating cement to the top; in the enderlying formation.  The enderlying formation are underlying formation are underlying formation.  The enderlying formation are underlying formation are underlying for the enderlying formation are underlying for the enderlying formation.  The enderlying formation formation are underlying for the end of | all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days); |
| is agreed that the follow  1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed  Ibmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re- Approved by:   | ving minimum require late district office <i>prie</i> loved notice of intent oven to f surface pipe a lolidated materials plote, an agreement be strict office will be no II COMPLETION, pro loendix "B" - Eastern I ld within 30 days of the  nically  quired  quired | ements will be me or to spudding of to drill shall be p as specified below us a minimum of tween the operat odiction pipe sha Kansas surface o are spud date or the  | nd eventual pluet:  well; bosted on each of shall be set 20 feet into the or and the dist is either plugg all be cemente casing order #1 the well shall be | a drilling rig; by circulating cement to the top; in the enderlying formation.  The enderlying formation are underlying formation are underlying formation.  The enderlying formation are underlying formation are underlying for a second are | all cases surface pipe shall be set ment is necessary prior to plugging; ad in; urface within 120 DAYS of spud date. C District 3 area, alternate II cementing strict office prior to any cementing.  with the Kansas Surface Owner Notification I; P-1) with Intent to Drill; hin 120 days of spud date; rding to field proration orders; 8 hours prior to workover or re-entry; ter plugging is completed (within 60 days); |

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| Side I W |  |  |
|----------|--|--|

1349638

| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | _ |


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |   |   | License Number:   |  |
|--|---|---|---|--|
| Operator Address:  |   |   |   |  |
| Contact Person:  |   |   | Phone Number:   |  |
| Lease Name & Well No.:   |   |   | Pit Location (QQQQ):  |  |
|  |   |   | The Essential (Adda).   |  |
| Type of Pit:    Emergency Pit   Burn Pit   | Pit is:   |   | Sec. Twp. R. East West  |  |
| Settling Pit Drilling Pit  | Proposed Existing  If Existing, date constructed: |   |   |  |
| Workover Pit Haul-Off Pit  | ir Existing, date constructed:                    |   | Feet from North / South Line of Section   |  |
| (If WP Supply API No. or Year Drilled)   | Pit capacity:                                     |   | Feet from East / West Line of Section   |  |
|  |   | (bbls)  | County  |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes  | No  | Chloride concentration: mg/l<br>(For Emergency Pits and Settling Pits only)     |  |
| Is the bottom below ground level?  | Artificial Liner?                                 |   | How is the pit lined if a plastic liner is not used?                            |  |
| Yes No   | Yes N   | lo  |   |  |
| , J. ,   | Length (fee                                       | ,   | Width (feet) N/A: Steel Pits  |  |
|  | m ground level to dee                             |   |   |  |
| If the pit is lined give a brief description of the line material, thickness and installation procedure. | ner   |   | dures for periodic maintenance and determining acluding any special monitoring. |  |
|  |   |   |   |  |
|  |   |   |   |  |
|  |   |   |   |  |
| Distance to nearest water well within one-mile of pit:   |   | Depth to shallo                                 | west fresh water feet.<br>mation:   |  |
| feet Depth of water wellfeet   |   | measured  | well owner electric log KDWR  |  |
| Emergency, Settling and Burn Pits ONLY:  |   | Drilling, Work                                  | over and Haul-Off Pits ONLY:  |  |
| Producing Formation:   |   | Type of material utilized in drilling/workover: |   |  |
| Number of producing wells on lease:  |   | Number of working pits to be utilized:          |   |  |
| Barrels of fluid produced daily:   |   | Abandonment p                                   | procedure:  |  |
| Does the slope from the tank battery allow all specifies into the pit? Yes No                            | oilled fluids to                                  | Drill pits must b                               | e closed within 365 days of spud date.  |  |
|  | -   |   |   |  |
| Submitted Electronically   |   |   |   |  |
| Cabrillion Electronically  |   |   |   |  |
|  |   |   |   |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS   |   |   |   |  |
| Date Received: Permit Numb   | oer:  | Permi   | t Date: Lease Inspection:  Yes No   |  |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1349638

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1  | (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |  |  |
|---|---|--|--|
| OPERATOR: License #   | Well Location:          East ☐ West   |  |  |
| Address 1:  | County:   |  |  |
| Address 2:  | Lease Name: Well #:   |  |  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:   |  |  |
| Contact Person:   |   |  |  |
| Phone: ( ) Fax: ( )  Email Address:   |   |  |  |
| Surface Owner Information:  |   |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |  |  |
| City: State: Zip:+  |   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tan   | odic Protection Borehole Intent), you must supply the surface owners and<br>book batteries, pipelines, and electrical lines. The locations shown on the plat<br>on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.            |  |  |
| Select one of the following:  |   |  |  |
| owner(s) of the land upon which the subject well is or will be  | Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.                          |  |  |
| KCC will be required to send this information to the surface or   | acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this s of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP | g fee with this form. If the fee is not received with this form, the KSONA-1<br>-1 will be returned.  |  |  |
| Submitted Electronically  |   |  |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: OKT Resources, LLC  | Location of Well: County: Riley  |
|---|--|
| Lease: Bletscher  |  |
| Well Number: 1  | 330 feet from E / W Line of Section  |
| Field: Wildcat  | Sec.2Twp. 11 S. R.8 🔀 E 🔲 W  |
| Number of Acres attributable to well: 10  QTR/QTR/QTR/QTR of acreage: C _ SE _ Se _ NE _ NE _ NE _ SE _ SE _ SE _ SE _ SE | Is Section: Regular or Irregular   |
|   | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

April 07, 2017

David Boyce OKT Resources, LLC 1900 E 15TH BUILDING 600 EDMOND, OK 73013-6691

Re: Drilling Pit Application Bletscher 1 SE/4 Sec.02-11S-08E Riley County, Kansas

## Dear David Boyce:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please file form CDP-5, Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.