KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form CP-111 March 2017 Form must be Typed Form must be signed

All blanks must be complete

1350461

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#				API No. 15-					
Name:									
Address 1:					Sec	Twp S. R.		EW	
Address 2:						feet from N /			
City:	State:	_ Zip: + _		GPS Location: Lat:, Long:, Long:					
Contact Person:					(e.g. xx.) NAD27 NAD83	, Long , WGS84	(e.gxxx.xxxxx)		
Phone:()						Elevation:	G	L 🗌 KB	
Contact Person Email:						Well #			
Field Contact Person:				Well Type: (check one) Oil Gas OG WSW Other:					
Field Contact Person Phon	e:()			SWD Permit #: ENHR Permit #:					
))				orage Permit #:				
				Spud Date:		Date Shut-In:			
	Conductor	Surface	Pro	oduction	Intermediate	Liner	Tubing	g	
Size									
Setting Depth									
Amount of Cement									
Top of Cement									
Bottom of Cement									
Casing Fluid Level from Su	Irface:	How	Determined?			Da	te:		
-						sacks of cement. Da			
Do you have a valid Oil & O	Gas Lease? 🗌 Yes 🏾	No				th of casing leak(s):			
						Collar: w /			
Packer Type:									
Total Depth:									
Geological Date:									
Formation Name	Formation	Top Formation Base			Completic	on Information			
1	At:	to Fe	et Perfo	ration Interval _	to F	Feet or Open Hole Interval	to	Feet	
2	At:	to Fe	et Perfo	ration Interval -	to F	Feet or Open Hole Interval	to	Feet	

Submitted Electronically


Do NOT Write in This Space - KCC USE ONLY	Date Tested:	Results:	Date Plugged:	Date Repaired:	Date Put Back in Service:
Review Completed by:		Comments:			
TA Approved: Yes D	Denied Date:				

Mail to the Appropriate KCC Conservation Office:

	KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801	Phone 620.682.7933
	KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226	Phone 316.337.7400
	KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720	Phone 620.432.2300
And the second s	KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651	Phone 785.261.6250

eral D any or Name toon Method	Warren 3317 1- Sand Warren 3317 1- 179	ridge - * - -26H 97.00 ft			Surface Unit Manufacturer Unit Class Unit API Number Measured Stroke Length Rotation Counter Balance Effect (Weights Level) Weight Of Counter Weights	- * - Conventional - * - - * - in CW - * - Klb 2000 lb			
Comment		1			Motor Type Rated HP Run Time MFG/Comment	Electric -*- HP 24 hr/day	-*- HP 24 hr/day		
					Electric Motor Parameters Rated Full Load AMPS Rated Full Load RPM Synchronous RPM Voltage Hertz Phase Power Consumption Power Demand	- * - 1200 - * - 60 3 5 8 \$/KW			
Tubulars Pump Tubing OD 2.875 in Plunger Diameter - * - i		* :			ditions				
2.875 in 7.000 in 31.460 ft -*- ft 21.00 ft	Pump Intake E **Total Rod Ler Polished F	Depth 5138 ngth < Pump De Rod	3.00 ft epth		PressureStatic BHP1914.1 psi (g)Static BHP MethodAcousticStatic BHP Date03/28/2017	Production Oil Production Water Production Gas Production Production Date	0 BBL/E 1 BBL/E - * - Mscf/I 03/26/2017		
р Taper Т _ * - _ * -	Faper 2 Taper 3 _*_ _*_ _*_ _*_	Taper 4 _ * - _ * -	Taper 5 - * - - * -	Taper 6 _ * - _ * - ft	Producing BHP-*-psi (g)Producing BHP Method-*-Producing BHP Date-*-Formation Depth5621.00ft	Temperatures Surface Temperature Bottomhole Temperature	70 deg F 150 deg F		
_ * _	0.0 0.0	_ * _ 0.0	_ * _ 0.0	-*- in 0.0 lb	Surface Producing PressuresTubing Pressure150.0psi (g)Casing Pressure800.8psi (g)	Fluid Properties Oil API Water Specific Gravity	40 deg.Al 1.05 Sp.Gr.		
0.0									
	2.875 in 7.000 in 31.460 ft -*- ft 21.00 ft	ny Sanda or Name Warren 3317 1- on 179 tion Method C t Description ent 2.875 in Plunger Diame 7.000 in Pump Intake D 31.460 ft **Total Rod Ler -*- ft 21.00 ft Polished R Polished Rod I p Taper Taper 2 Taper 3	ny Sandridge or -*- Name Warren 3317 1-26H on 1797.00 ft tion Method Other t Description ent	ny Sandridge or -*- Name Warren 3317 1-26H on 1797.00 ft tion Method Other t Description ent	ny Sandridge or -*- Name Warren 3317 1-26H on 1797.00 ft tion Method Other t Description ent 2.875 in Plunger Diameter -*- in 7.000 in Plunger Diameter -*- in 7.000 ft Plunger Diameter -*- in 31.460 ft **Total Rod Length < Pump Depth -*- ft 21.00 ft Polished Rod Polished Rod Diameter -*- in p Taper Taper 2 Taper 3 Taper 4 Taper 5 Taper 6	ny Sadridge or -*- Name Waren 3317 1-26H on 1797.00 ft to Method Other t Description ent Perscription 2.875 in Plunger Diameter -*- in 7.000 in Plunger Diameter -*- in 2.875 in Plunger Diameter -*- in 7.000 in Plunger Diameter -*- in 7.000 ft Polished Rod Polished Rod Polished Rod Polished Rod Polished Rod Diameter -*- in p Taper Taper 2 Taper 3 Taper 4 Taper 5 Taper 6 Measured Stroke Length Rotation Measured Stroke Length Rotation Measured Stroke Length Rotation Weight Of Counter Weights Prime Mover Motor Type Rated Full Load AMPS Rated Full Load RPM Voltage Hertz Phase Power Consumption Power Demand Power Demand Po	my Sandridge or ** - in Rotation Name Warren 3317 1-26H Other 1797.00 ft toom Method Other 1797.00 ft toom 1797.00 ft Other Other Counter Weights Dotter Other Weights Dotter Other Weights Prime Mover Motor Type Electric Motor Type Run Time 24 hr/day MFG/Comment -*- in Rated Fill Load AMPS -*- HP Run Time 24 hr/day MFG/Comment -*- Im Prime Mover Rated Fill Load AMPS -*- HP Run Time 24 hr/day MFG/Comment -*- HP Run Time 24 hr/day MFG/Comment -*- Im Prime Mover Rated Fill Load AMPS -*- HP Run Time 24 hr/day MFG/Comment -*- HP Run Time 24 hr/day MFG/Comment -*- Im Prime Mover Such and Plane Effect (Weights Evel) -*- Rated Fill Load AMPS -*- HP Run Time 24 hr/day MFG/Comment -*- Im Prime Mover Such and Plane 5 state BHP -*- Production 5 Production 5 Production Plane 5 state BHP And Accustic BHP Method Accustic BHP Date 03/28/2017 Production Date Production BHP Plane 1914.1 pri (g) Polished Rod Pouncing BHP -*- pine (g) Coll Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Date Producting BHP Plane 1914.1 pri (g) Surface Tom Production Plane 1914.1 pri (g) Surface Tom Production Production Production Producting BHP Plane 1914.1 pri (g) Surface Tom Production		

Gyrodata, Inc. Mid-Continent





Phone: 620-682-7933 http://kcc.ks.gov/

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner Sam Brownback, Governor

April 04, 2017

Laci Bevans SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Temporary Abandonment API 15-033-21654-01-00 WARREN 3317 1-26H SE/4 Sec.26-33S-17W Comanche County, Kansas

Dear Laci Bevans:

"Your temporary abandonment (TA) application for the well listed above has been approved. In accordance with K.A.R. 82-3-111 the TA status of this well will expire 04/04/2018.

* If you return this well to service or plug it, please notify the District Office.

* If you sell this well you are required to file a Transfer of Operator form, T-1.

* If the well will remain temporarily abandoned, you must submit a new TA application, CP-111, before 04/04/2018.

You may contact me at the number above if you have questions.

Very truly yours,

Michael Maier"