KOLAR Document ID: 1350610

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	·
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ DH ☐ EOR ☐ OG ☐ GSW	Producing Formation: Kelly Bushing: Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1350610

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	COBBLE 18
Doc ID	1350610

Perforations

Shots Per Foot	Perforation Record	Material Record	Depth
4	1256-1260	166 BBL of Gel'd water, 5 sx 16/30 sand, and 45 sx 12/20 sand	1256-1285
4	1263-1268		
4	1270-1274		
4	1276-1278		
4	1282-1285		

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	COBBLE 18
Doc ID	1350610

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	22	42	Portland	14	None
Production	6.75	4.5	10.5	1399	Thick Set		Pheno- Seal 2#/sk

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Authorization



Cement or Acid Field Report
Ticket No. 3113
Foreman STRUE NA.

Total

State State Hole De Hole Si Line Marine R Line R	coment PSI 2501	Lasher Rig	Slurry Wt	1250th Break C. Break C. App & Lines App. ng Pt	Tubing Drill Pipe Other BPM	Fresh wass
State Hole De Hole Si Line	Zip Code (40749 epth //3/ Size 6.75 '' Left in Casing cament PSI //5 '' A full to the following service of Product or Service serv	Meeting S S S S S S S S S S S S S S S S S S	Unit # 104 112 Slurry Vol Slurry Wt Water Gal/SK Bump Plug to	Driver Alan	Tubing Drill Pipe Other BPM A /65 sxs	Plus Bung
State Hole De Hole Si Line	Zip Code (40749 epth //3/ Size 6.75 '' Left in Casing cament PSI //5 '' A full to the following service of Product or Service serv	Meeting S S S S S S S S S S S S S S S S S S	Unit # 104 112 Slurry Vol Slurry Wt Water Gal/SK Bump Plug to	Driver Alan	Tubing Drill Pipe Other BPM A /65 sxs	Plus Bung
State Hole De Hole Si Line	epth 143/ size 6.75 '' Left in Casing comment PSI 250 '' Left in Casing comment PSI 2	S S Ca bbly but Lashed Play	Slurry Vol Slurry Wt Water Gal/SK Bump Plug to	J250tt Break C.	Tubing Drill Pipe Other BPM	Thicksit.
State Hole De Hole Si Line	epth 143/ size 6.75 '' Left in Casing comment PSI 250 '' Left in Casing comment PSI 2	Lasher Rig	Slurry Vol Slurry Wt Water Gal/SK Bump Plug to	1250th Break C. App + Lines App -	Tubing Drill Pipe Other BPM A /65 sxs	Thickset
Hale De Hole Si Cement Displace Marine Si Cement Displace Mileage	epth 143/ size 6.75 '' Left in Casing comment PSI 250 '' Left in Casing comment PSI 2	Lasher Rig	Slurry Wt	1250th Break C.	Drill Pipe Other BPM BPM 165 sxs	Thickset
Hale De Hole Si Cement Displace	epth 143/ size 6.75 '' Left in Casing comment PSI 250 '' Left in Casing comment PSI 2	Lasher Rig	Slurry Wt	1250th Break C.	Drill Pipe Other BPM BPM 165 sxs	Thickset
Hale De Hole Si Cement Displace	epth 143/ Size 6.75 " Left in Casing coment PSI 2501 A Hulls + 5 A H	Lasher Rig	Slurry Wt	1250th Break C.	Drill Pipe Other BPM BPM 165 sxs	Thickset
Hole Signature Commit Displace When I was a second of the	coment PSI 2501	Lasher Rig	Slurry Wt	1250th Break C.	Drill Pipe Other BPM BPM 165 sxs	Thickset
Hole Signature Commit Displace When I was a second of the	coment PSI 2501	Lasher Rig	Slurry Wt	1250th Break C.	Drill Pipe Other BPM BPM 165 sxs	Thickset
Unita Description Pump Charge Mileage	is up to 9 If wills + 5 I purper Less houses Less hou	Lasher Plus	Bump Plug to	J250th Break C. Break C. App + Lines App ng P4	BPMBPMBPMBS sks	Thicksil
Unita Description Pump Charge	of Product or Serv	Lasha Flug Rig	oter Spo out pun not pun hell	Break C.	rsulation L N. x 165 sxs	plus.
Pump Charg Mileage		ices				2
Mileage	10				Unit Price	Total
	ła				65	Contro
					@00	CIO
21						
	FCamen				6030	Corre
Ph.naseal	LZTRYSK					(6.00)
1 - 10	- A					
The state of the s	Α				2	000
7.07.23					-	1
Jun Janmila	aca Bulk	Truck	K.			(Ma)
	98					
4/2 To	- Rubbuc Pl	ux				COD
PA III	Hulls Inm.h	Jen m. baga Bulls	Hulls	Janm, hage Bulk II wek	Janmalage Bulk II usk	Jenminga Bulk II usk

Title

Mud Rotary Drilling Andrew King - Manager/Driller

Bar Drilling, LLC Phone: (719) 210-8806

1317 105th Rd. Yates Center, KS 66783

Company/Operator	Well No.	Leas	se Name		Well Locat	tion	1/4	1/4	1/4	Sec.	Twp.	Rge,
Colt Energy Inc	18	C	obble		165' fsl 141	5' fsl	SE	sw	SE	22	26s	14e
P O Box 388	Cobble 165' fsl 1415' fsl			State	Total	Depth	Date Starte	d Date	Completed			
Iola, KS 66749	15-207-29	401	Oil		Woodso	n	KS	14	31	2/3/2017		/9/2017
Job/Project Name/No.	Surface Do	cord		Bit F	Record				(Oring Reco	rd	
	Surface Re	cord	Туре	Size	From	To	Core	#	Size	From	То	% Rec.
Driller/Crew	Bit Size:	11 1/4	PDC	11 1/4	0"	42	1		3"	1254	1283	95
Andy King	Casing Size:	8 5/8	PDC	6 3/4	40	1431	2		3"	1283	1308	105
Charles King	Casing Length:	42										1
	Cement Used:	14sx										
	Cement Type:	Portland										-

Formation Record

From	То	Formation	From	То	Formation	From	To	Formation
0	22	overbuden	1308	1430	sandy shale			1 Officiality
22	221	shale	1430	1431	Miss lime			
221	489	Lansing Lime						
489	567	shale						
567	745	KC Lime						
745	836	shale						
836	841	lime						
841	864	shale						
864	879	lime						
879	885	shale						
885	974	sandy shale						
974	992	lime						
992	997	shale						
997	1004	lime						
1004	1027	shale						
1027	1046	lime						
1046	1053	shale						
1053	1061	lime				Well Notes		
1061	1072	shale				Ran 4 1/2" (
1072	1090	sq sand (oil show)					Jasing	
1090	1248	shale						
1248	1254	broken oil sand						
1254	1283	Core # 1, 15'+- oil sand						
1283	1308	core #2, 3' +- oil sand						