


Skolout Trust #1-15





Hoisington, Kansas


Michael Carroll
620-617-0368
carroll.dtlc@gmail.com

General Information

Company Name Gulf Exploration LLC

Contact Pat McGraw
Well Name Skolout Trust #1-15
Unique Well ID Dst #1 Howard 3866-3947'
Surface Location Sec 15-7s-35w Thomas County
Field Wildcat
Well Type Vertical
Test Type Drill Stem Test
Well Operator Gulf Exploration LLC

Formation Dst #1 Howard 3866-3947'
Well Fluid Type 06 Water
Test Purpose Initial Test
Start Test Date 2017/02/11
Start Test Time 17:10:00
Final Test Time 02:53:00
Job Number P0160
Report Date 2017/02/11
Prepared By Michael Carroll



TEST RECOVERY

Remarks Recovery:	184'	OCMW	4%O	66%W	30%M
	1699'	SLOCMCW	1%O	96%W	3%M

Total Fluid: 1883'

Sampler Recovery: 4000ML Water
 PSI: 50

Chlorides 58000 PPM
 RW .18 @ 55 Degrees
 PH 7



DIAMOND TESTING
 P.O. Box 157
HOISINGTON, KANSAS 67544
 (800) 542-7313

TIME ON: 1710 2-11
 TIME OFF: 0253 2-12

DRILL-STEM TEST TICKET
 FILE: SKOLOUTTRUST1-15DST1

Company GULF EXPLORATION LLC Lease & Well No. SCOLOUT TRUST #1-15
 Contractor MURFIN DRLG RIG 7 Charge to GULF EXPLORATION LLC
 Elevation 3309 KB Formation HOWARD Effective Pay _____ Ft. Ticket No. P0160
 Date 2-11-17 Sec. 15 Twp. 7 S Range 35 W County THOMAS State KANSAS
 Test Approved By KEITH REAVIS Diamond Representative Michael Carroll

Formation Test No. 1 Interval Tested from 3866 ft. to 3947 ft. Total Depth 3947 ft.

Packer Depth 3860 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Packer Depth 3866 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3850 ft. Recorder Number 5950 Cap. 5000 P.S.I.

Bottom Recorder Depth (Outside) 3935 ft. Recorder Number 0230 Cap. 5000 P.S.I.

Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type Chem Viscosity 75 Drill Collar Length 187 ft. I.D. 2 1/4 in.

Weight 8.6 Water Loss 6.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.

Chlorides 2200 P.P.M. Drill Pipe Length 3692 ft. I.D. 3 1/2 in.

Jars: Make STERLING Serial Number 11 Test Tool Length 37 ft. Tool Size 3 1/2-IF in.

Did Well Flow? NO Reversed Out NO Anchor Length 81(17.5A) ft. Size 4 1/2-FH in.

Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: 2"BLOW-BUILT TO BOB IN 2 MINUTES 40 SECONDS NOBB

2nd Open: 1"BLOW-BUILT TO BOB IN 3 MINUTES 05 SECONDS NOBB

Recovered 184 ft. of OCMW 4%O 66%W 30%M CHLORIDES 58000 PPM

Recovered 1699 ft. of SLOCMCW 1%O 96%W 3%M RW .18 @ 55 DEGREES

Recovered 1883 ft. of TOTAL FLUID PH 7

Recovered _____ ft. of _____

Recovered _____ ft. of _____ Price Job _____

Recovered _____ ft. of _____ Other Charges _____

Remarks: SAMPLER RECOVERY:4000ML WATER Insurance _____

PSI: 50 Total _____

Time Set Packer(s) 7:50 P.M. A.M. P.M. Time Started Off Bottom 11:20 P.M. A.M. P.M. Maximum Temperature 128

Initial Hydrostatic Pressure..... (A) 1799 P.S.I.

Initial Flow Period..... Minutes 30 (B) 60 P.S.I. to (C) 537 P.S.I.

Initial Closed In Period..... Minutes 45 (D) 1128 P.S.I.

Final Flow Period..... Minutes 45 (E) 551 P.S.I. to (F) 892 P.S.I.

Final Closed In Period..... Minutes 90 (G) 1133 P.S.I.

Final Hydrostatic Pressure..... (H) 1801 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.