



P. O. Box 466
Ness City, KS 67560
Off: 785-798-2300



1-1-17
#6871

Invoice

DATE	INVOICE #
12/5/2016	29510

BILL TO
R.L. Investment HC-1, Box 63 Morland, KS 67650-9718

- Acidizing
- Cement
- Tool Rental

TERMS	Well No.	Lease	County	Contractor	Well Type	Well Category	Job Purpose	Operator
Net 30	#2-24	Hobbs	Graham	STP Drilling	Oil	Development	2 Stage Long Stri...	David E.

PRICE REF.	DESCRIPTION	QTY	UM	UNIT PRICE	AMOUNT
575D	Mileage - 1 Way	60	Miles	5.00	300.00
579D	Pump Charge - Two-Stage & Top To Bottom LongString	1	Job	1,700.00	1,700.00
290	D-Air	7	Gallon(s)	42.00	294.00T
281	Mud Flush	1,000	Gallon(s)	1.25	1,250.00T
221	Liquid KCL (Clayfix)	4	Gallon(s)	25.00	100.00T
402-5	5 1/2" Centralizer	8	Each	60.00	480.00T
403-5	5 1/2" Cement Basket	2	Each	250.00	500.00T
407-5	5 1/2" Insert Float Shoe With Auto Fill	1	Each	300.00	300.00T
408-5	5 1/2" D.V. Tool & Plug Set	1	Each	3,250.00	3,250.00T
411-5	5 1/2" Recipo Scratcher	27	Each	45.00	1,215.00T
417-5	5 1/2" D.V. Latch Down Plug & Baffle	1	Each	200.00	200.00T
330	Swift Multi-Density Standard (MIDCON II)	275	Sacks	15.75	4,331.25T
325	Standard Cement	175	Sacks	12.25	2,143.75T
284	Calseal	8	Sack(s)	30.00	240.00T
283	Salt	950	Lb(s)	0.20	190.00T
285	CFR-1	100	Lb(s)	4.50	450.00T
276	Flocele	113	Lb(s)	2.25	254.25T
581D	Service Charge Cement	450	Sacks	1.50	675.00
583D	Drayage	1,328	Ton Miles	0.75	996.00
	Subtotal				18,869.25
	Sales Tax Graham County			7.50%	1,139.87

We Appreciate Your Business!

Total

\$20,009.12



TICKET 29510

CHARGE TO: RL INVESTMENTS
 ADDRESS
 CITY, STATE, ZIP CODE

PAGE 1 OF 2

SERVICE LOCATIONS
 1. Hays, KS
 2. Ness City, KS
 3.
 4. REFERRAL LOCATION

WELL/PROJECT NO. 2-24
 TICKET TYPE: SERVICE, SALES
 WELL TYPE: Oil
 INVOICE INSTRUCTIONS

LEASE: Hobbs
 COUNTY/PARISH: Graham
 RIG NAME/NO.
 STATE: KS
 CITY: DELIVERED TO: LOCATION
 DATE: 12-5-16
 ORDER NO.
 WELL PERMIT NO.
 WELL LOCATION

JOB PURPOSE: 2 stage Long String

PRICE REFERENCE	SECONDARY REFERENCE/PART NUMBER	ACCOUNTING		DESCRIPTION	QTY.	U/M	QTY.	U/M	UNIT PRICE	AMOUNT
		LOC	ACCT							
575		1			MILEAGE TRK # 113	60	mi		5.00	300.00
579		1			PUMP CHARGE - TWO STAGE	1	EA		1700.00	1700.00
290		1			D-AIR	7	Gal		42.00	294.00
287		1			MUDFLUSH	1000	Gal		25.00	25000.00
221		1			Liquid Kcl	4	Gal		25.00	100.00
402		1			CENTRALIZER	8	EA	5/4	60.00	480.00
403		1			CEMENT BASKET	2	EA		250.00	500.00
407		1			INSERT FLOAT SHOE w/ AUTO FILL	1	EA		300.00	300.00
408		1			D.V. TOOL & PLUG SET	1	EA		3250.00	3250.00
411		1			Recipe SCRATCHER	27	EA		45.00	1215.00
417		1			D.V. LATCH Down Plug & BAFFLE	1	EA		200.00	200.00

LEGAL TERMS: Customer hereby acknowledges and agrees to the terms and conditions on the reverse side hereof which include, but are not limited to, **PAYMENT, RELEASE, INDEMNITY**, and **LIMITED WARRANTY** provisions.

MUST BE SIGNED BY CUSTOMER OR CUSTOMER'S AGENT PRIOR TO START OF WORK OR DELIVERY OF GOODS

DATE SIGNED: _____ TIME SIGNED: _____

REMIT PAYMENT TO:
 SWIFT SERVICES, INC.
 P.O. BOX 466
 NESS CITY, KS 67560
 785-798-2300

SURVEY: OUR EQUIPMENT PERFORMED WITHOUT BREAKDOWN? WE UNDERSTOOD AND MET YOUR NEEDS? OUR SERVICE WAS PERFORMED WITHOUT DELAY? WE OPERATED THE EQUIPMENT AND PERFORMED JOB CALCULATIONS SATISFACTORILY? ARE YOU SATISFIED WITH OUR SERVICE? YES NO

AGREE UN-DECIDED DIS-AGREE

PAGE TOTAL: 4589.00
 4230.25
 1386.425

TOTAL: 20,009.12

CUSTOMER ACCEPTANCE OF MATERIALS AND SERVICES: The customer hereby acknowledges receipt of the materials and services listed on this ticket.

SWIFT OPERATOR: David Edgerton
 APPROVAL: _____

Thank You!



PO Box 466
Ness City, KS 67560
Off: 785-798-2300

TICKET CONTINUATION

TICKET No. 29510

DATE 12-5-16 PAGE 2 OF 2

WELL HOBBS 2-24

CUSTOMER RLI INVESTMENTS

PRICE REFERENCE	SECONDARY REFERENCE/ PART NUMBER	ACCOUNTING		TIME	DESCRIPTION	QTY.	U/M		QTY.	U/M	UNIT PRICE	AMOUNT
		LOC	ACCT				DF	QTY.				
330		2			SWIFT Multi Density	275	SKS			15	75	4331 25
325		2			STANDARD CEMENT	175	SKS			12	25	2143 75
284		2			CALDFAL	8	SKS			30	50	240 00
283		2			SALT	950	lbs			20	20	190 00
285		2			CFR-1	100	lbs			4	50	450 00
276		2			FloerCC	113	lbs			2	25	254 25
581		2			CEMENT	450	SKS			1	50	675 00
583					CEMENT	1328	TON MILES				75	996 00

SERVICE CHARGE MILEAGE TOTAL WEIGHT CHARGE 44263
 CUBIC FEET 450 SKS
 TON MILES 1328
 LOADED MILES 60

CONTINUATION TOTAL 9280.25

JOB LOG

SWIFT Services, Inc. X

DATE 12-5-16 PAGE NO. 1

CUSTOMER RL Investments

WELL NO. 2-24

LEASE HOBBS

JOB TYPE TWO STAGE

TICKET NO. 29510

CHART NO.	TIME	RATE (BPM)	VOLUME (BBL) (GAL)	PUMPS		PRESSURE (PSI)		DESCRIPTION OF OPERATION AND MATERIALS
				T	C	TUBING	CASING	
	600							ON LOCATION
								RTD - 4060
								TOTAL pipe - 4060
								Shoe - 20'
								BAFFLE - 4044 - D.V. TOOL - 2110
								CENTRALIZERS - 3, 4, 5, 7, 9, 2, 11, 45
								BASKETS - 13, 46
								Float Equipment Run By Preston
	745	5	12			200		Pump MUDFLUSH - 500 Gal
		5	20			200		Pump KCL SPACER
	755	4	42			200		Pump CMT - 175 EA-2 @ 15.5 ppq
								Drop plug
	810	3	0			200		START Disp w/ WTR
		5	46			200		Disp w/ MUD
	835	5	96			800/1400		LAND PLUG - Lift - 800 LAND - 1400
	845							DROP BOMB - WASH TRK
	855					1400		Open D.V.
	900							Break Circ -
	1150							PLUG RAT Hole - 30 SKS
	1155	5	12					Pump MUDFLUSH - 500 GAL
		5	20					Pump KCL SPACER -
	1200	6	135			400		pump CMT - 245 SKS SMD @ 11.2
								Drop plug
	1245	6	50					Displace CMT
		5	50			600/1700		LAND PLUG - lift - 600 LAND - 1700
								- CIRCULATED 70 SKS CMT to pit
								THANKS
								DAVID, JON, ISAAC, P Preston



CONSOLIDATED
Oil Well Services, LLC

7103
7001

TICKET NUMBER 51640
LOCATION Chalkley Ks
FOREMAN Jerry Y

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

Invoice # 809083

KS

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-25-16	7171	Hobbs 2-24	24	10s	25w	Graham
CUSTOMER			TRUCK #			
MAILING ADDRESS			DRIVER			
CITY			TRUCK #			
STATE			DRIVER			
ZIP CODE			TRUCK #			

CUSTOMER RL Investments St Peter S to C 2 E N into
MAILING ADDRESS 2698 JO TERRACE
CITY Hill City STATE KS ZIP CODE 67642
JOB TYPE Surface HOLE SIZE 12 1/4 HOLE DEPTH 212 CASING SIZE & WEIGHT 8 5/8 23#
CASING DEPTH 214 DRILL PIPE _____ TUBING _____ OTHER _____
SLURRY WEIGHT 148 SLURRY VOL 1.24 WATER gal/sk _____ CEMENT LEFT in CASING 20'
DISPLACEMENT 1266l DISPLACEMENT PSI _____ MIX PSI _____ RATE _____

REMARKS: Salty meeting & rig up on STP# break circulation with rig tree mix 160 sks surface blend II wash up & displace with 1266l fresh H2O = shut in circulated approx 466l to pit


Cement did circulate

Thank you Jerry & crew

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
CE0471 ✓	1	PUMP CHARGE	1150 ⁰⁰	1150 ⁰⁰ ✓
CE0002 ✓	30	MILEAGE	7 ⁵⁰	214 ⁵⁰ ✓
CE0711 ✓	7.52	ton mileage delivery (min)	660 ⁰⁰	660 ⁰⁰ ✓
CC5871 ✓	160 SKS	Surface blend II	2300	3680 ⁰⁰ ✓
			Subtotal	5704 ⁵⁰
			-45% discount	2567 ⁰³
			Subtotal	3137 ⁴⁸ ✓
			SALES TAX	151.81 ✓
			ESTIMATED TOTAL	3289.28 ✓

AUTHORIZATION [Signature] TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



DIAMOND TESTING, LLC
 P.O. Box 157
 HOISINGTON, KANSAS 67544-0157
 (800) 542-7313

TIME ON: 1845 11:30
 TIME OFF: 0330 12-1

DRILL-STEM TEST TICKET

FILE: HOBBS # 2-24

Company R.L. INVESTMENTS LLC Lease & Well No. HOBBS # 2-24
 Contractor STP DRILLING LLC Charge to R.L. INVESTMENTS LLC
 Elevation 2460 Formation LAWS A+B Effective Pay _____ Ft. Ticket No. 40147
 Date 11-30-16 Sec. 24 Twp. 10 S Range 25 W County GRAHAM State KANSAS
 Test Approved By _____ Diamond Representative [REDACTED]

MICHAEL CARROLL

Formation Test No. 1 Interval Tested from 2741 ft. to 2816 ft. Total Depth 2816 ft.
 Packer Depth 2765 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 2771 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 2758 ft. Recorder Number 5950 Cap. 5K P.S.I.
 Bottom Recorder Depth (Outside) 2808 ft. Recorder Number 0230 Cap. 5K P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CMH Viscosity 49 Drill Collar Length 122 ft. I.D. 2 1/4 in.
 Weight 9.2 Water Loss 7.6 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 1500 P.P.M. Drill Pipe Length 2623 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number NA Test Tool Length 26 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? No Reversed Out No Anchor Length 45 (12.50) ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: Tool Spd 10' to Bottom (1" Brown-Burnt) WSB-Burnt to 1/4" 1088
 2nd Open: No Brown-Burnt to 1/4" in 45 Minutes 1088


Recovered 127 ft. of MUD 100% M
 Recovered 127 ft. of TOTAL FLUID
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____

<i>THANK YOU</i>	
Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges <u>25 MARK PER</u>
Remarks: <u>Tool Sample: 100% M WITH VIN SPARKS</u>	Insurance
<u>71% Oil</u>	Total

Time Set Packer(s) 9:38 A.M. Time Started Off Bottom 12:38 P.M. Maximum Temperature 110°F

Initial Hydrostatic Pressure..... (A) 1821 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 43 P.S.I. to (C) 63 P.S.I.
 Initial Closed In Period..... Minutes 45 (D) 908 P.S.I.
 Final Flow Period..... Minutes 45 (E) 64 P.S.I. to (F) 77 P.S.I.
 Final Closed In Period..... Minutes 60 (G) 903 P.S.I.
 Final Hydrostatic Pressure..... (H) 1814 P.S.I.

Diamond Testing, LLC shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



DIAMOND TESTING, LLC
 P.O. Box 157
 HOISINGTON, KANSAS 67544-0157
 (800) 542-7313

TIME ON: 12:55
 TIME OFF: 2:40

DRILL-STEM TEST TICKET

FILE: 16085224157 #2

Company R.L. INVESTMENT LLC Lease & Well No. HOBBS #2-24
 Contractor STP DRILLING LLC Charge to R.L. INVESTMENT LLC
 Elevation 2460 Formation LANS D' Effective Pay _____ Ft. Ticket No. 10148
 Date 12-1-16 Sec. 24 Twp. 10 S Range 25 W County CANAWAN State KANSAS
 Test Approved By _____ Diamond Representative [REDACTED] **MICHAEL CARROLL**

Formation Test No. 2 Interval Tested from 3815 ft. to 3836 ft. Total Depth 3836 ft.
 Packer Depth 3809 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3815 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3802 ft. Recorder Number 5950 Cap. 5K P.S.I.
 Bottom Recorder Depth (Outside) 3819 ft. Recorder Number 0230 Cap. 5K P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEM Viscosity 48 Drill Collar Length 122 ft. I.D. 2 1/4 in.
 Weight 9.3 Water Loss 7.6 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 2500 P.P.M. Drill Pipe Length 3667 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number NA Test Tool Length 26 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? No Reversed Out No Anchor Length 21 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.


Blow: 1st Open: NOBB - BUILT TO 1 1/2" IN 30 MINUTES NOBB
 2nd Open: NO BLOW - BUILT TO 1/2" IN 45 MINUTES NOBB

Recovered 65 ft. of MW 65%W 35%M CUTTINGS 34000 PPM
 Recovered 65 ft. of TOTAL FLUID RW 3 @ 550F
 Recovered _____ ft. of _____ PH 7
 Recovered _____ ft. of _____ THANK YOU

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges <u>2.5 HOURS</u>
Remarks: <u>TOOL SAMPLE: 53%W 47%M</u>	Insurance
<u>WITH A FEW PIN SPECKS</u>	Total

Time Set Packer(s) 4:06 (A.M.) Time Started Off Bottom 7:06 (P.M.) Maximum Temperature 109°F
 Initial Hydrostatic Pressure..... (A) 1849 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 12 P.S.I. to (C) 31 P.S.I.
 Initial Closed In Period..... Minutes 45 (D) 611 P.S.I.
 Final Flow Period..... Minutes 45 (E) 34 P.S.I. to (F) 44 P.S.I.
 Final Closed In Period..... Minutes 60 (G) 462 P.S.I.
 Final Hydrostatic Pressure..... (H) 1841 P.S.I.

Diamond Testing, LLC shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



DIAMOND TESTING, LLC
 P.O. Box 157
 HOISINGTON, KANSAS 67544-0157
 (800) 542-7313

TIME ON: 1720 12-2
 TIME OFF: 0140 12-3

DRILL-STEM TEST TICKET

FILE: HOBBS #2.24 Det #3

Company R.L. INVESTMENT LLC Lease & Well No. HOBBS #2.24
 Contractor STP DRILLING LLC Charge to R.L. INVESTMENT LLC
 Elevation 2460 Formation LANE/KO "H" Effective Pay _____ Ft. Ticket No. 80149
 Date 12-2-16 Sec. 24 Twp. 10 S Range 25 W County GRAHAM State KANSAS
 Test Approved By _____ Diamond Representative [REDACTED] **MICHAEL CARROLL**

Formation Test No. 3 Interval Tested from 3893 ft. to 3920 ft. Total Depth 3920 ft.
 Packer Depth 3884 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3893 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3880 ft. Recorder Number 5950 Cap. 5K P.S.I.
 Bottom Recorder Depth (Outside) 3897 ft. Recorder Number 0230 Cap. 5K P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHAM Viscosity 53 Drill Collar Length 122 ft. I.D. 2 1/4 in.
 Weight 9.2 Water Loss 7.6 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 2500 P.P.M. Drill Pipe Length 2745 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number NA Test Tool Length 26 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? No Reversed Out No Anchor Length 27 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.


Blow: 1st Open: NOBB - FLUIT TO 1/2" W 30 MINUTES NOBB
 2nd Open: NO BLOW - NO FLUID NOBB

Recovered 5 ft. of MUD 100% M
 Recovered 5 ft. of TOTAL FLUID
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____
 Recovered _____ ft. of _____

Remarks: <u>Tool Sample: 100% M</u>	Price Job
	Other Charges <u>1 SHANK PRK</u>
	Insurance
	Total

Time Set Packer(s) 8:20 P.M. Time Started Off Bottom 11:20 P.M. Maximum Temperature 111°F
 Initial Hydrostatic Pressure..... (A) 1881 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 12 P.S.I. to (C) 14 P.S.I.
 Initial Closed In Period..... Minutes 45 (D) 767 P.S.I.
 Final Flow Period..... Minutes 45 (E) 14 P.S.I. to (F) 17 P.S.I.
 Final Closed In Period..... Minutes 60 (G) 798 P.S.I.
 Final Hydrostatic Pressure..... (H) 1864 P.S.I.

Diamond Testing, LLC shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



DIAMOND TESTING, LLC
 P.O. Box 157
 HOISINGTON, KANSAS 67544-0157
 (800) 542-7313

TIME ON: 1355
 TIME OFF: 2300

DRILL-STEM TEST TICKET

FILE: HOBBS #2-24/157 #4

Company R.L. INVESTMENT LLC Lease & Well No. HOBBS #2-24
 Contractor STP DRILLING LLC Charge to R.L. INVESTMENT LLC
 Elevation 2460 Formation TAUS/KO J4K Effective Pay _____ Ft. Ticket No. 20150
 Date 12-3-16 Sec. 24 Twp. 10 S Range 25 W County GRANHAM State KANSAS
 Test Approved By _____ Diamond Representative [REDACTED] **MICHAEL CARROLL**

Formation Test No. 4 Interval Tested from 3943 ft. to 3984 ft. Total Depth 3984 ft.
 Packer Depth 3937 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Packer Depth 3943 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3930 ft. Recorder Number 5950 Cap. 5K P.S.I.
 Bottom Recorder Depth (Outside) 3947 ft. Recorder Number 0230 Cap. 5K P.S.I.
 Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHRM Viscosity 52 Drill Collar Length 122 ft. I.D. 2 1/4 in.
 Weight 9.3 Water Loss 8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 2500 P.P.M. Drill Pipe Length 3495 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number NA Test Tool Length 26 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? No Reversed Out No Anchor Length 41 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: 1/2" BLOW - BUILT TO BOB IN 9 MINS 50 SECS 2" BB
 2nd Open: 1" BLOW - BUILT TO BOB IN 9 MINS 45 SECS 8 1/2" BB

Recovered 818 ft. of GAS IN PIPE
 Recovered 194 ft. of CREAN OIL GRAVITY 32 @ 60°F
 Recovered 122 ft. of GHOCM 12%G 43%O 45%N
 Recovered 316 ft. of TOTAL FLUID

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges <u>7500 PER</u>
Remarks: <u>TOOL SAMPLE: 72%O 78%N</u>	Insurance
_____	Total

Time Set Packer(s) 4:47 A.M. Time Started Off Bottom 7:47 P.M. Maximum Temperature 121°F
 Initial Hydrostatic Pressure..... (A) 1923 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 21 P.S.I. to (C) 77 P.S.I.
 Initial Closed In Period..... Minutes 45 (D) 1170 P.S.I.
 Final Flow Period..... Minutes 45 (E) 88 P.S.I. to (F) 126 P.S.I.
 Final Closed In Period..... Minutes 60 (G) 1093 P.S.I.
 Final Hydrostatic Pressure..... (H) 1903 P.S.I.

Diamond Testing, LLC shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.