## ALLIED CEMENTING CO., INC. Federal Tax I.D.# 48-0727860

26066 SERVICE POINT;

PRINTED NAME

REMIT TO P.O. BOX 31

THE 10-19-07 SEC. 29 7S SAW CALLED OUT ON LOCATION DOB START LOST COLOR IN
LEASE OCLO WELL# 1-29 LOCATION HIN C + 4 N TO UR GENERAL K.  OLD OR CEW(Circle one)  144 E STATE  CONTRACTOR W-WELF 1-29  CONTRACTOR W-WELF 1-29  TYPE OF JOB Surface  HOLE SIZE 1/24 TD 205  CASING SIZE DEPTH DEPTH  TOBING SIZE DEPTH  DRILL PIPE DEPTH  TOOL D
OLD OR CEW (Circle one)    14
OWNER MICENT AT COMPANY  TYPE OF JOB SCAFECE  HOLE SIZE JOBY  TOD 205  CEMENT  AMOUNT ORDERED MODERED
TYPE OF JOB Scree  HOLE SIZE 124 T.D. 208 CEMENT  CASING SIZE DEPTH  TUBING SIZE DEPTH  DRILL PIPE DEPTH  TOOL DEPTH  PRES. MAX MINIMUM  MEAS. LINE SHOE JOINT  CEMENT LEFT IN CSG. 10 GEL 3 0 165 A  PERFS. CHLORIDE 5 0 465 2  DISPLACEMENT 124 Bh ASC 0  EQUIPMENT 0  BULK TRUCK CEMENTER 201 0  BULK TRUCK # 374 DRIVER DATE (CONJEY)  BULK TRUCK # DRIVER DATE (CONJEY)  REMARKS: TOTAL 33  SERVICE  DEPTH OF JOB  PUMP TRUCK CHARGE 8 STATE OF TOTAL 33  MILEAGE 5 0 65 3
HOLE SIZE 124 T.D. 205  CASING SIZE 356 DEPTH  DEPTH  TOOL DEPTH  TOOL DEPTH  PRES. MAX MINIMUM  MEAS. LINE SHOE JOINT POZMIX  CEMENT LEFT IN CSG.  PERFS.  CHLORIDE 5 @ 466 2  DISPLACEMENT 201  BULK TRUCK  # 364 DRIVER  PREMARKS:  CEMENT COMMON 100 @ 112 17  COMMON 100 IN 12 17  CO
AMOUNT ORDERED 100 200 3-2  TUBING SIZE DEPTH  DRILL PIPE DEPTH  TOOL DEPTH  PRES. MAX MINIMUM COMMON 100 0 110 17  MEAS. LINE SHOE JOINT POZMIX  CEMENT LEFT IN CSG. P  PERFS. CHLORIDE 5 0 16 2  BOULK TRUCK CEMENTER 201  # 366 HELPER 815  BULK TRUCK  # DRIVER DRIVER DRIVER DRIVER DRIVER 100 100 100 100 100 100 100 100 100 10
TUBING SIZE  DRILL PIPE  DRILL PIPE  DEPTH  TOOL  DEPTH  DEPTH  TOOL  DEPTH  TOOL  DEPTH  TOOL  DEPTH  TOOL  DEPTH  DE
DRILL PIPE TOOL DEPTH TOOL DEPTH PRES. MAX MINIMUM MEAS. LINE SHOE JOINT POZMIX GEL
TOOL DEPTH PRES. MAX MINIMUM  MEAS. LINE SHOE JOINT  CEMENT LEFT IN CSG.  PERFS.  CHILORIDE 5 @ 465 2  DISPLACEMENT  EQUIPMENT   EQUIPMENT   EQUIPMENT   BULK TRUCK  # 394 DRIVER  BULK TRUCK  # DRIVER  REMARKS:  TOTAL 33  EQUIPMENT   BULK TRUCK  # DRIVER  BULK TRUCK  # DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  BULK TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  BULK TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  BULK TRUCK CHARGE  BULK TRUCK CHARCE  BULK TRUC
PRES. MAX MINIMUM MEAS. LINE SHOE JOINT POZMIX GEL
CEMENT LEFT IN CSG.  PERFS.  CHLORIDE 5 @ 466 2  CHLORIDE 5 @ 466 2  EQUIPMENT  EQUIPMEN
PERFS.  DISPLACEMENT  EQUIPMENT  CHLORIDE  ASC  CHLORIDE  ASC  COMPAND  COM
DISPLACEMENT  EQUIPMENT  EQUIPMENT  BULK TRUCK  # 3F4 DRIVER Dartin (coaley)  BULK TRUCK  # DRIVER  REMARKS:  REMARKS:  BULK TRUCK  BULK TRUCK  # DRIVER  HANDLING 18 @ 14 @ 3 & 3 & 3 & 3 & 3 & 3 & 3 & 3 & 3 & 3
PUMP TRUCK CEMENTER Reci @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @
PUMP TRUCK CEMENTER Pacal  # 364 HELPER 8:))  BULK TRUCK  # 374 DRIVER Daction (owner)  BULK TRUCK  # MILEAGE  PUMP TRUCK CEMENTER Pacal  @ # # # # # # # # # # # # # # # # # #
PUMP TRUCK CEMENTER Facts  # 366 HELPER 8:);  BULK TRUCK # 374 DRIVER Dartin (online)  BULK TRUCK # DRIVER  HANDLING ALS @ 142 3  MILEAGE 94 WILE 95  DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 65 @ 62 3
PUMP TRUCK CEMENTER 1221  # 360 HELPER 8:))  BULK TRUCK  # 394 DRIVER Dartin (occupy)  BULK TRUCK  # MANDLING 12 @ 142 3  MILEAGE 92 W 1 = 96  SERVICE  DEPTH OF JOB  PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 65 @ 62 3
# 366 HELPER B:))  BULK TRUCK # 394 DRIVER Dartin (occupy)  BULK TRUCK # HANDLING 1/2 @ 1/2 3  MILEAGE 94   W = 96  SERVICE  DEPTH OF JOB PUMP TRUCK CHARGE & EXTRA FOOTAGE @ MILEAGE & 3  MILEAGE 65 @ 62 3
BULK TRUCK # 394 DRIVER Dartin (Occupy)  BULK TRUCK # HANDLING 1/2 @ 1/2 3 MILEAGE 94   White 94  SERVICE  DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE 65 @ 62 3
BULK TRUCK  # DRIVER  HANDLING 18 @ 19 3  MILEAGE  SERVICE  DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  MIL
# DRIVER  HANDLING 1/2 @ 1/2 3  MILEAGE 94 W 1/3 99  SERVICE  DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE 65 @ 62 3
REMARKS:  TOTAL 33  SERVICE  DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  MILEAGE
REMARKS:  SERVICE  SERVICE  DEPTH OF JOB PUMP TRUCK CHARGE EXTRA FOOTAGE MILEAGE SERVICE  SERVICE  MILEAGE SERVICE
SERVICE  CEMENT CIRCLATED:  DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  SERVICE  DEPTH OF JOB  PUMP TRUCK CHARGE  MILEAGE  MILEAGE  SERVICE
DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  S  MILEAGE  S  MILEAGE  S  MILEAGE  S  MILEAGE  S  MILEAGE  MILEAGE  S  MILEAGE
DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  S  MILEAGE  S  MILEAGE  S  MILEAGE  S  MILEAGE  S  MILEAGE  MILEAGE  S  MILEAGE
DEPTH OF JOB  PUMP TRUCK CHARGE  EXTRA FOOTAGE  MILEAGE  S  @  MILEAGE  DEPTH OF JOB  PUMP TRUCK CHARGE   MILEAGE  MILEAGE  DEPTH OF JOB  PUMP TRUCK CHARGE  MILEAGE  MILEAG
PUMP TRUCK CHARGE         A           EXTRA FOOTAGE         A           MILEAGE         A
EXTRA FOOTAGE @
MILEAGE 65 @ 62 3
MANIFOLD @
@ @ <u></u>
CHARGE TO: Uincent D.)
TOTAL 12
STREET
CITYSTATEZIPPLUG & FLOAT EQUIPMENT
TEOG & FLOAT EQUITMENT
954 Plus @ 6
To Affied Cefficituing Co., file.
You are hereby requested to rent cementing equipment
and furnish cementer and helper to assist owner or
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.
and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.  TOTAL CHARGE

## ALLIED CEMENTING CO., INC. 24775 Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

		ΓWP.	RANGE	CALLED	OUT	ON LOCATION	JOB START	JOB FINISH		
	29	7	22	- 7		1 011 -	COUNTY	12.20 G.,		
LEASE WELL		29	LOCATION #11	City	31	V 2/2 E	Fraham	K5,		
DLADAR NEW Circ	le one)		Sinte							
CONTRACTOR	V DATE		Ris #6	OWN	JED L	INCENT O	0:6 Cm	-D		
TYPE OF JOB Prod	( //			COVVI	NISIX .	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	01-	<i>F</i>		
HOLE SIZE 2		TD	3906	CEN	MENT					
CASING SIZE	2 10/2	DEL	TH 3 898			DERED 165	ASC 105	C.It 28.6		
TUBING SIZE	S. 100		PTH		, , , , , , , , , , , , , , , , , , , ,	16 641		311 21200		
DRILL PIPE			TH	5	ioc Cal	UFR-2				
TOOL Port Ciller	in i		TH 1936							
PRES. MAX			NIMUM	COM	IMON		@			
MEAS. LINE		SHO	DE JOINT 15.18	POZ	MIX		@			
CEMENT LEFT IN (	CSG. 157	118		GEL		3	@ 1/2.65	49.95		
PERFS.				CHL	ORIDE		@			
DISPLACEMENT	61.	73		ASC	16	5	@ 13,75	- 2268.		
	•	PMENT		- RO		0601	@ 25,00	250.00		
	EQUII.	AVERSIA T			4	00991	@ 1.00	500,00		
DITA (D. MOLLOT)	TR CEDS Transies		/			/	@			
	EMENTER			_			@			
	ELPER	256	a Roberts				@			
BULK TRUCK # 378 DI	DIVED.	0.	/				@			
	RIVER	MOCK	9	-			@			
BULK TRUCK	DIVED						@			
# DI	RIVER					168	@ 1.70	319.20		
				MILI	EAGE	SK/mi/o	4	1/34,0		
	REMA	ARKS:					TOTA	4521.		
Rat Holz 15	ski									
has there is	877					SERV	TCE			
				_						
Insert @ 3	3882	. 82		DEP	TH OF JO	)B				
				PUM	IP TRUCE	K CHARGE		1610.0		
Canded Pla	1500	1500	psi.	_ EXT	RA FOOT	TAGE	@			
_~		/		MIL	EAGE_	75	@ 6.5	- 450,0		
Hoef H	eld	1			VIFOLD_		@			
.07							@			
Y.	1			-			@			
CHARGE TO:	Incen	+ 1	Of Corners	fre						
om trob to.		/	ar o po .				TOTA	L 2060.		
STREET				_			10111			
CITY	STAT	Œ	ZIP							
					PLUG & FLOAT EQUIPMENT					
				(	Fride	Stoe	@	150.		
				1/ ( 6	5 - Co.	atralizers	@ 45, s	- 270,°		
To Allied Cementin	g Co. Inc	3	4	27 1	- 665k	cet	@	150,0		
You are hereby requ			nenting equipment	( 0	luc lo	of Collar	@	1600.		
and furnish cement				( ) A	lubber	Plus	@	35. 57		
contractor to do wo				,						
done to satisfaction				,			TOTA	2225		
				D						
contractor. I have a				ע TAX						
CONDITIONS" lis	tea on the	reverse	e side.							
the L	•			TOT	AL CHAI	RGE				
Thanks	2			DISC	COUNT		IF PA	.ID IN 30 DAYS		
/	٦,	0	42	DIDC		1		III III JO DITTE		
L	4 4		the		1	+ 1:				
SIGNATURE 1		ww	All of		10		indstor	1		
	200	1775	V			PRIN'	TEDNAME	,		

PRINTED NAME

## ALLIED CEMENTING CO., INC.

Federal Tax I.D.# 48-0727860

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT: Russell KS

						14.12	201 102
DATE 11-29-07	SEC.	TWP, <b>7s</b>	RANGE 22W	CALLED OUT	ON LOCATION		2:00 pm
LEASE Web	WELL#	1-29	LOCATION HUI	City stopligh	+ 41/2%	COUNTY	CTATE
OLDOR NEW (Cir	-		Sinto	eng suprign	170 53 40	SALMAGA	100
					1/		0
CONTRACTOR I	1-D	Oilfiel	d Service	OWNER	VINCEN	T Col	Corp.
TYPE OF JOB C	irculat			CEMENT	Used 320	SKS	
HOLE SIZE CASING SIZE 4	¥2	T.I	<i>Э.</i> ЕРТН				86 Gel MA Flo
TUBING SIZE 2			EPTH	AMOUNTOR	DEKED 43	0 140 6	OBLI M FIG
DRILL PIPE	·		EPTH				_
TOOL PC		DI	EPTH 1946'				
PRES. MAX 1000	ops:	M	NIMUM -	COMMON_	192	@	57373
MEAS. LINE	01 57	SE	IOE JOINT	POZMIX	128	@ 6	32 793
CEMENT LEFT IN	CSG.			GEL	1		266
PERFS.		~ 1)		CHLORIDE _		@	
DISPLACEMENT	T. 6			ASC		@ @ 2°	20
	EQU	J <b>IPMEN</b>	Γ	Floses	-\	@ <b>2</b> °	760
				_			
		ER Sha					
# 409 I	HELPER	John R	aberts				
BULK TRUCK	SDIMED.	ΔΔ				@	
# 362 I BULK TRUCK	DRIVER	Matt		—)		@	
	DRIVER			( <del>1</del>		_ @	5
	340,7334			- HANDLING_	473	@ 19	898
	DE	MARKS:		MILEAGE	74	SKI WILL	
T 1 . 1 . 1 . 1				4		10	TAL 72298
Test tool to	1000 ps	Dene	a port collar o	jor	CEDY	TCE	
cement. Dis	placed	6.5	bh/s clased	ire.	SERV	ICE	
port collars t	ested	to Inon	Post Ran 10:	B DEPTH OF IO	В		
washed elea	n. Ca	ne ou	t of holes	PUMP TRUCK	CHARGE		9550
					AGE		
				MILEAGE	70	@ 6	e 420
<del>, , , , , , , , , , , , , , , , , , , </del>				— MANIFOLD _		@	
						_ @	
						@	
CHARGE TO:	nc < n t	Oil					
STREET						TO	TAL _1375
CITY	ST	ATE	ZIP		PLUG & FLOA	T EOUIPN	MENT
						@	
						@	
To Allied Cement	ing Co	Ino					
			menting equipmen	t		@	
and furnish cemer						@	
			The above work wa	ie.			
			of owner agent or			TO	TAL
			nd the "TERMS AN				
CONDITIONS" I				TAX			
JOHN II	Jud On I	10 1010		тоты сцав	GE		
				TOTAL CHAR	OE		
/	7			DISCOUNT -			PAID IN 30 DAY
6	2, ,	/ -	,		- Liv		