For KCC Use: Effective Date: District # _ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1351113

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	
DPERATOR: License#	foot from N / C Line of Continu
Name:	feet from E / W Line of Section
ddress 1:	LOFOTION D. L. D. L. O.
Address 2:	
State:	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
'hone:	Lease Name: Well #:
	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ;# of HolesOther	·
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II III
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventu	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on	each drilling rig;
· · · · · · · · · · · · · · · · · · ·	each drilling rig; e set by circulating cement to the top; in all cases surface pipe shall be set
The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet in	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir4. If the well is dry hole, an agreement between the operator and th	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging;
 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; polugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orce 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; plented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orce 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing orce 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; plented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be centary. 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. de district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. de district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir If the well is dry hole, an agreement between the operator and th The appropriate district office will be notified before well is either If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be centary. 	e set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. It district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator and the series of the ser	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - To the underlying formation. - Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator and the second representation of the spud date or well is either to appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 5. The appropriate district office will be notified before well is either to appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 6. If an ALTERNATE II COMPLETION, production pipe shall be cently be completed within 30 days of the spud date or the well shall be completed. 7. Conductor pipe required	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator and the second representation of the spud before well is either to appropriate the spud date or the well shall be completed. 5. The appropriate district office will be notified before well is either to appropriate the surface casing order must be completed within 30 days of the spud date or the well shall be completed. 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 6. If an ALTERNATE II COMPLETION, production pipe shall be cent of the second pipe shall be cent of	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File adstraid of file acreage attribution plat according to filed proration orders;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. When the production of the spud date or the well shall be completed. For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator and the second representation of the spud before well is either to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 5. The appropriate district office will be notified before well is either to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 6. If an ALTERNATE II COMPLETION, production pipe shall be centered to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 6. If an ALTERNATE II COMPLETION, production pipe shall be centered to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be centered to appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be centered to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas surface casing order must be completed to appendix "B" - Eastern Kansas sur	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to scompleted (within 60 days); - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. When the spud date or the well shall be conducted by the spud date or the well shall be conducted. API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is sarry prior to to plugging is necessary prior to the set to the plugging in all cases surface of the set of the underlying formation. - Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. When the spud date or the well shall be conducted by the spud date or the well shall be conductor pipe required feet. Minimum surface pipe required feet per ALT. If Approved by: This authorization expires:	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is authorized expiration date) To the underlying formation. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cen Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. 4. If the well is dry hole, an agreement between the operator and the second representation of the specific plants and the second representation of the specific plants are specified below shall be centered. 5. The appropriate district office will be notified before well is either the second representation of the second represed before a material specified before a material specified below shall be centered. 6. If the well is dry hole, an agreement between the operator and the second represed before well is either the operator and the second represed by the second represed before a material specified before a material specified before a material specified before and the second represed by the sec	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is necessary prior to plugging; to the underlying formation. Remember to plugged or production casing is cemented in; the ented from below any usable water to surface within 120 DAYS of spud date. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.

Signature of Operator or Agent:

Side	IWA

1351113

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1351113

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Artificial Liner?	(bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County County mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Yes N	lo	
	Length (fee		Width (feet) N/A: Steel Pits (feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:	
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Drill pits must be closed within 365 days of spud date.	
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1351113

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location: Sec Twp S. R ☐ East ☐ West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+		
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be le	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
KCC will be required to send this information to the surface ov	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

DEUTSCH OIL COMPANY ZINK LEASE SE. 1/4. SECTION 4. T265. R11W PRATT COUNTY, KANSAS



Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.


ion as shown on this may not be legally set londowner.

April 6, 2017

setting of concentrating and ourses.

**Approximate section lines were determined using the normal standard of core of allfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exocit location of the deflicit liste location in the section is not quaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying therein agree to hold Central Kansas Diffield Services, Inc., its officers and employees horeless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

Elevations derived from National Geodetic Vertical Datum.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

April 10, 2017

Kent Deutsch Deutsch, Kent A. dba Deutsch Oil Company 8100 E 22ND ST N, BLDG 600 WICHITA, KS 67226

Re: Drilling Pit Application Zink 'B' 1-4 SE/4 Sec.04-26S-11W Pratt County, Kansas

Dear Kent Deutsch:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.