Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

1351173

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

API No. 15
Spot Description:
SecTwpS. R East West
Feet from North / South Line of Section
Feet from _ East / _ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
□NE □NW □SE □SW
GPS Location: Lat:, Long:
(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Datum: NAD27 NAD83 WGS84
County:
Lease Name: Well #:
Field Name:
Producing Formation:
Elevation: Ground: Kelly Bushing:
Total Vertical Depth: Plug Back Total Depth:
Amount of Surface Pipe Set and Cemented at: Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: Feet
If Alternate II completion, cement circulated from:
feet depth to:w/sx cmt.
Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content: ppm Fluid volume: bbls
Dewatering method used:
Dewatering method daed.
Location of fluid disposal if hauled offsite:
Operator Name:
Lease Name: License #:
Quarter Sec TwpS. R East West
County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

1351173	

Operator Name:				Lease I	Name: $\_$			Well #:	
Sec Twp	S. R	East	West	County	r:				
open and closed, flow and flow rates if gas to	ow important tops of foing and shut-in pressu o surface test, along w	res, whe ith final c	ther shut-in pre chart(s). Attach	essure reac extra shee	hed stati et if more	c level, hydrost space is need	atic pressures, b ed.	ottom hole tempe	erature, fluid recovery
•	g, Final Logs run to ob d in LAS version 2.0 o					ngs must be em	alled to kcc-well	-logs@kcc.ks.gov	7. Digital electronic lo
Drill Stem Tests Taken (Attach Additional S		Ye	es No				ion (Top), Depth		Sample
Samples Sent to Geol	logical Survey	☐ Ye	es 🗌 No		Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Ye	es No						
List All E. Logs Run:									
		Repo	CASING ort all strings set-o	RECORD	☐ Ne		ction, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing t (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	. CEMENTII	NG / SQL	JEEZE RECORI	)		
Purpose:	Depth Top Bottom	Type of Cement # Sacks Used			Used	Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
Does the volume of the to	ulic fracturing treatment or otal base fluid of the hydra ing treatment information	ulic fractu	uring treatment ex		•	Yes Yes Yes Yes	No (If No,	skip questions 2 an skip question 3) fill out Page Three	,
Shots Per Foot			RD - Bridge Plug Each Interval Perl				acture, Shot, Ceme Amount and Kind of	ent Squeeze Record	d Depth
TUBING RECORD:	Size:	Set At:		Packer A	t:	Liner Run:	Yes 1	No	
Date of First, Resumed	Production, SWD or ENH	R.	Producing Meth	nod:	ıg 🗌	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wat	er I	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF GAS:		N Open Hole	METHOD OF		Comp. Co	ommingled bmit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	omit ACO-18.)		Other (Specify)		(Cabinit)		- Link A00-4)		

Form	ACO1 - Well Completion
Operator	Wrestler, David L., a General Partnership
Well Name	JOHNSON 5
Doc ID	1351173

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12	7	12	20	Portland	6	0
Conductor	5.625	6.875	6	1070	Portland	130	0



LICENSE # 33977 950-496-2526/620-852-3456 Moran, Ks. 66755 78 0008 S671 EK Eucigy LLC

## CEMENT RECORD

(1/8/1) Date

Company: David Wastler

Lease: Johnson

Casing size & depth: 27/8 - 1070' size & depth: 55/8 - 1073

Remarks:

BUISDO SKE

Good neturns, centent to Sunface. Cement. Pumped plug to displace cement Extablished circulation, pumped 130 st

### **Drillers Log**

Company: NC oil Farm: Johnson

#5

Operator#

Surface Pipe:22.5 with 6 sacks

API.# 15-001-

started 11/27/2016

Contractor: David Wrestler

License #: 7160 County: Allen Sec: 10-26-19e Location: fsl 1485 location: fwl 2805

finished 11/30/2016

Thickness	Formation	Depth	
0-5ft	Top Soil	5ft	
23ft	lime	28ft	
30ft	shale	58ft	1
6ft	lime	64ft	
3ft	red shale	67ft	
17ft	lime	70ft	
33ft	shale	103ft	
161ft	lime	264ft	
148ft	shale	412ft	T-1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -
40ft	lime	452ft	
63ft	shale	515ft	
37ft	lime	552ft	
37ft	shale	589ft	
15ft	lime	604ft	
9ft	shale	613ft	
4ft	lime	617ft	
81ft	shale	698ft	
1ft	lime	699ft	
14ft	shale	713ft	
1ft	lime	714ft	
88ft	shale	802ft	
27ft	sand brk	829ft	
5ft	oil sand	834ft	
4ft	shale	838ft	
1ft	coal	839ft	
181ft	dark shale	1020ft	
23ft	Lime	1043ft	
30ft	lime	1073ft	
T.D. Well 1073ft.			
Td. Pipe 1070ft			