

Spud date: \_

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1351964

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

· · · month dav vear	Spot Description:
month day year	(2/2/2/2) Sec Twp S. R 🔲 E 🔲 V
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Sity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Mall Duillad Fau	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ;# of HolesOther	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe (if any):
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
virectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
Sottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
CC DKT #:	
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual p	
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	lugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual points agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the shall be settlement to drill shall be settlement of the shall be settlement.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug	ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl  4. If the well is dry hole, an agreement between the operator and the dist.  5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into tl  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strong hall be district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the nature of the strong hall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be	lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength of th	lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	lugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; th by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	ch drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the deformation below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plug.  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. et 133,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. e133,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed within 30 days of the spud date or the well shall be sequenced.  Ibmitted Electronically  For KCC Use ONLY  API # 15	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  1333,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be submitted Electronically  **Torright Specific Spec	Industrial comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
the undersigned hereby affirms that the drilling, completion and eventual position is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the sequent of the proposition of the shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	Industrial Republic R
The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the distriction of the sequence of the sequence of the well is either plug.  5. The appropriate distriction office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  1333,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							Lo	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Numb	oer:								feet from E / W Line of Section
Field:							Se	C	Twp S. R
Number of							15	Section:	Regular or Irregular
QTR/QTR	/QTR/QTF	R of acreag	je:				_		
								Section is ection corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
	lease roa				d electrica	l lines, as	required b		dary line. Show the predicted locations of eas Surface Owner Notice Act (House Bill 2032). ired.
287 ft				:		:			LEGEND
207 II. ·	<del>   </del>	:	:	:			:	:	LEGEND
			:						O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		·	·	· 		· · :	·	·	
			:	1	2	<u>:</u>		: : :	EXAMPLE : :
		:	: :	:		: : :	:	:	
		:	:	:		:	:	:	1980' FSL
				:		: : :		:	
				•		•		: :	: []; : : SEWARD CO. 3390' FEL

#### NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:	- Francisco				
Emergency Pit Burn Pit  Settling Pit Drilling Pit	Proposed	Existing	SecTwpR East West			
Workover Pit Haul-Off Pit			Feet from North / South Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water Area?		No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
, , , ,	Length (feem ground level to dee	•	Width (feet) N/A: Steel Pits (feet) No Pit			
If the pit is lined give a brief description of the lin material, thickness and installation procedure.		Describe proce	dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile o	f pit:	Depth to shallo Source of inforr	west fresh water feet. nation:			
feet Depth of water wellfeet		measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically	-					
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS			
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection: Yes No			

### Kansas Corporation Commission Oil & Gas Conservation Division

1351964


Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: <ul> <li>I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be loced CP-1 that I am filing in connection with this form; 2) if the form be</li> </ul>	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ct (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form lied is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, ar	nd email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and ICC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	





Go 82 / 110 Ave.

Producing well 2459.7' = Gr elev as of Apr. 11, 2017

Go. 80

13

11

26 25

12

13

1 18

Trego Co.

Gove Co.

63U (Rev. 1993)



	OIL AND	AS LEASE		www.kbp.com - kbp@kbp.com
AGREEMENT, Made and entered into the	Novemb	er		2014
and betweenMatthew W. Miller and Kristi I				
hose mailing address is 523 County Road 78	Utica, KS 67584		hereinafter calle	d Lessor (whether one or more),
Palomino Petroleum, Inc.				
				, hereinafter caller Lessee:
Lessot, la consideration of One and More here acknowledged and of the royalites herein provided investigating, exploring by geophysical and other mea instituent products, injecting gas, water, other fluids, and dithings thereon to produce, save, take care of, treat, ma oducts manufactured therefrom, and housing and others erein situated in County of Gove	d air into subsurface strata, laying nufacture, process, store and tran- wise caring for its employees, the	see herein contained, hereby g and operating for and product pipe lines, storing oil, building sport said oil, liquid hydrocarbo	tanks, power stations, telep	hone lines, and other structures e constituent products and other
<u>T</u>	ownship 14 South.	Range 26 West		
	ection 11: N/2			
S	ection 12: N/2			
Section, Township	Range	, and containing	640	acres, more or less, and all
cretions thereto.  Subject to the provisions herein contained, this lea	ase shall remain in force for a te	rm of three (3)	om this date (called "primar	y term"), and so long thereafter
oil, liquid hydrocarbons, gas or other respective constit In consideration of the premises the said lessee co		produced from said land or lan	d with which said land is po	oled.
lst. To deliver to the credit of lessor, free of cost on the leased premises.	t, in the pipe line to which lessee	may connect wells on said lane	d, the equal one-eighth (%) pa	art of all oil produced and saved
2nd. To pay lessor for gas of whatsoever nature the market price at the well, (but, as to gas sold by lee mises, or in the manufacture of products therefrom, a royalty One Dollar (\$1.00) per year per net mineral a	ssee, in no event more than one-	eighth (%) of the proceeds recei	ved by lessee from such sale ucing gas only is not sold or	es), for the gas sold, used off the r used, lessee may pay or tender
enning of the preceding paragraph.  This lease may be maintained during the prima this lease or any extension thereof, the leasee shall ha und in paying quantities, this lease shall continue and l	we the right to drill such well to	completion with reasonable di	ligence and dispatch, and it	oil or gas, or either of them, be
If said lessor owns a less interest in the above of said lessor only in the proportion which lessor's interest.	described land than the entire a est bears to the whole and undivi	nd undivided fee simple estate ded fee.	therein, then the royalties h	erein provided for shall be paid
Lessee shall have the right to use, free of cost, gas When requested by lesser, lessee shall bury lessee		land for lessee's operation the	reon, except water from the v	rells of lessor.
No well shall be drilled nearer than 200 feet to the	e house or barn now on said prer		f lessor.	
Lessee shall pay for damages caused by lessee's o Lessee shall have the right at any time to remove			he right to draw and remove	casing.
If the estate of either party hereto is assigned, ecutors, administrators, successors or assigns, but no usee has been furnished with a written transfer or assign th respect to the assigned portion or portions arising su	and the privilege of assigning change in the ownership of the gnment or a true copy thereof. Ir	in whole or in part is expressi e land or assignment of renta a case lessee assigns this lease,	y allowed, the covenants he	reof shall extend to their heirs, ing on the lessee until after the
Lessee may at any time execute and deliver to be prender this lesse as to such portion or portions and be	relieved of all obligations as to t	he acreage surrendered.		
All express or implied covenants of this lease shawhole or in part, nor leasee held liable in damages, for	all be subject to all Federal and r failure to comply therewith, if	State Laws, Executive Orders, compliance is prevented by, or	Rules or Regulations, and th if such failure is the result of	is lease shall not be terminated, of, any such Law, Order, Rule or
egulation.  Lessor hereby warrants and agrees to defend the ny mortgages, taxes or other liens on the above describ gned lessors, for themselves and their heirs, successors	title to the lands herein described	I, and agrees that the lessee sha	Il have the right at any time	to redeem for lessor, by payment he holder thereof, and the under-
a said right of dower and homestead may in any way af Lessee, at its option, is hereby given the right ar nmediate vicinity thereof, when in lessee's judgment onservation of oil, gas or other minerals in and under r units not exceeding 40 acres each in the event of an exceed in the conveyance records of the county in whice ooled into a tract or unit shall be treated, for all purpo- pund on the pooled acreage, it shall be treated as if prod- values exceeding 40 acressing the shall be treated as if prod- values elsewhere herein apocified, lessen shall receive	fect the purposes for which this I and power to pool or combine the it is necessary or advisable to and that may be produced from oil well, or into a unit or units net the land harein leased is situation to the payment of royal ucition is had from this lease, we one production from a unit as one production from a unit as	ease is made, as recited herein, acreage covered by this lease on do so in order to properly devisid premises, such pooling to ot exceeding 640 acrea each in sated an instrument identifyin itse on production from the pot eather the well or wells be locat pooled only such portion of	or any portion thereof with c relop and operate said lease be of tracts contiguous to or the event of a gas well. Les g and describing the pooled ded unit, as if it were include ed on the premises covered he the royalty stipulated herei	other land, lease or leases in the premises so as to promote the ne another and to be into a unit see shall execute in writing and a creage. The entire acreage so ed in this lease. If production is yet his lease or not. In lieu of the
laced in the unit or his royalty interest therein on an ac-	reage basis bears to the total acr	eage so pooled in the particular	unit involved.	
This lease is comprised of four (4) separat Township 14 South, Range 26 West Tract 1)Section 11: NE/4 Tract 2)Section 11: NW/4 Tract 3)Section 12: NE/4	e leases described as th	e tollowing tracts:		
Fract 4)Section 12: NW/4 This lease shall be considered for all purpo	oses a separate lease or	n each tract.		
	,			
IN WITNESS WHEREOF, the undersigned executionesses:	ate this instrument as of the day	and year first above written.	risti U.N	00.
Matthew W. Miller		Kristi M. Miller	usu of	XUX
		ST/	ATE OF KANSAS, GOV REGISTER OF	VE COUNTY SS
		( SEAL ).	Book: 191 Page:	640-641
		600 - MAY - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Recording Fee: \$:
		Pages	† #: 19986 Recorded: 2	City of Tutto

Date Recorded: 12/1/2014 B:51:06 AM