Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1352964

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|--|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R 🔲 East 🗌 West |
| Address 2: | Feet from North / South Line of Section |
| City: | Feet from |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| New Well Re-Entry Workover | Field Name: |
| | Producing Formation: |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW | Elevation: Ground: Kelly Bushing: |
| OG GSW Temp. Abd. | Total Vertical Depth: Plug Back Total Depth: |
| CM (Coal Bed Methane) | Amount of Surface Pipe Set and Cemented at: Feet |
| Cathodic Other (Core, Expl., etc.): | Multiple Stage Cementing Collar Used? Yes No |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Drilling Fluid Management Plan |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) |
| Commission Paymit # | Chloride content: ppm Fluid volume: bbls |
| Commingled Permit #: Dual Completion Permit #: | Dewatering method used: |
| SWD Permit #: | Location of fluid disposal if hauled offsite: |
| ENHR Permit #: | · |
| GSW Permit #: | Operator Name: |
| _ | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or | QuarterSecTwpS. R East West |
| Recompletion Date Recompletion Date | County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | |
|---------------------------------|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | |
| Date: | | | | | | |
| Confidential Release Date: | | | | | | |
| ☐ Wireline Log Received | | | | | | |
| Geologist Report Received | | | | | | |
| UIC Distribution | | | | | | |
| ALT I II III Approved by: Date: | | | | | | |

4

| | | | | | | 13529 | 964 | | |
|--------------------------------------|-------------------------|---|-------------------|----------------------------|-------------------|--|---|------------------|--------------|
| Operator Name: | | | Leas | se Name: | | | _ Well #: | | |
| Sec Twp | S. R | East We | est Cou | inty: | | | | | |
| open and closed, flow | wing and shut-in p | s of formations peneti ressures, whether sho ong with final chart(s). | ut-in pressure re | eached stati | c level, hydrosta | atic pressures, bot | | | |
| | | to obtain Geophysica 2.0 or newer AND an | | | gs must be ema | ailed to kcc-well-lo | ogs@kcc.ks.gov | . Digital ele | ectronic log |
| Drill Stem Tests Take | | Yes |] No | L | | on (Top), Depth a | | | nple |
| Samples Sent to Geo | ological Survey | Yes |] No | Name | 9 | | Тор | Dat | um |
| Cores Taken Electric Log Run | | Yes Yes | No No | | | | | | |
| List All E. Logs Run: | | | | | | | | | |
| | | | CASING RECOR | | | tion, etc. | | | |
| Purpose of String | Size Hole Drilled | Size Casino Set (In O.D. | | Weight bs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Addi | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | ADDI | TIONAL CEMEN | NTING / SQU | EEZE RECORD | | | | |
| Purpose: | Depth Top Bottom | Type of Ceme | ent # Sa | acks Used | | Type and F | Percent Additives | | |
| Protect Casing Plug Back TD | | | | | | | | | |
| Plug Off Zone | | | | | | | | | |
| | total base fluid of the | nent on this well? hydraulic fracturing treation submitted to the cl | | - | Yes [Yes [Yes [| No (If No, sk | ip questions 2 an ip question 3) out Page Three o | , |) |
| Shots Per Foot | | RATION RECORD - Brid | | ре | | acture, Shot, Cement mount and Kind of Ma | | l. | Depth |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packe | er At: | Liner Run: | Yes No | | | |
| Date of First, Resume | d Production, SWD o | | cing Method: | nping | Gas Lift (| Other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. Ga | as Mcf | Wate | er E | Bbls. (| Gas-Oil Ratio | | Gravity |
| DISPOSIT | TON OF GAS: | ase Dpen Ho | | OF COMPLE Dually (Submit A | Comp. Co | mmingled | PRODUCTIO | N INTERVAL | : : |

(If vented, Submit ACO-18.)

Other (Specify)

| Form | ACO1 - Well Completion |
|-----------|---|
| Operator | Mid-Continent Fractionation and Storage LLC |
| Well Name | CONWAY 16-2 |
| Doc ID | 1352964 |

All Electric Logs Run

| r Eloculo Eogo Itali |
|----------------------|
| 3 |
| 6 |
| 5 |
| 5 |
| 4 |
| 3 |
| 4 |
| 2 |
| 0 |
| 3 |
| 3 |
| 3 |
| 4 |
| 9 |
| 9 |
| 1 |
| 7 |
| 3 |
| 8 |
| 8 |
| 8 |

| Form | ACO1 - Well Completion |
|-----------|---|
| Operator | Mid-Continent Fractionation and Storage LLC |
| Well Name | CONWAY 16-2 |
| Doc ID | 1352964 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|----|----------------------------------|
| Surface | 16 | 10 | 20 | 40 | Portland | 32 | N/A |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| Surface | | Geological Formation | Final Anode Depth | Electric Log | Before Coke | After Coke | Anode No. |
|------------------------------|-------|---------------------------|-------------------------|-----------------|----------------|---------------|--------------|
| Portland Cement | 10' | Clay & Weathered Shale | | | | | |
| (0'-25') | : 20' | Clay & Weathered Shale | | | | | |
| | 30' | Clay & Weathered Shale | | | | | |
| (40') 10" Sch. 40 PVC Casing | 40' | Clay & Weathered Shale | | 2.3a | | | |
| (0'-40') | 50' | Shale w/ Gypsum Stringers | | 2.6a | | | |
| | 60' | Shale w/ Gypsum Stringers | | 2.5a | | | |
| | 70' | Shale w/ Gypsum Stringers | | 2.5a | | | |
| | 80' | Shale w/ Gypsum Stringers | | 2.4a | | | |
| | 90' | Shale w/ Gypsum Stringers | | 2.3a | | | |
| | 100' | Shale w/ Gypsum Stringers | | 2.4a | | | |
| | 110' | Shale w/ Gypsum Stringers | | 2.2a | | | |
| | 120' | Shale w/ Gypsum Stringers | | 2.0a | | | |
| | 130' | Shale w/ Gypsum Stringers | | 2.3a | | | |
| | 140' | Shale w/ Gypsum Stringers | | 2.3a | | | |
| SAE Conducrete | 150' | Shale w/ Gypsum Stringers | 151' | 2.3a | 2.6a | 3.2a | 7 |
| (25'-240') | 160' | Shale w/ Gypsum Stringers | 165' | 2.4a | 2.6a | 3.2a | 6 |
| | 170' | Shale w/ Gypsum Stringers | 179' | 2.9a | 3.3a | 3.3a | 5 |
| | 180' | Shale w/ Gypsum Stringers | | 2.9a | | | |
| | 190' | Shale w/ Gypsum Stringers | 193' | 3.1a | 3.5a | 3.2a | 4 |
| | 200' | Shale w/ Gypsum Stringers | 207' | 2.7a | 2.7a | 3.7a | 3 |
| | 210' | Shale w/ Gypsum Stringers | | 2.3a | | | |
| | 220' | Shale w/ Gypsum Stringers | 221' | 2.8a | 2.5a | 3.6a | 2 |
| (7) SAE EnviroAnodes 🚺 | 230' | Shale w/ Gypsum Stringers | | 2.8a | | | |
| 14' Centers | 240' | Shale w/ Gypsum Stringers | 235' | 2.8a | 3.3a | 3.9a | 1 |
| 10' | | Test Voltage | 12.00V | | Total | 20.9a | |



McPherson County, KS

Cavern #16

Conway West

INSTALLED FOR: Williams

RECTIFIER ID: 170184

Location: 38.380863; -97.823692

INSTALL DATE: 3/10/17

JOB NO: T6WM001 INSPECTOR: D. Spahr



ver instructed to add

gal. water

McPHERSON CONCRETE PRODUCTS

(620) 241 - 436

1462 17TH AVENUE McPHERSON, KS 67460 • (620) 241-1678



Sames billespie

Ref. No: G012416542

祖島門局

牌榜刊月

MICPHERSON COPYRIGHT

T (620) 241-7077

DRIVER TICKET DATE ACCOUNT TIME DELIVERY ADDRESS OMER CUSTOMER 6 HWY & 5TH AVE 1/4 MI, NORTH OVER TRACKS, EAST SIDE REDIT CARD SALES ORDER TAX CREDIT SLUMP HASE ORDER AMOUNT PRODUCT DESCRIPTION ORDERED DELIVERED UNIT PRICE QTY. IUTES PER YARD UNLOADING TIME. \$60.00 PER HOUR DEMURRAGE CHARGE. SUBTOTAL \$488.75 ARRIVE JOB SITE START DISCHARGE FINISH DISCHARGE ARRIVE PLANT EAVE PLANT DISCOUNT WE MAKE DELIVERIES INSIDE CURB LINE AND ON PROPERTY AT CUSTOMERS RISK ONLY: AND ACCEPT NO RESPONSIBILITY FOR DAMAGE RESULTING IN THEREFROM. ESE MIXES HAVE EN DESIGNED TO A CEMENT-WATER TAX "CAUTION" SKIN AREAS THAT COME INTO CONTACT WITH "CAUTION" SKIN AREAS THAT COME INTO CONTACT WITH PORTLAND CEMENT OR MIXTURES CONTAINING PORTLAND CEMENT, EITHER DIRECTLY OR THROUGH SATURATED CLOTHING, SHOULD BE PROMPTLY WASHED WITH WATER. FAILURE TO DO SO MAY CAUSE SKIN IRRITATION OR BURNS. IF CEMENT GETS IN THE EYE, RINSE IMMEDIATELY WITH WATER AND GET PROMPT MEDICAL TIO TO WHICH WE ST ADHERE TO ARANTEE STRENGTH YOU ADD WATER, U THEREBY ASSUME SPONSIBILITY. PREVIOUS TOTAL **GRAND TOTAL** ATTENTION. KEEP OUT OF REACH OF CHILDREN.

Received Per order by: