Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1353086

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | |
|--|--|--|--|--|
| Name: | Spot Description: | | | |
| Address 1: | | | | |
| Address 2: | | | | |
| City: State: Zip:+ | Feet from East / West Line of Section | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | |
| Phone: () | □NE □NW □SE □SW | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | |
| Purchaser: | County: | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | |
| New Well Re-Entry Workover | Field Name: | | | |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Operator: Well Name: | Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt. | | | |
| Original Comp. Date: Original Total Depth: | | | | |
| □ Deepening □ Re-perf. □ Conv. to ENHR □ Conv. to SWD □ Plug Back □ Conv. to GSW □ Conv. to Producer | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) | | | |
| □ Commingled Permit #: | Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: | | | |
| ☐ ENHR Permit #: ☐ GSW Permit #: | Operator Name: | | | |
| Spud Date or Date Reached TD Completion Date or Recompletion Date | QuarterSec. TwpS. R East West County: Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

1353086

| Operator Name: | | | Lease Name: _ | | | _ Well #: | |
|--|---|--|--|--|---------------------------|---|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| and flow rates if gas to s | g and shut-in pressu surface test, along w Final Logs run to ob | ures, whether shut-in pre vith final chart(s). Attach otain Geophysical Data a | ssure reached stat extra sheet if more and Final Electric Lo | ic level, hydrosta e space is neede | atic pressures, bo ed. | ttom hole tempe | erature, fluid recovery, |
| Drill Stem Tests Taken (Attach Additional Sh | eets) | Yes No | | _og Formati | on (Top), Depth a | nd Datum | Sample |
| Samples Sent to Geolog | , | Yes No | Nam | ne | | Тор | Datum |
| Cores Taken Electric Log Run | | Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | CASING | RECORD N | ew Used | | | |
| | | Report all strings set-c | | | tion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | ADDITIONAL | CEMENTING / SQL | IFEZE BECORD | <u> </u> | | |
| Purpose: | Depth | Type of Cement | # Sacks Used | JEEZE HEOORE | | Percent Additives | |
| Perforate Protect Casing Plug Back TD | Top Bottom | 1,400 01 00.110111 | ii dadka dada | Type and Telechi Additives | | | |
| Plug Off Zone | | | | | | | |
| | al base fluid of the hydra | n this well? aulic fracturing treatment ex submitted to the chemical o | | | No (If No, sk | kip questions 2 an kip question 3) I out Page Three (| |
| Shots Per Foot | | N RECORD - Bridge Plugs ootage of Each Interval Perf | | | acture, Shot, Cemen | | d Depth |
| | 5,000,0 | | | , | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | 1 | |
| Date of First, Resumed Pr | roduction, SWD or ENF | HR. Producing Meth | nod: | Gas Lift | Other <i>(Explain)</i> | | |
| Estimated Production Per 24 Hours | Oil B | | Mcf Wat | | | Gas-Oil Ratio | Gravity |
| DISDOSITION | LOE GAS: | | METHOD OF COMPL | ETION: | | DDON ICTIO | ON INTEDVAL: |
| DISPOSITION Vented Sold (If vented, Subm | Used on Lease | Open Hole | METHOD OF COMPLI Perf. Dually (Submit | y Comp. Co | mmingled bmit ACO-4) | FRODUCIIC | DN INTERVAL: |

| Form | ACO1 - Well Completion | | | |
|-----------|------------------------|--|--|--|
| Operator | Laymon Oil II, LLC | | | |
| Well Name | GLADES 89-16 | | | |
| Doc ID | 1353086 | | | |

Tops

| Name | Тор | Datum |
|------------------------------|-------------------|-------------------|
| Soil | 0 | 18 |
| Shale | 18 | 153 |
| Lime | 153 | 200 |
| Shale | 200 | 206 |
| Lime | 206 | 300 |
| Sandy Lime | 300 | 320 |
| Lime | 320 | 370 |
| Shale | 370 | 373 |
| Lime | 373 | 380 |
| Sandy Lime | 380 | 400 |
| Lime | 400 | 430 |
| Shale | 430 | 440 |
| Lime | 440 | 520 |
| Shale | 520 | 522 |
| Lime | 522 | 630 |
| Big shale | 630 | 700 |
| Black Shale | 700 | 702 |
| Shale | 702 | 870 |
| Lime | 870 | 880 |
| Shale | 880 | 907 |
| Black Shale | 907 | 909 |
| Shale | 909 | 940 |
| Lime | 940 | 957 |
| Black Shale | 957 | 960 |
| Black Shale Shale Lime | 907 909 940 | 909 940 957 |

| Form | ACO1 - Well Completion | | |
|-----------|------------------------|--|--|
| Operator | Laymon Oil II, LLC | | |
| Well Name | GLADES 89-16 | | |
| Doc ID | 1353086 | | |

Tops

| Name | Тор | Datum | |
|---------------------|------|-------|--|
| 5' Lime | 960 | 963 | |
| Black Shale | 963 | 965 | |
| Upper Squirrel Sand | 965 | 975 | |
| Shale | 975 | 1002 | |
| Cap Rock | 1002 | 1003 | |
| Shale | 1003 | 1006 | |
| Cap Rock | 1006 | 1007 | |
| Lower Squirrel Sand | 1007 | 1020 | |
| Shale | 1020 | 1120 | |

| Form | ACO1 - Well Completion | | | |
|-----------|------------------------|--|--|--|
| Operator | Laymon Oil II, LLC | | | |
| Well Name | GLADES 89-16 | | | |
| Doc ID | 1353086 | | | |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | | | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|----|------|-------------------|-----|----------------------------|
| Surface | 10.250 | 8.625 | 24 | 40 | portland | 10 | 0 |
| Production | 6.125 | 2.875 | 7 | 1112 | common | 160 | 0 |
| | | | | | | | |
| | | | | | | | |

| _ _

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

LAYMON OIL II 1998 SQUIRREL RD

NEOSHO FALLS

KS 66758

CUST # 3447 TERMS: NET 10TH OF MONTH

DATE : CLERK: TERM # 361243 12/14/16 SE 551

TIME : 4:20 ******* **********

| | | Glades. | QUANTITY 200 |
|---|--|-----------------------|-----------------------|
| | | 为中 | UM EA PC |
| | | 76 | PC |
| | | Gladia 89-17 10 Dacks | ITEM |
| | | | PORTLAND CEMENT |
| T2 S1 TC | | | SUG. PRICE |
| TAXABLE NON-TAXABLE SUB-TOTAL TAX AMOUNT TOTAL | | | PRICE/PER 9.45 /EA |
| 1890.00 0.00 1890.00 165.38 2055.38 | | | EXTENSION 1,890.00 |

Received By

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength openit incleated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: GLAZES WELL# 89-17 HIPTO:

YATES CENTER SKS 54 W TO QUAIL N 5 9/4 MT E SD JUST BEFORE RR TRACKS

SOLD ADDS LAYMON OT IT. L.L.C. 1998 SQUIRREL

NEDSHO PHOLS

KS 66758

| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | - | PLANT/TRANSACTION # |
|---------|--------------------|------------|---------------|--------|--------------|---------|---------------------|
| 10:45 A | M WELL PO NUMBE | 16.00 R | 16.00 | | 35 | * | иообо. |
| DATE | | LOAD# | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 2/21/17 | | | 16.00 | 6 | 0.00 | 4.40 in | 42092 |

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical

Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Cistomer-The diriver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you id even, way thet we can, but in order to do this order to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove much orn the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

LOAD RECEIVED BY

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 16.00 WELL (10 SACKS PER 16.00 2.00 TRUCKING TRUCKING CHARGE 2.00 16.00 MIXING AND HAULING MIXSHAUL 16.00

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER | TEST TAKEN | TIME ALLOWED | |
|-------------------|--------------|------------------|---------------------------------------|---------------------------------------|--------------|---------------------|
| | | 1200 | 2. SLOW POUR OR PUMP 7. AC | RUCK BROKE DOWN CCIDENT ITATION | % | TAX, 7.50 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN ADDED WATER | THER | TIME DUE | |
| 1108. | 11417 | | | | | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | | DELAY TIME | ADDITIONAL CHARGE 2 |
| ж | | | | | | GRAND TOTAL |