For KCC Use: Effective Date: District # _ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1353113

Well will not be drilled or Permit Expired Date: ___

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

SECTION: Get from E / W L Address 1: Address 2:	Yes N feet M3 Yes I Yes I Yes I
feet from E / W L	Yes N feet M: Yes I Yes I
ddress 1:	Yes N feet M: Yes I Yes I
	Yes N
State: Zip: +	Yes N
County C	Yes N
Lease Name: Well #: Field Name: Seismic # of Other Original Completion Date: Original Total Depth: Total Location: CD DKT #: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Water well within one-quarter mile: Solution of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to Disposal will class: Original Total Depth: Water well within one mile: Depth to Dottom of usable water: Depth to Dottom of usable water of Depth: Water Source for Drilling Operations: Water Source for Dril	Yes N
DNTRACTOR: License#	feet M3 YesI YesI
Target Formation(s): Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Soundcutor Pipe (if any): Projected Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: OWR Permit #: OWR Permit with DWR OWR Permit #: OWR Permit with DWR OWR Permit #: OWR Permit with DWR OWR P	feet M3 YesI YesI
Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Seismic ; Infield Mud Rotary Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth	feet M
Gas Storage Pool Ext.	feet MilyesI
Gas	Yes I
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Duhr Disposal Wildcat Duhr Duhr Duhr Duhr Duhr Duhr Duhr Duhr	Yes [
Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of suable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the approperate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the appropriate district office will be notified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the production and production and production pipe shall be ce	
Seismic; # of Holes Other Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Length of Conductor Pipe (if any): Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations: Water Source for Drilling	
Surface Pipe by Alternate: I I IL Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Weter Source for Drilling Operations: Well parm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugges. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surfa	
Length of Surface Pipe Planned to be set: Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the surface with	
Operator:	
Well Name:Original Completion Date:Original Total Depth:	
Well Name: Original Completion Date: Original Total Depth: Original Total Depth: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of	
Water Source for Drilling Operations: Yes	
Yes, true vertical depth: Ottom Hole Location: CC DKT #: Well Farm Pond Other: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the spring that the plugged or production casing is cemented in;	
DWR Permit #: DWR Permit #: DWR Permit with DWR DWR DWR	
Will Cores be taken? If Yes, proposed zone:	
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. at is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	Yes I
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of	
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of 	
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of 	
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of 	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of 	et
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	ing;
	ate
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II ceme	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing	
ubmitted Electronically	
Remember to:	
For KCC Use ONLY - File Certification of Compliance with the Kansas Surface Owner Not	fication
API # 15 Act (KSONA-1) with Intent to Drill;	
Conductor pipe requiredfeet	
- File Completion Form ACO-1 within 120 days of spud date;	
Minimum surface pipe requiredfeet per ALTIII - File acreage attribution plat according to field proration orders;	
Approved by: Notify appropriate district office 48 hours prior to workover or re-entr	
This authorization expires: - Submit plugging report (CP-4) after plugging is completed (within 60 Obtain written expressed before dispessing as injecting self-vector.	y;
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	y;
- If well will not be drilled or permit has expired (See: authorized expirate please check the box below and return to the address below.	y; days);

•	: ~ ~	· 7.	
- 3	ue	v	Vι

1	3	5	3	1	1	3

For KCC Use	ONLY		
API # 15			


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



3330 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		-	License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
	5		The Essential (Adda).		
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	Sec. Twp. R. East West		
Settling Pit Drilling Pit	If Existing, date cor				
Workover Pit Haul-Off Pit	——————————————————————————————————————		Feet from North / South Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	lo			
, J. ,	Length (fee	,	Width (feet) N/A: Steel Pits		
	m ground level to dee				
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
Odbinitiod Electronically					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1353113

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. It (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax, and	d email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:
Well Number: Sec Twp S. R E W
Field: MCCCace Workheast Sec. IND
Number of Acres attributable to well:
QTR/QTR/QTR of acreage:
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Section corner used.
PLAT
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.
fou may attach a Separate plut il desired.
LEGEND
O Well Location
Tank Battery Location
Pipeline Location
Electric Line Location
Lease Road Location
EXAMPLE
1980'FS
SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Additional Surface Owner

For Notice of Intent to Drill Form C-1 Lease Name: Elmore A OWDD #3

NKD Farms, LLC c/o Kay Bleakley, Manager/Member 7015 Overhill Road Mission Hills, KS 66208

STATE OF KANSAS STATE CORPORATION COMMISSION

15-165-20187-0000 Form CP-4

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission

WELL PLUGGING RECORD

212 No. Market Wichita, Kansas	I	Rush	Count	y. Sec. 17 T	wp. 17S Rge	(X)	20(W)
NORTH	Location as "NE	CNWXSW#"	or footage fro	m lines	C SE NE		
	Lease Owner Lease Name	Filmore	a OII Co	o., Inc.			
i	Office Address_	410 Fo	urth Nat	ional Bld	a Wichi	Well No	3
	Character of We	ell (completed	ns Oil Cos o	TOTAL BIO	Dry F	lolo	as
i	Date well comp	leted	as on, cras o	Diy note)		tober 8,	
1 1	Application for					tober 8,	19 68
	Application for I					tober 8,	19 68
	Plugging comme					tober 8,	19 68
	Plugging comple				Oc	tober 8,	19 68
	Reason for abane	donment of we	ll or producin	g formation			
	If a producing v	vell is abandor	ied, date of la	ast production_			.19
Locate well correctly on above	Was permission	obtained from	the Conserv	ation Division o	r its agents bef	ore plugging v	vas com-
Section Plat Name of Conservation Agent who super	menced?			Have V	2222		
Producing formation						106	2 -
Show depth and thickness of all water,	oil and gas formation	epin to top	501101	Π	Total Depth of	Well 400	≤Feet
		5.					
OIL, CAS OR WATER RECORD	S					CASING REC	CORD
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	PULLED D	דעונ דעונ
				8-5/8"	1365'	None	
						7	
		3					
						1	
Placed 25 sacks cement wooden plug, 1/2 sack leat hole with 2 sacks of	nulls and 10	sacks ce	ment to	base of we	ell cella	r. Plugo	jed
				CTATI	RECEIV		
VT-0007-107-00-00-00-00-00-00-00-00-00-00-00-00-0				STAIL	CORPORATION		
					OCT 16	1968	
				CON	SERVATION Wichita, Ka		
	(If additional	description is nec	essary, use BACI	C of this sheet)			
Name of Plugging Contractor	Graves Dri	lling Co.	., Inc.				
Address	505 Union	Center, V	Vichita,	Kansas 6	7202		
						Control of the Contro	
STATE OF KANSAS	COU	NTY OF	SEDGWIC	K			
John well, being first duly sworn on oath, subove-described well as filed and that	ays: That I have kno	owledge of the	employee of	owner) or (own	er or operator)	of the above- ned and the lo	described
		(Signature)		Olm	Mai	KS	
		<u>50</u>)5 Union	Center, W	ichita, F	Cansas 6	7202
Subscribed and Sworn to befor	re me this 14th	day of_	13-	October	, 19_	68	
My commission expires May 9, 19	171	Re	etty Bran	ndt	edt	Notary	Public
My commission expires May 9, 19		~ C				Tionnia 1	. WLIEBU.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

May 04, 2017

Jason Rucker Raymond Oil Company, Inc. PO BOX 48788 WICHITA, KS 67201-8788

Re: Drilling Pit Application Elmore A OWDD 3 NE/4 Sec.17-17S-20W Rush County, Kansas

Dear Jason Rucker:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

KEEP PITS on Northwest side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.