### For KCC Use: Effective Date: District # \_ SGA? Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1353148

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Sec.   Twp.   S. R.   E   Get from   N /   S. Line of Sec.   Sec.   Twp.   S. R.   E   Get from   N /   S. Line of Sec.   Sec.   Sec.   Twp.   S. R.   E   Get from   Discovery   S. Line of Section Plat on reverse side	Expected Spud Date:	month	day	year	Spot Description:	
SECTION:   Regular   Inregular?		monur	uay	year	Sec Twp S. R	E V
Is SECTION: Regular   Irregular?	OPERATOR: License#				feet from N /	S Line of Sectio
Address 2:	lame:					W Line of Sectio
County:    County:   Count	ddress 1:				Is SECTION: Regular Irregular?	
County:    County:   Count	ddress 2:				(Note: Locate well on the Section Plat on reverse	e side)
Contractor   Licenses   Lease Name:   Well #:	City:	State:	Zip:		County:	
Field Name:	· · · · · · · · · · · · · · · · · · ·					/ell #:
Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Nearest lease or unit boundary line (in foota	hone:					
Well Dnilled For:   Well Class:   Type Equipment:   Season   Sea	ONTRACTOR: License#	:			Is this a Prorated / Spaced Field?	Yes No
Ground Surface Elevation:	lame:				Target Formation(s):	
Ground Surface Elevation:	Well Drilled For:	Wall Class	Type	Fauinment:	Nearest Lease or unit boundary line (in footage):	
Gas   Storage   Pool Ext.   Air Rotary   Wildcat   Cable   Disposal   Wildcat   Cable   Wildcat   Cable   Wildcat   Cable   Disposal   Wildcat   Cable   Wildcat   Cable   Disposal   Wildcat   Cable   Disposal   Wildcat   Cable						
Selsimic   # of Holes   Other   Cable   Cabl			=	•		
Seismic   # of Holes   Other		• =		•	·	Yes N
Other:   O				Cable		
Surface Pipe by Alternate:					•	
Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth:  Original Completion Date:  Original Completion Date:  Original Total Depth:  Original Completion Date:  Original Date:  Original Completion Date:  Original Date:  Original Completion Date:  Original Date:  Original Date:  Original Date:  Orig	Outer.					
Length of Conductor Pipe (if any):	If OWWO: old well	information as follow	ws:			
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth:	Oneveter				•	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations:  Water Source for Water Interest Mitter Interest Methods on the Surface on Act (Source Interest All Drilling Operations)  Water Source for Drilling Operations Source Interest Policy in Surface All Drilling	•					
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Drill Source September 5.   Water Source for Drilling Drill Strict Office or Drill Strict Office or Promit with DWR   DWR   Promit with DWR   DWR   Premit with DWR   Premit wi			riginal Total	Denth:	•	
Ves true vertical depth:   DVIR Permit #:   DVIR Permit	Original Completion Bi		rigiliai iotai	Борин.		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  DWR Permit #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1	Directional, Deviated or Ho	orizontal wellbore?		Yes No		
Will Cores be taken?   Yes   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Yes   Trees, proposed zone:   Will Cores be taken?   Yes   Trees, proposed zone:   Yes   Will Cores be taken?   Yes   Will Core be taken?   Ye	f Yes, true vertical depth:_					
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Corrier Form ACO-1 within 120 days of spud date;  - File careage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If well with not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address helow.	Bottom Hole Location:					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office as hours prior to workover or re-entry;  Submit Plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check th	CC DKT #:					Yes No
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office as hours prior to workover or re-entry;  Submit Plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check th					If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  With the completion of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or				AF	FIDAVIT	
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office with the surhorized expiration date) please check the hox heliow and return to the address helow.	The undersigned hereby	affirms that the dril	lina, comple			
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:*  For KCC Use ONLY  API # 15 -  Conductor pipe required feet feet			-		-99··9 - · · · · · · · · · · · · · · · ·	
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  District office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	o .					
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  While the defect of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Surface owner Notification Act (KSONA-1) with Intent to Drill;  - File Certification of Compliance with the Kansas Sur					h drilling rig:	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Wemmber to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.		SWOOD NOTICE OF INTON			• •	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Description of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2. A copy of the appre					l be set
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	<ol> <li>A copy of the approx</li> <li>The minimum amo</li> </ol>	ount of surface pipe			ne underlying formation.	l be set
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.    Conductor pipe required	<ol> <li>A copy of the appre</li> <li>The minimum amo through all uncons</li> </ol>	ount of surface pipe olidated materials p	olus a minim	num of 20 feet into th	, ,	
with the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If well will not be drilled or permit has expired (See: authorized expiration date)	<ol> <li>A copy of the appression.</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> </ol>	ount of surface pipe olidated materials pole, an agreement b strict office will be r	olus a minimetween the notified befo	num of 20 feet into the operator and the dis re well is either plug	trict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in;	plugging;
For KCC Use ONLY  API # 15	<ol> <li>A copy of the appression.</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry hos.</li> <li>The appropriate disconnected in the appropriate disconnected.</li> <li>If an ALTERNATE</li> </ol>	ount of surface pipe olidated materials pole, an agreement b strict office will be r II COMPLETION, p	olus a minimetween the notified before production p	num of 20 feet into the operator and the dis re well is either plug- ipe shall be cemente	strict office on plug length and placement is necessary <b>prior to</b> ged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of s	<i>plugging;</i> spud date.
For KCC Use ONLY  API # 15	<ol> <li>A copy of the approach</li> <li>The minimum amounthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	ount of surface pipe colidated materials pole, an agreement be strict office will be recompled to the completion, poendix "B" - Eastern	olus a minimetween the notified before production particular of the notice of the noti	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I	plugging; spud date. I cementing
For KCC Use ONLY  API # 15	<ol> <li>A copy of the approach</li> <li>The minimum amount through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	ount of surface pipe colidated materials pole, an agreement be strict office will be recompled to the completion, poendix "B" - Eastern	olus a minimetween the notified before production particular of the notice of the noti	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I	plugging; spud date. I cementing
For KCC Use ONLY  API # 15	<ol> <li>A copy of the appression.</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> <li>Or pursuant to App</li> </ol>	ount of surface pipe colidated materials pole, an agreement be strict office will be recompled to the completion, poendix "B" - Eastern	olus a minimetween the notified before production particular of the notice of the noti	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I	plugging; spud date. I cementing
For KCC Use ONLY  API # 15	<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted by the strict office within 30 days of the olidation of the strict of the	olus a minimetween the notified before production particular of the notice of the noti	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of standard surface, which applies to the KCC District 3 area, alternate I	plugging; spud date. I cementing
API # 15	<ol> <li>A copy of the approach</li> <li>The minimum among through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to Approach</li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted by the strict office within 30 days of the olidation of the strict of the	olus a minimetween the notified before production particular of the notice of the noti	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	strict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of s 133,891-C, which applies to the KCC District 3 area, alternate I e plugged. <i>In all cases, NOTIFY district office</i> prior to any ce	plugging; spud date. I cementing
Conductor pipe required	<ol> <li>A copy of the approach</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Approach</li> <li>must be completed</li> </ul> </li> </ol>	ount of surface pipe olidated materials pole, an agreement be strict office will be restrict office will be restrict office will be restrict office will be restricted by the strict office within 30 days of the olidation of the strict of the	olus a minimetween the notified before production particular of the notice of the noti	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	etrict office on plug length and placement is necessary <i>prior to</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of standard 133,891-C, which applies to the KCC District 3 area, alternate lest plugged. <i>In all cases, NOTIFY district office</i> prior to any cemember to:	plugging; spud date. I cementing menting.
Conductor pipe required	<ol> <li>A copy of the approach</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         <ul> <li>Or pursuant to Appropriate de</li> </ul> </li> <li>Ubmitted Electro</li> </ol> For KCC Use ONLY	ount of surface pipe olidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Eastern d within 30 days of the nically	olus a minimetween the notified befooroduction particular in the spud dar	num of 20 feet into the operator and the dis re well is either pluggipe shall be cementerface casing order #	Remember to:  File Certification of Compliance with the Kansas Surface Own	plugging; spud date. I cementing menting.
Minimum surface pipe requiredfeet per ALTIIIIIIIIIIIII	A copy of the approach     The minimum amouthrough all uncons     If the well is dry ho     The appropriate di     If an ALTERNATE     Or pursuant to Approach be completed      Description  Tor KCC Use ONLY  API # 15 -	ount of surface pipe olidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Eastern dis within 30 days of the mically	olus a minimetween the notified befoorduction particular in the spud dar	num of 20 feet into the operator and the distrement well is either plugipe shall be cementer face casing order # te or the well shall be	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;	plugging; spud date. I cementing menting.
Approved by:  This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)  This authorization void if drilling not started within 12 months of approval date.)  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below	2. A copy of the approach of the minimum amouthrough all uncons 4. If the well is dry hose of the appropriate disense of the approach of the appropriate disense of the appropriate di	ount of surface pipe olidated materials pole, an agreement be strict office will be result to COMPLETION, poendix "B" - Eastern dis within 30 days of the mically	olus a minimetween the notified befoorduction particular in the spud dar	num of 20 feet into the operator and the distrement well is either plugipe shall be cementer face casing order # te or the well shall be	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;	plugging; spud date. I cementing menting.
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below	2. A copy of the approach of the minimum amount through all uncons  4. If the well is dry house of the appropriate diese of the approach of the appropriate diese of the a	nunt of surface pipe olidated materials pole, an agreement be strict office will be reflected in the complete of the complete	olus a minimetween the notified befoorduction particular that is a minimetween the notified befoorduction particular that is a minimetween the spud date.	num of 20 feet into the operator and the distribution re well is either plugipe shall be cementer accessing order # te or the well shall be shall b	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	plugging; spud date. I cementing menting. er Notification
<ul> <li>(This authorization void if drilling not started within 12 months of approval date.)</li> <li>Obtain written approval before disposing or injecting salt water.</li> <li>If well will not be drilled or permit has expired (See: authorized expiration date)</li> </ul>	2. A copy of the approsection of the approsection of the appropriate displayed and the appropri	punt of surface pipe olidated materials pole, an agreement be strict office will be reflected by the strict office within 30 days of the strict of the	olus a minimetween the notified befoorduction particular in the spud date of the spud date	num of 20 feet into the operator and the discrete well is either plugipe shall be cementerface casing order # te or the well shall be et	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders	plugging; spud date. I cementing menting. er Notification
- If well will not be drilled or permit has expired (See: authorized expiration date)	2. A copy of the approach of the approach of the well is dry howard of the well is dry howard of the well is dry howard of the appropriate difference of the approach of the well approach of the approach of the well approach of the approach of the well approach of the appropriate difference of the approach of	ount of surface pipe olidated materials pole, an agreement be strict office will be reflected in the strict of t	olus a minimetween the notified befoorduction particular in the spud date of the spud date	num of 20 feet into the operator and the discrete well is either plugipe shall be cementerface casing order # te or the well shall be et	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or residuence in cases and place as a prior to workover or residuence in place and plac	plugging; spud date. I cementing menting. er Notification
Spud date: Agent: please check the box below and return to the address below.	2. A copy of the approach of the approach of the well is dry howard of the appropriate different of the appropriate different of the appropriate of the well appropriate of the well appropriate of the well approach of the appropriate of the approach of the	punt of surface pipe colidated materials pole, an agreement be strict office will be reflected in the strict of	olus a minimetween the notified befooroduction particular that shade in the spud date of th	num of 20 feet into the operator and the discrete well is either plugipe shall be cementer face casing order # te or the well shall be et	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders  Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is completed (with the completed with the plugging is completed (with the completed is the completed with the plugging is completed (with the completed is the completed is the complete in the complete is the complete in the comp	plugging; spud date. I cementing menting.  er Notification  ; re-entry; thin 60 days);
	2. A copy of the approach and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required Minimum surface pipe rec Approved by:  This authorization expire	punt of surface pipe colidated materials pole, an agreement be strict office will be reflected in the strict of	olus a minimetween the notified befooroduction particular that shade in the spud date of th	num of 20 feet into the operator and the discrete well is either plugipe shall be cementer face casing order # te or the well shall be et	Remember to:  File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is alt wate  If well will not be drilled or permit has expired (See: authorized)	plugging; spud date. I cementing menting.  er Notification  ; re-entry; thin 60 days); r.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

Side I W		

1353148

For KCC Use ONLY	
API # 15	-


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2310 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
	Div.		The Education (account).	
Type of Pit:  Emergency Pit  Burn Pit	Pit is:	Evicting	Sec. Twp. R. East West	
Settling Pit Drilling Pit	Proposed Existing			
Workover Pit Haul-Off Pit	If Existing, date constructed:		Feet from North / South Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	lo		
, J. ,	Length (fee	,	Width (feet)N/A: Steel Pits	
	m ground level to dee			
If the pit is lined give a brief description of the line material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of worl	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
	-			
Submitted Electronically				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	oer:	Permi	t Date: Lease Inspection:  Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1353148

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:   □ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be lead.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form		
CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	peing filed is a Form C-1 or Form CB-1, the plat(s) required by this nd email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

## KGS Map Viewer - Oil and Gas Wells and Fields

Section 20-23S-3E (Opens in separate window)

Available Fields

Quarter Calls

No Fields Available

Giebler #1

2015 2014 2012 2010 2008 2006 2002 Topo



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

April 24, 2017

Karen Houseberg Pintail Petroleum, Ltd. 225 N MARKET STE 300 WICHITA, KS 67202-2024

Re: Drilling Pit Application Giebler Trust 1 SW/4 Sec.20-23S-03E Butler County, Kansas

## Dear Karen Houseberg:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.