For KCC Use: Effective Date: District # _ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1353610

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:	
monun day year	Sec Twp S.	R E W
PPERATOR: License#	(Q/Q/Q/Q) feet from N /	S Line of Section
ame:	feet from E /	W Line of Section
ddress 1:	Is SECTION: Regular Irregular?	
ddress 2:		
ity: State: Zip: +	(Note: Locate well on the Section Plat on reve	,
ontact Person:	County:	
none:	Lease Name:	Well #:
	Field Name:	
ONTRACTOR: License#	Is this a Prorated / Spaced Field?	Yes No
nme:	Target Formation(s):	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:	feet MSI
	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:	Yes N
Seismic; # of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water:	
U duloi.	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
<u> </u>	Length of Conductor Pipe (if any):	
Operator:	Projected Total Depth:	
Well Name:		
Original Completion Date: Original Total Depth:	Formation at Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
Yes, true vertical depth:	Well Farm Pond Other:	
•	DWR Permit #:	
Sottom Hole Location:	(Note: Apply for Permit with DWR	
CCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
ΔΕ	FINAVIT	
	FIDAVIT	
he undersigned hereby affirms that the drilling, completion and eventual plu		
he undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.	
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;	
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe si	nall be set
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site of the surface pipe site.	
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site of the surface pipe site of th	
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the interval of the well is dry hole, an agreement between the operator and the disentation of the surface pipe as specified before well is either plugger.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site of the sequence o	to plugging;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the sufface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the sufface pipe as specified below the interval of the well is dry hole, an agreement between the operator and the distribution.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; Indicated the form below any usable water to surface within 120 DAYS.	to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the proved intention of the proved one content to drill shall be posted on each and the intention of the proved intention of	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe site of the underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on the property of the posted on each and the interval of the posted on the posted of the posted on the posted of the posted on the posted of	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe site of the underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on the property of the posted on each and the interval of the posted on the posted of the posted on the posted of the posted on the posted of	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe site of the underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the state of the posted on each and the state of the posted on the provided all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the disentation of the properties of the properties of the provided before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be completed.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe site of the underlying formation. It ict office on plug length and placement is necessary prior ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alterna	to plugging; of spud date. te II cementing
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface of the sport of the set o	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prioringed or production casing is cemented in; Indicated the decident of the complete state of the complete	to plugging; of spud date. te II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the sum of the posted on each and the posted on each and the sum of the posted on each and the sum of the posted on each and the posted on each an	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the posted on the posted on the posted on each and the posted on the posted on the posted on each and the posted on the posted on each and the posted on the post	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Compliance with the	to plugging; of spud date. te II cementing cementing.
the undersigned hereby affirms that the drilling, completion and eventual plais agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the district of the appropriate district of the approp	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface CAct (KSONA-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the posted of the posted on each and the posted of the posted of the posted on each and the posted of	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: - File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into th	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; Indicated from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface Cast (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date	to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the specific before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. The appropriate district	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe site underlying formation. Itrict office on plug length and placement is necessary prior ged or production casing is cemented in; Indicated from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of the Certification of Compliance with the Kansas Surface Completed Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord	to plugging; of spud date. te II cementing cementing. where Notification cers;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the posted on each and the provided intention of the posted on each and the provided intention of the posted on each and the provided intention of the posted on each and the provided intention of the provided intention of 20 feet into the 4. If the well is either plugger into the provided intention of 20 feet into the 4. If the well is either plugger into the provided intention of 20 feet into the 4. If the well is either plugger into the provided into	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe site underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface CACT (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover	to plugging; of spud date. te II cementing cementing. where Notification cers; or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the spud date or and the dissection of the set of the	regging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe site of e underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface CACT (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover Submit plugging report (CP-4) after plugging is completed	of spud date. te II cementing cementing. where Notification where Notification gers; or re-entry; (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an acceptance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	rugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe site of e underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface Content of Completion (form CDP-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt with the cases.	to plugging; of spud date. te II cementing cementing. where Notification ; ers; or re-entry; (within 60 days); ater.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all	regging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe site of e underlying formation. trict office on plug length and placement is necessary prior ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS 133,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any Remember to: File Certification of Compliance with the Kansas Surface CACT (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover Submit plugging report (CP-4) after plugging is completed	to plugging; of spud date. te II cementing cementing. where Notification ; ers; or re-entry; (within 60 days); ater. ted expiration date)

Signature of Operator or Agent:

1353610

For KCC Use ONLY	
API # 15	-


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

4300 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1353610

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date co Pit capacity:	Existing	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.		liner integrity, ir	ncluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1353610

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	gp,
Contact Person:	the lease below:
Phone: () Fax: ()	-
Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, the are preliminary non-binding estimates. The locations may be entered. Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and
	ng fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator; Laymon Oil II LLC Lease: Glades	Location of Well: County: Woodson 4,300 feet from N / N S Line of Section
Well Number: 100-17	340 feet from X E / W Line of Section
Field: Vernon	Sec. 9 Twp. 24 S. R. 16 X E W
riciu.	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NW - SW - NE - NW	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Occidit conta asca.
	PLAT
Show location of the well. Show footage to the near	rest lease or unit boundary line. Show the predicted locations of
	s required by the Kansas Surface Owner Notice Act (House Bill 2032).
	a separate plat if desired.
A	
	LEGEND
	O Well Location
	O Well Location Tank Battery Location
	O Well Location Tank Battery Location Pipeline Location
	O Well Location Tank Battery Location Pipeline Location Electric Line Location
	O Well Location Tank Battery Location Pipeline Location
	O Well Location Tank Battery Location Pipeline Location Electric Line Location
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
	O Well Location Tank Battery Location Pipeline Location Electric Line Location
9	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
9	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
9	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
9	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
9	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

April 28, 2017

Michael Laymon Laymon Oil II, LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758-7124

Re: Drilling Pit Application Glades 100-17 NW/4 Sec.09-24S-16E Woodson County, Kansas

Dear Michael Laymon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.