KOLAR Document ID: 1353219

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East _ West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	·
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD ☐ Gas ☐ DH ☐ EOR ☐ OG ☐ GSW	Producing Formation: Kelly Bushing: Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1353219

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	SM Oil & Gas, Inc.
Well Name	FULSOM "C" C-1-10
Doc ID	1353219

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12	8.625	20	43	Portland	10	0
Production	7.875	4.50	17	772	OWC		125# phenosea I, 300# Gel, 40# Hulls

SM Oil & Gas, Inc. P. O. Box 189 Skiatook, Oklahoma 74070

620-725-3200

April 20, 2017

Kansas Corporation Commission Conservation Division 266 N. Main Street – Suite #220 Wichita, Kansas 67202-1513

Re: Fulsom "C" #1-10 API #15-019-27573-00-00 Cement Usage ACO-1

To Whom It May Concern:

SM Oil & Gas, Inc. buys quantities of Portland Type I cement, which comes on pallets of 35 sacks per pallet, for the companies usage. In this case, the required 10 sacks of cement were mixed by our own drilling rig personnel and used to properly install the surface casing.

An invoice showing the bulk quantity of cement is available if needed.

Thank you,

Thomas H. Oast Area Manager

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report
Ticket No. 3279
Foreman Russell mccoy
Camp Eureka

				A CHIEF COMMENTS OF STREET		L.			
Date	Cust. ID#	Leas	e & Well Number		Section	Township	Range	County	State
4-19-17	1180	Folsom	C1-10			Account of the second of the s		CQ	KS
Customer	the state of the s			Safety	Unit#	Dr	iver	Unit#	Driver
S.M. 0	il + GA	IS INC		Meeting	104	AIA	N-M		
Mailing Address		And the state of t		RM	112	Ze	and described to the contraction to the contraction of the contractions		
PO. BO	189			AM zevi	141	Rie	K		
City		State	Zip Code	RICK					
SKIA too	K	OK	74070		e con care con esta en commença esta en care de la proposa de care de la proposa de la	arthraseach etail i in tha i geachtraseach ann an	ering deministration of Control of the Control of t	namina eranciana da sen al sust utrama da PC timo da el Associación el Su	enalization de la company
Casing Size & V Displacement Remarks: S WASH DOU PUMP S I W/ S Bbl OWC COM PUMP 4 RUMP PS	AT Hell	Hole Siz # Cement L Displace Meeting, Fill, Set eb OFF A mix + Pun / # Phen Release 5 Bump Plus of Close C	e 776 eft in Casing O ement PSI 500 Well INFO Sto on CI INF X 2 3 INF 300 Ge USTAL GO 14 12 TOP RO ASING TW	Early Style Boll	1712' BI 12 Head 1116 5 Be 1101 1.9 1109 Dis	14 H 1100 H - 70 GA - 70 GA	Dri Ott BP (s) R. Air. (e.T. B Space Bbl Slo 18 14 T to Sur F	16 Bbl to scenk Circ on mix 13 by wash 3pm Fina Face. Check	olond) olation us ski

Code	Qty or Units	Description of Product or Services	Unit Price	Total
2102	I	Pump Charge	1050.00	1050.00
C-107	36	Mileage	3.95	118.50
C-202	125	5K'S OWC CEMENT	19.15	2393.75
c-208	125#	Phenoseal I# PEFISIK	1.25	156.25
L-206	300 th	Gel Flush	x 2 b	60.00
C-214	40 8	Hulls	<u>.</u> 45	18.00
108-A	6.5 To	Tow Milenge	MIC	345.00
-113	2/2	AT BO BAI WAS TruCK	85.00	212.50
224	3,300	gallows city water	18 °9 p. 07/000	33.00
464		51/2 TOP Rubber Plug	70.00	70.00
		(590 < 2321.416) 42454.68	Sc6 To7A/	4.457.00
			Sales Tax	એ 3 ે ગ.1ષ્
	1 - 1	Gel Potts Title Colowner	Total	41.89.14