



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Pickrell Drilling Co. Inc.

28-14S-27W

100 S Main STE 505
Wichita Ks, 67202+3738

Albin 'I' #3

Job Ticket: 63494

DST#: 2

ATTN: Aaron Young/ Larry R

Test Start: 2016.11.08 @ 21:26:00

GENERAL INFORMATION:

Formation: **Alamont**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 23:26:15

Time Test Ended: 02:53:00

Test Type: Conventional Bottom Hole (Reset)

Tester: Spencer J. Staab

Unit No: 84

Interval: 4040.00 ft (KB) To 4078.00 ft (KB) (TVD)

Total Depth: 4078.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition:

Reference Elevations: 2477.00 ft (KB)

2473.00 ft (CF)

KB to GR/CF: 4.00 ft

Serial #: 8353

Press @ RunDepth: 29.50 psig @ ft (KB)

Start Date: 2016.11.08

End Date:

2016.11.09

Start Time: 21:26:15

End Time:

02:53:00

Capacity: 8000.00 psig


Last Calib.: 2016.11.09

Time On Btm: 2016.11.08 @ 23:25:45

Time Off Btm: 2016.11.09 @ 01:15:15

TEST COMMENT: 30-IF-Very Weak Surface Blow ; Built to 1/4 inch
60-ISI- No Blow Back
30-FF-No Blow ; pulled tool after 10 minutes

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2020.12	109.36	Initial Hydro-static
1	28.77	108.96	Open To Flow (1)
33	29.50	109.96	Shut-In(1)
93	36.95	112.49	End Shut-In(1)
93	28.67	112.49	Open To Flow (2)
110	2009.39	115.60	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
20.00	Mud 100% M	0.28

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests

Pressure vs. Time

