DIAMOND TESTING, LLC

TESTER: TIM VENTERS CELL # 620-388-6333

TIM VENTERS

General Information

Company Name RITCHIE EXPLRORATION, INC.
Contact JUSTIN CLEGG Job Number

Well Name

BLAU 16C #1 Representative

Unique Well ID

DST #3, LANSING "C", 4130-4158 Well Operator
Surface Location

SEC 16-15S-36W, LOGAN CO. KS. Report Date

TIM VENTERS
RITCHIE EXPLORATION, INC.
2017/01/29

Well License Number Prepared By Field WILDCAT

Well Type Vertical

Test Information

Test Type CONVENTIONAL Formation DST #3, LANSING "C", 4130-4158 Well Fluid Type 01 Oil Test Purpose Initial Test

 Start Test Date
 2017/01/28 Start Test Time
 21:58:00

 Final Test Date
 2017/01/29 Final Test Time
 05:04:00

Gauge Name 5504

Test Results

RECOVERED: 100' W&M W/O SPECKS, OIL SPECKS, 50% WATER, 50% MUD 250' SMCW, 91% WATER, 9% MUD

350' TOTAL FLUID

TOOL SAMPLE: 100% WATER

CHLORIDES: 22,000 ppm


PH: 6.5

RW: .33 @ 69 deg.

RITCHIE EXPLRORATION, INC. DST #3, LANSING "C", 4130-4158

Start Test Date: 2017/01/28 Final Test Date: 2017/01/29 BLAU 16C #1 Formation: DST #3, LANSING "C", 4130-4158

Pool: WILDCAT Job Number: T589





Final Closed In Period......Minutes_

Final Hydrostatic Pressure.....(H)

P.O. Box 157

HOISINGTON, KANSAS 67544 (800) 542-7313

RILL-STEM TEST TICKET

TIME ON: 21:58 1-28-17

TIME OFF: 05:04 1-29-17

DRILL-STEM FILE: BLAU16	TEST TICKET 6C1DST3
Company RITCHIE EXPLORATION, INC.	Lease & Well No. BLAU 16C #1
N 100 100 100 100 100 100 100 100 100 10	Charge to RITCHIE EXPLORATION, INC.
Elevation 3349 KB Formation LANSING "C	Effective PayFt. Ticket NoT589
	inge 36 W County LOGAN State KANSAS
Test Approved By JOHN GOLDSMITH	Diamond Representative TIM VENTERS
Formation Test No. 3 Interval Tested from 41	30 ft. to 4158 ft. Total Depth 4158 ft.
Packer Depth 4125 ft. Size 6 3/4 in.	Packer depthft. Size6 3/4in.
Packer Depthin.	Packer depthft. Size6 3/4in.
Depth of Selective Zone Set	
Top Recorder Depth (Inside) 4111 ft.	Recorder Number 5504 Cap. 5,000 P.S.I.
Bottom Recorder Depth (Outside)ft.	Recorder Number 11029 Cap. 5,025 P.S.I.
Below Straddle Recorder Depthft.	Recorder Number Cap P.S.I.
Mud Type CHEMICAL Viscosity 53	Drill Collar Length 124 ft. I.D. 2 1/4 in.
Weight	Weight Pipe Length0 ft. I.D2 7/8 in
Chlorides 4,000 P.P.M.	Drill Pipe Length 3936 ft. I.D 3 1/2 in
Jars: Make STERLING Serial Number 4	Test Tool Length 33 ft. Tool Size 3 1/2-IF in
Did Well Flow?NOReversed OutNO	Anchor Length 31_ft. Size 4_1/2-FH in
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in.	Surface Choke Size 1 in. Bottom Choke Size 5/8 in
Blow: 1st Open: WEAK SURFACE BLOW, BUILDING TO 10 INCHES (NO BB)	
^{2nd Open:} WEAK SURFACE BLOW, BUILDING, REACHING BOB 43 1/2 MIN. (NO BB)	
Recovered 100 ft. of W&M W/O SPECKS, OIL SPECKS, 50% WATER, 50% MUD	
Recovered 250 ft. of SMCW, 91% WATER, 9% MUD	
Recovered 350 ft. of TOTAL FLUID	
Recoveredft. of	
Recoveredft. ofCHLORIDES	
Recoveredft. ofPH: 6.5	Other Charges
Remarks: RW: .33 @	69 deg. Insurance
TOOL SAMPLE: 100% WATER	Total A.M. A.M.
Time Set Packer(s) 12:12 AM P.M. Time Started Off Both	
Initial Hydrostatic Pressure	(A) 1937 P.S.I.
Initial Flow PeriodMinutes30	(B)13 P.S.I. to (C)98 P.S.I.
Initial Closed In Period	(D)P.S.I.
Final Flow Period	(E)99 P.S.I. to (F)166 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

(G)

60

1114 P.S.I.

1935 _{P.S.I.}