For KCC Use: Effective Date: _____ District # ____ SGA? Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1354191

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
monur day year	
PERATOR: License#	feet from N / S Line of Sectio
ame:	feet from L E / W Line of Section
ddress 1:	s SECTION: Regular Irregular?
ddress 2:	
ity:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	- Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(4) (4) (4) (5) (6) (7) (7)
COO DICT II	(Note : Apply for Permit with DWR)
CCC DKT #:	Will Cores be taken?
CCC DKT #:	
	Will Cores be taken? If Yes, proposed zone:
A	Will Cores be taken? If Yes, proposed zone: FFIDAVIT
$oldsymbol{A}$ The undersigned hereby affirms that the drilling, completion and eventual	Will Cores be taken? If Yes, proposed zone: FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes No. If Yes, proposed zone:
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq.
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq.
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constants.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging;
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface well is either plus to the surface of	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; If the total property of the total property of the underlying formation. In the underlying formation of the total property of the underlying formation. If Yes In the underlying rig; If Yes In the underl
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the control of the surface of the surface well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the control of the surface well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the surface well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; all the complete shall be set to surface within 120 DAYS of spud date. If Yes In
A The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; all the complete shall be set to surface within 120 DAYS of spud date. If Yes In
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the specified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> intrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constant of the surface of the specific office will be notified before well is either plue. 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; Listrict office on plug length and placement in; Let from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the well is either plus to the set of the set	Yes N
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the state of the	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the construct	If Yes, proposed zone: FFIDAVIT Dolugging of this well will comply with K.S.A. 55 et. seq. Ich drilling rig; If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In istrict office on plug length and placement is necessary prior to plugging; If yet go in the property of the complete shall be set the underlying formation. If yes in the complete shall be set the surface pipe shall be set the underlying formation. If yes in the complete shall be set the underlying formation is necessary prior to plugging; If yes in the complete set the surface pipe shall be set the underlying formation is necessary prior to plugging; If yes in the complete set is necessary pr
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the constant of the well is district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall approximate the surface of the well shall be constructed. 2. A copy of the appropriate district office pipe as specified below <i>shall be</i> surface. 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the su	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eason through all unconsolidated price pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the unimportant of the well is dry hole, an agreement between the operator and the construction of the properties of the specific of the plus of the specific of	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud date or the well shall be constructed. 2. A copy of the appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be conducted. 4. If the well is dry hole, an agreement between the operator and the construction of the spud date or the well shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed by a complete or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed by a complete or pursuant to Appendix "B	Will Cores be taken? If Yes, proposed zone: FFIDAVIT Drugging of this well will comply with K.S.A. 55 et. seq. Inch drilling rig; Let by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

0:-/-	T
	IW

1354191

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1990 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

1354191

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		,	License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed [Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
(II WI Supply All TNO. St. Total Difficult		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallow	west fresh water feet.
		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	utilized in drilling/workover:
Number of producing wells on lease:		Number of work	ring pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Number	ber:	Permi	Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1354191

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CE	3-1 (Cathodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Name:	
Address 1:	·
Address 2:	
City: State: Zip:+	the lease below:
Contact Person:	_
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads,	athodic Protection Borehole Intent), you must supply the surface owners and tank batteries, pipelines, and electrical lines. The locations shown on the plat ed on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will	ce Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form orm being filed is a Form C-1 or Form CB-1, the plat(s) required by this ax, and email address.
KCC will be required to send this information to the surfac	I acknowledge that, because I have not provided this information, the se owner(s). To mitigate the additional cost of the KCC performing this lress of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 hand form and the associated Form C-1, Form CB-1, Form T-1, or Form	dling fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API#15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page. Location of Well: County: Cowley Operator: Taos Resources Operating Company LLC 1990 feet from S Line of Section Lease: LFJ 686 W Line of Section feet from Well Number: 5 S. R. 5 Field: Number of Acres attributable to well: X Regular or Irregular Is Section: NW QTR/QTR/QTR/QTR of acreage: SW If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW RLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. **LEGEND** Well Location Tank Battery Location Pipeline Location **Electric Line Location** Lease Road Location EXAMPLE 665 1980' FSL SEWARD CO. 3390' FEL

1990 ft. In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.


- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

TAOS RESOURCES OPERATING COMPANY, LLC LFJ LEASE SW. 1/4. SECTION 34. T32S. R5E COWLEY COUNTY, KANSAS



- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- Approximate section lines were determined using the normal standard of care of ailfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying thereon agree to hold Central Kansas Diffield Services, Inc. its afficers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages

April 27, 2017 Date



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Pat Apple, Chairman Shari Feist Albrecht, Commissioner Jay Scott Emler, Commissioner

May 05, 2017

Keith Fite Taos Resources Operating Company LLC 1455 W LOOP S SUITE 600 HOUSTON, TX 77027

Re: Drilling Pit Application LFJ 5 SW/4 Sec.34-32S-05E Cowley County, Kansas

Dear Keith Fite:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.