

__ Agent: _

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1354469

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	year	Spot Description:	
	monun day	year	Sec Twp S	. R 🔲 E 🔲 V
OPERATOR: License#			feet from N	/ S Line of Section
			feet from E	/ W Line of Section
Address 1:			Is SECTION: Regular Irregular?	
			(Note: Locate well on the Section Plat on re	verse side)
		ip: +	County:	*
Contact Person:			Lease Name:	
Phone:			Field Name:	vveii #
CONTRACTOR: Licenset	t			□Vaa □Ni
Name:			Is this a Prorated / Spaced Field?	Yes No
varie.			Target Formation(s):	
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh I	Rec Infield	Mud Rotary	Ground Surface Elevation:	
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes N
Dispo	osal Wildcat	Cable	Public water supply well within one mile:	Yes N
Seismic ;#	of Holes Other		Depth to bottom of fresh water:	
Other:			Depth to bottom of usable water:	
			Surface Pipe by Alternate: II II	
If OWWO: old well	I information as follows:		Length of Surface Pipe Planned to be set:	
Operator:			Length of Conductor Pipe (if any):	
•			Projected Total Depth:	
		al Total Depth:	Formation at Total Depth:	
- · · · · · · · · · · · · · · · · · · ·			Water Source for Drilling Operations:	
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:	
If Yes, true vertical depth: _			DWR Permit #:	
Bottom Hole Location:			(Note: Apply for Permit with DWR	7)
KCC DKT #:			Will Cores be taken?	Yes N
			If Yes, proposed zone:	
			11 100, proposod 20110	
		AFF	FIDAVIT	
The undersigned hereby	affirms that the drilling, of		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.	
-	_	completion and eventual plu		
It is agreed that the follow	wing minimum requireme	completion and eventual pluents will be met:		
It is agreed that the follow 1. Notify the appropri	wing minimum requireme	completion and eventual pluents will be met: a spudding of well;	ggging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the follow 1. Notify the appropri 2. A copy of the appropri	wing minimum requirement it is district office <i>prior</i> to oved notice of intent to d	completion and eventual pluents will be met: a spudding of well; brill shall be posted on each	ggging of this well will comply with K.S.A. 55 et. seq.	shall be set
It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo	wing minimum requirement into district office prior to coved notice of intent to do not of surface pipe as spount of surface pipe as spound of surfa	completion and eventual pluents will be met: a spudding of well; brill shall be posted on each	ngging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe:	shall be set
It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons	wing minimum requirement into district office prior to coved notice of intent to do not of surface pipe as specificated materials plus a	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the	ngging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe:	
It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di	wing minimum requirement into district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent of the before well is either plugged.	an drilling rig; by circulating cement to the top; in all cases surface pipe are underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in;	r to plugging;
1. Notify the appropri 2. A copy of the appropri 3. The minimum amouthrough all uncons 4. If the well is dry house 5. The appropriate di 6. If an ALTERNATE	wing minimum requirement into district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, productions	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS	r to plugging; S of spud date.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	wing minimum requirement into district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kansara and sister of the complete of the c	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing
It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	wing minimum requirement into district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kansare in the product of the prior	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS	r to plugging; Sof spud date. ate II cementing
It is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App	wing minimum requirement into district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kansare in the product of the prior	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing
1. Notify the appropri 2. A copy of the appr 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanard within 30 days of the specificate of the specification of the specificatio	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanard within 30 days of the specificate of the specification of the specificatio	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing
1. Notify the appropri 2. A copy of the appr 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanard within 30 days of the specificate of the specification of the specificatio	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern	r to plugging; Sof spud date. ate II cementing
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanard within 30 days of the specificate of the specification of the specificatio	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the distent before well is either pluggetion pipe shall be cemente sas surface casing order #1	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an	r to plugging; S of spud date. ate II cementing y cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to App must be completed	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanard within 30 days of the specificate of the specification of the specificatio	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the district district before well is either pluggation pipe shall be cemente sas surface casing order #1 bud date or the well shall be	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an	r to plugging; S of spud date. ate II cementing y cementing.
It is agreed that the follow 1. Notify the appropri 2. A copy of the appri 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to appropriate di becompleted ubmitted Electro For KCC Use ONLY API # 15 -	wing minimum requirement in the district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kansed within 30 days of the specifically	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the district before well is either plugation pipe shall be cemente sas surface casing order #1 and date or the well shall be	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an Remember to: - File Certification of Compliance with the Kansas Surface	r to plugging; S of spud date. ate II cementing y cementing.
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed ubmitted Electro For KCC Use ONLY API # 15 Conductor pipe required	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanad within 30 days of the specifically	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the district before well is either pluggetion pipe shall be cemente sas surface casing order #1 bud date or the well shall be feet	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary prior ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	r to plugging; S of spud date. ate II cementing y cementing. Owner Notification
1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to the completed Ubmitted Electro For KCC Use ONLY API # 15 Conductor pipe required	wing minimum requirement in the district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kansed within 30 days of the specifically	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the en the operator and the district before well is either pluggetion pipe shall be cemente sas surface casing order #1 bud date or the well shall be feet	a drilling rig; by circulating cement to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary prioused or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to an explanation of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud datanatics. File acreage attribution plat according to field proration of	r to plugging; S of spud date. ate II cementing y cementing. Owner Notification e; ders;
It is agreed that the follow 1. Notify the appropri 2. A copy of the appri 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate be completed. Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe recompleted.	wing minimum requirement iate district office <i>prior</i> to coved notice of intent to do punt of surface pipe as specificated materials plus a pole, an agreement between istrict office will be notified II COMPLETION, product pendix "B" - Eastern Kanad within 30 days of the specifically	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the district district before well is either pluggation pipe shall be cemente sas surface casing order #1 and date or the well shall be be feet feet feet per ALT.	a drilling rig; by circulating cement to the top; in all cases surface pipe se underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an explanation of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover	r to plugging; S of spud date. ate II cementing y cementing. Owner Notification e; ders; or or re-entry;
It is agreed that the follow 1. Notify the appropri 2. A copy of the appri 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed When the completed of the completed	wing minimum requirement in the district office <i>prior</i> to coved notice of intent to do unt of surface pipe as special and agreement between the color of the col	completion and eventual pluents will be met: a spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the district district before well is either pluggation pipe shall be cemente sas surface casing order #1 and date or the well shall be be feet feet feet per ALT.	a drilling rig; by circulating cement to the top; in all cases surface pipe as a underlying formation. rict office on plug length and placement is necessary prioused or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to an exploration of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dated to the Rock of the Ro	r to plugging; S of spud date. ate II cementing y cementing. Owner Notification e; ders; or or re-entry; d (within 60 days);
It is agreed that the follow 1. Notify the appropri 2. A copy of the appri 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe recapposed by: This authorization expire	wing minimum requirement in the district office <i>prior</i> to coved notice of intent to do unt of surface pipe as special and agreement between the color of the col	completion and eventual pluents will be met: o spudding of well; Irill shall be posted on each pecified below shall be set a minimum of 20 feet into the enthe operator and the district before well is either pluggetion pipe shall be cemente sas surface casing order #1 bud date or the well shall be be greater than the pluggetion for the well shall be greater than the pluggetion file of the well shall be greater than the pluggetion feet feet feet per ALT. I I II	a drilling rig; by circulating cement to the top; in all cases surface pipe se underlying formation. rict office on plug length and placement is necessary <i>prio</i> ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, altern a plugged. In all cases, NOTIFY district office prior to an explanation of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud dat File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover	or to plugging; Sof spud date. ate II cementing y cementing. Owner Notification e; ders; or or re-entry; d (within 60 days); water.

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:			Location of V	Vell: County:	
Lease:				feet from	om N / S Line of Section
Well Numb	oer:			feet from	om E / W Line of Section
Field:			Sec	Twp S. F	R 🗌 E 🔲 W
		to well:	is section.	Regular or Irre	egular
			If Section is	Irregular, locate well fr	om nearest corner boundary.
			Section corn		W SE SW
		ation of the well. Show footage to a	lines, as required by the Kans	sas Surface Owner Notic	
	ı	663 ft.	y attach a separate plat if des	irea.	
	:	: :			
					LEGEND
1129 ft				— F	Well Location Fank Battery Location Pipeline Location Electric Line Location Lease Road Location
		23		EXAMPLE	1980' FSL
				(יר דו ∃ ∃

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:		· · · · · · · · · · · · · · · · · · ·	
Emergency Pit Burn Pit	Proposed	Existing	Sec. Twp. R. East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County	
la the with exerted in a Constitute Consum d Western A	7002 Van N	,		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
	Yes N			
, , ,	Length (fee	,	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the lin	om ground level to dee	· ·	dures for periodic maintenance and determining	
material, thickness and installation procedure.	1161		cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inform	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
now into the pit?				
Submitted Electronically				
	KCC	OFFICE USE OF	NLY	
			Liner Steel Pit RFAC RFAS	
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

1354469

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations.	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ect (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

LARSON ENGINEERING, INC. SISTERS LEASE NW. 1/4. SECTION 23. T195. R29W

Proposed tank battery location

LANE COUNTY. KANSAS location FLAGGED ROAD OPPOSITE LOC GRAVEL ROAD (90 ROAD) Old Well 8 T.NL 1305'F.W.L Elev. 2825 Drillsite Location Sisters #1-23 Y = 6350X = 142753663'FNL 1129'FWL Proposed buried Ground Elevation = 2823 flow line location $Y = 634681 \quad X = 1427348$ WHEAT State Plane-NAD 27-Kansas South

ROADI

A

plat is opened t

Notes:

Proposed road

- 1. Set (3) tall wood stakes at location site.
- 2. All flagging Red & Yellow.
- 3. Overhead power available at N. line and N. 1/4 of W. line, Sec. 23.

23

- 4. Kansas One Call System Vnc. should be notified before excavation (1-800-344-7233).
- 5. CAUTION; Various pipelines in Sec. 23.
- 6. Found old well per magnetic response.
- 7. Contact landowner for best access and as to location of wood stakes in wheat.

NO


ROAD

Latitude 38.392845 Longitude -100.498131

WGS 84-NAD 83

TRA!

SCALE



- Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.
- Approximate section lines were determined using the normal standard of care of allfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the decilistic location in the section is not guaranteed. Therefore, the operator securing this service and occepting this plat and all other parties relying therein agree to hold Central Kansas Diffield Services. Inc. its officers and employees harmless from all losses, costs and expenses and said entities released from any liability from incidental or consequential damages.

April 25. 2017 Date