CORRECTION #1

For KCC Use:	Kan
Effective Date:	_ O
District #	_
SGA? Yes No	NO

NSAS CORPORATION COMMISSION DIVISION

1354651

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

SECTION: Get from E / W L Address 1: Address 2:	Yes N feet M: Yes I Yes I
feet from E / W L	Yes N feet M: Yes I Yes I Yes I
ddress 1:	Yes N feet M: Yes I Yes I
	Yes N
State: Zip: +	Yes N
County C	Yes N
Lease Name: Well #: Field Name: Seismic # of Other Original Completion Date: Original Total Depth: Total Location: CD DKT #: Well Drilled For: Well Class: Type Equipment: Well Drilled For: Well Class: Type Equipment: Water well within one-quarter mile: Solution of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to Disposal will case Pipe by Alternate: I I I I Length of Surface Pipe by Alternate: I I I I Length of Surface Pipe by Alternate: I I I I Length of Conductor Pipe (if any): Projected Total Depth: Water well within one mile: Depth to bottom of usable water: Depth to Surface Pipe by Alternate: I I I I Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Water Source For Drilling Op	Yes N
DNTRACTOR: License#	feet M3 YesI YesI
Target Formation(s): Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one-quarter mile: Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Soundcutor Pipe (if any): Projected Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: OWR Permit #: OWR Permit with DWR OWR Permit #: OWR Permit with DWR	feet M3 YesI YesI
Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Nearest Lease or unit boundary line (in footage): Seismic ; Infield Mud Rotary Water well within one-quarter mile: Public water supply well within one mile: Depth to bottom of fresh water: Depth	feet M
Gas Storage Pool Ext.	feet MilyesI
Gas	Yes I
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Disposal Wildcat Cable Disposal Wildcat Duhr Disposal Wildcat Duhr Duhr Duhr Duhr Duhr Duhr Duhr Duhr	Yes [
Disposal Wildcat Cable Depth to bottom of fresh water: Depth to bottom of suable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: Water Source for Drilling Operations: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Water Source for Drilling of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the appropriate district office prior to spudding of well; A copy of the approperate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugg The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the production and production and production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the production and production pipe shall be cemen	
Seismic; # of Holes Other Depth to bottom of fresh water: Depth to bottom of usable water: Depth to bottom of usable water: Surface Pipe by Alternate: I I I Length of Surface Pipe Planned to be set: Length of Surface Pipe (if any): Length of Conductor Pipe (if any): Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations: Water Source for Drilling	
Surface Pipe by Alternate: I I IL Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Weter Source for Drilling Operations: Well parm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Well Farm Pond Other: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugges. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surface within 120 DAYS of spud of the prior to surfa	
Length of Surface Pipe Planned to be set: Operator: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the surface with	
Operator:	
Well Name:Original Completion Date:Original Total Depth:	
Well Name: Original Completion Date: Original Total Depth: Original Total Depth: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of spud of surface within 120 DAYS of spud of	
Water Source for Drilling Operations: Yes	
Yes, true vertical depth: Ottom Hole Location: CC DKT #: Well Farm Pond Other: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugge 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of the spring that the plugged or production casing is cemented in;	
DWR Permit #: DWR Permit #: DWR Permit with DWR DWR DWR	
Will Cores be taken? If Yes, proposed zone:	
Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. at is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	Yes I
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of	
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of 	
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of 	
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of 	
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugged. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of 	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
 If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugg</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud of 	et
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud of	ing;
	ate
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II ceme	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing	
ubmitted Electronically	
Remember to:	
For KCC Use ONLY - File Certification of Compliance with the Kansas Surface Owner Not	fication
API # 15 Act (KSONA-1) with Intent to Drill;	
Conductor pipe requiredfeet	
- File Completion Form ACO-1 within 120 days of spud date;	
Minimum surface pipe requiredfeet per ALTIII - File acreage attribution plat according to field proration orders;	
Approved by: Notify appropriate district office 48 hours prior to workover or re-entr	
This authorization expires: - Submit plugging report (CP-4) after plugging is completed (within 60 Obtain written expressed before dispessing as injecting self-vector.	y;
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	y;
- If well will not be drilled or permit has expired (See: authorized expirate please check the box below and return to the address below.	y; days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY	
API # 15	-


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🔲 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

947 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1354651

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Submit in Duplicate

Operator Name:		-	License Number:		
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date cons	structed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
			dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit: Depth to shallow Source of inform		owest fresh water feet.			
feet Depth of water wellfeet		measured	ed well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Works		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation: Type of material		al utilized in drilling/workover:			
Number of producing wells on lease: Number of work		king pits to be utilized:			
· · · · · · · · · · · · · · · · · · ·		procedure:			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division 1354651

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be locations. 	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ct (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form
form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ackCC will be required to send this information to the surface ow task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the K	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 Submitted Electronically	

Township_	45	_, Range_3	16,	County_//	omas, s	State Kan	sas
						29	

Reorder No. 09-344



A7 Family Farms #1

FORM 45-8

Summary of Changes

Lease Name and Number: A7 Family Farms 1

API/Permit #: 15-193-20995-00-00

Doc ID: 1354651

Correction Number: 1

Approved By: Rick Hestermann 05/11/2017

Field Name	Previous Value	New Value	
Elevation Source	Estimated	Surveyed	
ElevationPDF	2957 Estimated	2954 Surveyed	
Ground Surface Elevation	2957	2954	
KCC Only - Approved By	Rick Hestermann 04/21/2017	Rick Hestermann 05/11/2017	
KCC Only - Approved Date	04/21/2017	05/11/2017	
KCC Only - Date Received	04/20/2017	05/10/2017	
KCC Only - Regular Section Quarter Calls	N2 SW SE	SW NE SW SE	
Length of Surface Pipe Planned to be set	240	200	
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=7&to	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=7&to1953	
Number of Feet East or West From Section Line	1980		

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	1980	1953
Number of Feet North or South From Section Line	990	947
Number of Feet North or South From Section Line	990	947
Quarter Call 3	N2	NE
Quarter Call 4 - Smallest		SW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=13	//kcc/detail/operatorE ditDetail.cfm?docID=13
Subdivision3	52992 N2	54651 NE
Subdivision4Smallest		SW

Summary of Attachments

Lease Name and Number: A7 Family Farms 1

API: 15-193-20995-00-00

Doc ID: 1354651

Correction Number: 1

Approved By: Rick Hestermann 05/11/2017

Attachment Name