Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1354984

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 | | | |
|--|--|--|--|--|
| Name: | Spot Description: | | | |
| Address 1: | SecTwpS. R East _ West | | | |
| Address 2: | Feet from North / South Line of Section | | | |
| City: | Feet from _ East / _ West Line of Section | | | |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: | | | |
| Phone: () | □NE □NW □SE □SW | | | |
| CONTRACTOR: License # | GPS Location: Lat:, Long: | | | |
| Name: | (e.g. xx.xxxxxx) (e.gxxx.xxxxxxx) | | | |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 | | | |
| Purchaser: | County: | | | |
| Designate Type of Completion: | Lease Name: Well #: | | | |
| New Well Re-Entry Workover | Field Name: | | | |
| | Producing Formation: | | | |
| ☐ Oil ☐ WSW ☐ SWD ☐ SIOW | Elevation: Ground: Kelly Bushing: | | | |
| ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW | Total Vertical Depth: Plug Back Total Depth: | | | |
| ☐ OG ☐ ☐ GSW ☐ Temp. Abd. | Amount of Surface Pipe Set and Cemented at: Feet | | | |
| Cothodia Othor (Court First at a la | Multiple Stage Cementing Collar Used? Yes No | | | |
| Cathodic Other (Core, Expl., etc.): | | | | |
| If Workover/Re-entry: Old Well Info as follows: | If yes, show depth set: Feet | | | |
| Operator: | If Alternate II completion, cement circulated from: | | | |
| Well Name: | feet depth to: w/ sx cmt. | | | |
| Original Comp. Date: Original Total Depth: | | | | |
| ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD | Drilling Fluid Management Plan | | | |
| ☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer | (Data must be collected from the Reserve Pit) | | | |
| Commingled Poweit # | Chloride content:ppm Fluid volume:bbls | | | |
| ☐ Commingled Permit #: ☐ Dual Completion Permit #: | Dewatering method used: | | | |
| SWD Permit #: | Location of fluid disposal if hauled offsite: | | | |
| ENHR Permit #: | Location of fluid disposal if fladied offsite. | | | |
| GSW Permit #: | Operator Name: | | | |
| | Lease Name: License #: | | | |
| Spud Date or Date Reached TD Completion Date or | Quarter Sec TwpS. R | | | |
| Recompletion Date Recompletion Date | Countv: Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|---------------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

Two .

| Operator Name: | | | Lease Name: _ | | | _ Well #: | |
|---|--|---|--|---|---|-------------------------------------|---------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| open and closed, flow | now important tops of fo ving and shut-in pressu o surface test, along w | ires, whether shut-in p | essure reached stat | ic level, hydrosta | tic pressures, bo | | |
| | g, Final Logs run to ob ed in LAS version 2.0 o | | | ogs must be ema | illed to kcc-well-lo | ogs@kcc.ks.go | v. Digital electronic log |
| Drill Stem Tests Taker (Attach Additional | | Yes No | | | on (Top), Depth a | | Sample |
| Samples Sent to Geo | logical Survey | ☐ Yes ☐ No | Nam | ie | | Тор | Datum |
| Cores Taken Electric Log Run | | ☐ Yes ☐ No ☐ Yes ☐ No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | | G RECORD Notes Note Notes Note | ew Used | ion etc | | |
| Durance of String | Size Hole | Size Casing | Weight | Setting | Type of | # Sacks | Type and Percent |
| Purpose of String | Drilled | Set (In O.D.) | Lbs. / Ft. | Depth | Cement | Used | Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | ADDITIONA | L CEMENTING / SQI | JEEZE RECORD | | · | |
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | # Sacks Used Type and Percent Additives | | | |
| Perforate Protect Casing | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | |
| | | | | | | | |
| | ulic fracturing treatment or | | | Yes | | kip questions 2 ar | nd 3) |
| | total base fluid of the hydra ring treatment information | = | _ | ? Yes [| | kip question 3) I out Page Three | of the ACO-1) |
| Trae are riyaraane mastar | | | | | | | |
| Shots Per Foot | | N RECORD - Bridge Plu ootage of Each Interval Pe | | | cture, Shot, Cemen mount and Kind of M | | Depth |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No |) | |
| Date of First, Resumed | Production, SWD or ENH | IR. Producing Me | thod: | | | | |
| 3, 11332/1164 | , <u>, , , , , , , , , , , , , , , , , , </u> | Flowing | Pumping | Gas Lift 0 | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil B | Bbls. Gas | Mcf Wat | er B | bls. | Gas-Oil Ratio | Gravity |
| DISPOSITI | ON OF GAS: | | METHOD OF COMPL | ETION: | | PRODUCTIO | ON INTERVAL: |
| Vented Solo | | Open Hole | Perf. Duall | y Comp. Cor | mmingled | THODOUTIC | ZIN IINI EI IVAE. |
| | bmit ACO-18.) | Other (Specify) | (Submit | ACO-5) (Sub | mit ACO-4) | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Laymon Oil II, LLC |
| Well Name | GLADES 92-17 |
| Doc ID | 1354984 |

Tops

| Name | Тор | Datum |
|---------------------|------|-------|
| Soil | 0 | 9 |
| Shale | 9 | 200 |
| Lime | 200 | 260 |
| Shale | 260 | 280 |
| Lime | 280 | 400 |
| Shale | 400 | 440 |
| Lime | 440 | 475 |
| Black Shale | 475 | 476 |
| Shale | 476 | 512 |
| Lime | 512 | 630 |
| Black Shale | 630 | 632 |
| Shale | 632 | 670 |
| Big Shale | 670 | 810 |
| Shale & Lime | 810 | 982 |
| Black Shale | 982 | 991 |
| Upper Squirrel Sand | 991 | 1001 |
| Shale | 1001 | 1040 |
| Cap Rock | 1040 | 1043 |
| Shale | 1043 | 1047 |
| Cap Rock | 1047 | 1049 |
| Shale | 1049 | 1052 |
| Lower Squirrel Sand | 1052 | 1060 |
| Shale | 1060 | 1140 |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Laymon Oil II, LLC |
| Well Name | GLADES 92-17 |
| Doc ID | 1354984 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | | | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|----|------|-------------------|-----|----------------------------------|
| Surface | 10.250 | 8.625 | 24 | 40 | portland | 10 | 0 |
| Production | 6.125 | 2.875 | 7 | 1137 | common | 160 | 0 |
| | | | | | | | |
| | | | | | | | |

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

SOLD FANDS

LAYMON OIL II, L.L.C. 1998 SQUIRREL RD.

LEASE: GLAZES WELL# 92-17HPTO

YATES CENTER KS 54 W TO QUAIL N 5 9/4 MI E SD JUST BEFORE RR TRACKS

NEOSHO FALLS

KS 66758

| | | | | | | 70 1111 | THE REPORT OF THE PARTY OF THE PARTY. |
|---------|--------------------|------------|---------------|--------|--------------|---------|---------------------------------------|
| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | | PLANT/TRANSACTION # |
| 12:23 P | M WELL PO NUMBE | 16.00 R | 16.00 | | Second Land | | WOOCO |
| DATE | * | LOAD# | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER |
| 3/9/17 | | 1 | 16.00 | 7, | 0.00 | 4.00 in | 42189 |

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Elbsh Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help you in every way that we can, but in orderfor do this
he driver is requesting that you sign this RELEASE relevely him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his which is
that he will not litter the public street. Eurher, as additional consideration, the undersigned agrees to indemnty and hold harmless the driver
of his truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

LOAD RECEIVED BY

UNIT PRICE

X Excess Delay Time Charged @ \$60/HR. QUANTITY CODE DESCRIPTION EXTENDED PRICE Who laster (10 SHCKS PER 16.00 2.00 TRUCKING TRUCKING CHARGE 2.00 16.00 MIXEHAUL MIXING AND HAULING 16.00

| RETURNED TO PLANT | LEFT JOB | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
|-------------------|--------------|------------------|---|--------------|---------------------|
| | | 130 | 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CITATION 5. CITATION | 1/1 | TAX 7.50 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | CONTRACTOR BROKE DOWN OTHER ADDED WATER | TIME DUE | |
| 1247 | 1/8 | | | | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 |
| N. | | | | | GRAND TOTAL |
| Tour | Destroyer | - Uzza | Dien Ticket blue | Ticket ID | Time Dake |

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

LAYMON OIL II 1998 SQUIRREL RD

NEOSHO FALLS KS 66758

CUST # 3447 TERMS: NET 10TH OF MONTH

DATE : CLERK: TERM # 361243 : 12/14/16 : SE # 551

TIME : 4:20 ******

| | Charles 9D-16 - 10 Dacks Glades 89-16 10 Dacks Wingham 80-16 10 Dacks LERbison 47-17 10 Dacks Charles 91-17 10 Dacks Charles 97-17 10 Dacks Charles 97-17 10 Dacks | QUANTITY UM ITEM 200 EA PC |
|--|--|---------------------------------|
| | | PORTLAND CEMENT |
| TAXABLE NON-TAXABLE SUB-TOTAL TAX AMOUNT TOTAL | | SUG.PRICE PRICE/PER 9.45 /EA |
| 1890.00 0.00 1890.00 165.38 2055.38 | | EXTENSION 1,890.00 |

Received By